

Trex Outdoor Kitchens





Specification Guide: Outdoor Cabinetry

Revision: 3-11-2024

Table of Contents

Style and Construction	11	Angle End: AEBxx02	33
Outdoor Cabinets: Nomenclature	12	Blind Corner Base: BCBxx01	34
Storage Base Cabinets	13	Blind Corner Base: BCBxx11	35
Drawer/Door Base: OBDxx11, OBDxx12	14	Diagonal Corner: DCBxx	36
Full-Height Doors: OBFxx01, OBFxx02	15	Diagonal Corner Sink Base: DCBSxx	37
OBFxx01-15 & -18, OBFxx02-15 & -18	16	Diagonal Corner Sink Base: DCBSxx	38
Full-Height Doors: OBFxx02H18	17	Sink Base Cabinets	39
Wall Depth: OBFWDxx30, OBFWDxx36	18	False Front: OBSxx01, OBSxx02	40
Flush End Panels: OFE 13L/R	19	Full-Height Door: OBSxxxx-FHD	41
Side Panels: OSP 13.88L/R, OSP 14.63L/R	20	Farm Sink Bases: OBSxxxxH11-FARM	42
Open Base Cabinet: OBFxx00	21	Galley Sink Bases: OBSxxxx GALLEY	43
Insert Cabinets: OBIxx10 and OBI4200	22	OBSxx00 ADA	44
Drawer Specifications and Volume	23	Sink Space: OBSxx00 ADA SINK SPACE	45
Multi-Drawer: OBFxx1xN	24	Trash Base Cabinets	47
Multi-Drawer: OBFxx2xN	25	OBTxx00, OBTxx10	47
Multi-Drawer: OBFxx3xN	26	OBTxx10N (nested), OBTxx10N TECNO	48
Multi-Drawer: OBMxx20	27	Large 51 Quart Can: OBTxx00L	49
Multi-Drawer: OBMxx30 and OBMxx40	28	Side Burner Base Cabinets	50
Multi-Drawer Bench: OBMBHxx20 or 30	29	OBBxxxx: 1 Door, 2 Door, 2 Drawer	51
Side Panels: OSP xxL/R 12H	30	OBBxx01H11, OBBxx02H11, OBBxx20H11	52
Flush End Panels: OFE xxL/R 12H	31	OBBxx01H12.5, OBBxx02H12.5	53
Back Panels: OBPxx 12H	32	15.5"H Shelf: OBBxx01 LOW, OBBxx02 LOW	54
Corner Base Cabinets	33	Bartending Center Base	55

Table of Contents

OBCxx01, OBCxx02	56	OGBxx21H11, xx22H11, xx41H11	78
OBCxx01H11, OBCxx02H11	57	OGBxx20H11, OGBxx30H11	79
OBCxx01H12.5, OBBxx02H12.5	58	OGBxx02H12.5, OGBxx03H12.5	80
Warming Drawer Bases	59	OGBxx21H12.5, xx22H12.5, xx41H12.5	83
OBWxx02 H12, OBWxx10 H12	59	OGBxx02H15.5, OGBxx03H15.5	84
OBWxx10 H21: 1 Drawer	60	OGBxx20H18.5, OGBxx30H18.5	8.5
OBWxx10 H17.38	61	OGBxx20-CALIBER ROCKWELL	86
OBWxx02 H14.13, OBWxx10 H14.13	62	Gas Stop Timer: OGBxx00 GS, OGBxx00H11 GS	87
Double Warming Drawer Bases	63	Tecno Style: OGBxx00, OGBxx00H11	88
ODWxx00 H14	63	Grill/Large Insert Cabinets	89
Egg Base Cabinets	64	OGFxx00	89
OEBxx02 H16.5, OEBxx02 H12.5	64	Grill/Warming Drawer Cabinets	90
OEBxx02-35 H16.5 or 12.5 (Extra Large)	65	OGWxx00, OGWxx10	90
Diagonal Corner: DCBExx H16.5 or H12.5	66	OGWxx20, OGWxx30	9
Grill Cabinets	67	OGWxx01, xx11, xx21	92
Shelf Height & Cutout calculation	68	OGWxx00H11, xx10H11	93
Doors: OGBxx02, OGBxx03	69	OGWxx01H11, xx11H11, xx21H11	94
Drawers/Doors: OGBxx21, OGBxx22, OGBxx41	70	OGWxx30H11	95
Full-Height Drawers: OGBxx20, OGBxx30	71	Oven Base Cabinets	90
Drawers: OGBxx40, OGBxx60	72	OOCxx00	90
EVO: OGBxxxx-EVO	73	Post and Panel System	97
OGBxx02H11, OGBxx03H11	76	Mid & End Support	98
OGBxx40H11, OGBxx60H11	77	PPS SPACERS & PANELS	99

Table of Contents

PPS PANELS	100	Side Panels: OSP xxL/R	122
PPS CABINET CONNECTOR	101	Side Panels GFCI: OSP xxL/R ELEC	123
Tall Storage Cabinets	102	Extended Side Panels: OSP EXTEND	124
TBxxzz	102	Access Door Fillers: OFFxx	123
Full-Height Doors: TBxx84-24-FHD	103	Front Fillers: OFLFxx, OFLF ENDxx	126
TBxxzz-24: 2 doors	104	OFLF 24-27L/R, OFLA x-x	127
TBxxzz-24: 4 doors	105	Rear Filler: OFLxx	128
Tall Oven Cabinets	106	Front/Rear Fillers with GFCI cutout	129
TTxxzz-24: 2 Doors, 2 Drawers	106	Undercounter Appliance Filler: OFTS xx xx	130
Tall Cabinet Accessories - Fillers: TFLF	107	Half and Full-Depth Shelving: OSH	13
Side Panels: OSPT xxzzL/R	108	Pullout Shelving	132
Cabinet Accessories: Nomenclature	109	Pullout Ice Chest	133
Floating Shelves: FSxxB	110	Propane Pullout: OPPxx	134
Back Panels: OBPxx	112	Trash Pullout: OTP	133
ADA Back Panels	113	Undercounter Appliance Parts	136
Vented Back Panels: OBPV	114	Front Corner Fillers: OAF90/45xx	137
Galvanized Vented Back Panels: OBPVGF	115	OAR90XX Insert No Vent/Vent Access	139
OBPVGF 36H	116	Middle Box Columns: OBXzz.zz x.xx	140
Equal Back Panels	117	ORP with electrical cutout	14
Extended Equal Back Panels	118	OBX with electrical cutout	142
ADA Extended Equal Back Panels	119	End Support Columns: ORPzz.zz x.xx	143
Flush End Panels: OFE xxL/R, OFEGFxx	120	ORP Cabinet Connector xx	144
Flush End Panels GFCI: OFE xxL/R ELEC	121	ORP Decorative Side Panels: OSP xx yy	145

Table of Contents

ORP Depth Skin: ORPS	146	Wall Cabinets	166
OBX Width Skin: OBXF	146	Wall Cabinets & Accessories: Nomenclature	167
Undercounter Appliance Spacers: ORS	147	Single door: WSxxzz-LH/RH	168
Countertop Support Piers: OCPSxx	148	Double door: WSxxzz	169
Countertop Span Support: OCSxx	149	24" Deep: WSxxzz-24	170
Countertop Flush Ends: OFE xxL/R OCS	150	Diagonal Corner: WDCxx, Blind Corner: WBxxzz	171
Handles	151	Microwave Cabinet: WMCxxzz	172
Standard Handle Placement	152	Wall Accessories	173
Pull Tab Handles	153	Side Panels: WSP, Flush End Panels: WFE	173
Appliance Overlay Panels	154	Front Fillers: WFL, Corner Fillers: WFC	174
Locks	155	Light Rail: WLR xx yy zz, PVC Cleat	175
Horizon Wood Grain Usage	156	Rolling Carts	170
Miscellaneous	157	Cosmopolitan Tables	177
Powder Coat Wood Grain Direction: Slab/Rio	157	Eat & Prep	177
Powder Coat Wood Grain Direction: Key West	158	Eat & Prep with Casters	178
Powder Coat Wood Grain Direction: Beadboard	159	Eat & Prep ADA	179
Powder Coat Wood Grain Direction: Venice	160	Eat & Prep ADA with Casters	180
Venice Door Powder Coating Options	161	Store & Cook	18
Sink Covers: SCxxzz	162	Store & Cook with Casters	182
Standard & ADA Legs	163	Store & Cook ADA	183
Stainless Legs: SSLEG	164	Store & Cook ADA with Casters	184
Toe Kick: OTKx	165	ADA Wheelchair Access	183
		Cosmopolitan Buffet Cook & Buffet Store	186

8

Cosmop	olitan Kitchen:	187
Frame	e Parts and Accessory Parts	187
Powd	er Coat Examples	188
Powd	er Coat Options	189
Sectio	on 42 and Section 60	190
Transi	tion and End	19
Invisa	cook and Trim Kit Shell	192
Storaç	ge 18 and Storage TM 18	190
Tall St	orage 18 and Triple Storage 18	194
Propa	ne Storage	195
Island In	sert Cabinets	190
Acces	ss Doors: IDRxxzz-1, IDRxxzz-2	197
Clean	a-Stor® Box with Shelf	198
Clean	a-Stor® Box Drawer Sets: IDWxxzz	199
Island	Insert Cabinet - Accessories	200



Style and Construction

- All standard doors, drawers and cabinet boxes are manufactured from 20g 304 stainless steel or choose to upgrade to 316 marine grade.
- European frameless, solid top construction with full overlay doors.
- Standard 30" high cabinet boxes plus 4.5" leveling legs adjustable from 3.75" to 5.75" or 2" to 3.25" ADA leg heights.
- Cabinet depths are standard 27.88" or optional 24.88" which includes 7/8" for drawer(s) and door(s).
- Concealed door hinges, full extension, soft-close drawer glides on residential projects.
- Magnetic door closures and rain gaskets are standard on cabinetry.
- #2 matte finish interior standard on Danver Stainless Outdoor Kitchen cabinets.
- #4 brushed finish interior standard on Brown Jordan Outdoor Kitchen cabinets.

Cabinet Options

- Shelving options: half depth standard, full depth, roll out or heavy duty available. Incremental 3" widths starting at 9" and heights starting at 12".
- Available in a variety of door style options.
- Powder coated finishes in solid colors along with woodgrain and stone looks.
- Finished backs and sides are available for stand alone island installations.
- Pre-cut access holes to accommodate plumbing, electrical and required ventilation.

10 _______ 11

Outdoor Cabinets: Nomenclature


*Return to Table of Contents

All Danver Base cabinets use specific nomenclature designed to help you find the specific type needed.

Standard base cabinet box depth is 27" (drawers/door fronts are 7/8" thick)

For 24" depth cabinets, specify -24 after item #. For example OBF1501-24-LH.

Right hinge or left hinge on single door units is specified as -RH or -LH.




* Base Category Code Key		
AE	Angle End	
ВС	Blind Corner	
DC	Diagonal Corner	
ОВ	Outside Base	
OG	Outside Grill	
OE	Outside Egg	
OW	Outside Warming	
WS	Wall Cabinet	
TB	Tall Base	
TT	Tall Double Oven	
ID	Insert Door	
IC	Insert Combination	
IT	Insert Trash Pull-out	
IP	Insert Propane Pull-out	
IDW	Insert Drawer	

** Base Style Code Key	
В	Base or Burner if "BB"
С	Cocktail Base
F	Full-height Door
FWD	Full-height Door Wall Depth (13"D)
М	Multi-Drawer
MBH	Multi-Drawer Bench Height (12"H)
S	Sink
Т	Trash
W	Warming Drawer


Storage Base Cabinets - Front, Side, & Bottom View


*Return to Table of Contents

Typical measurements for base storage cabinets.



Typical cabinet foot location.





Bottom View

Side View

12


Storage Base Cabinets - Drawer/Door Base: OBDxx11, OBDxx12

*Return to Table of Contents

6.125" 23.50" 29.75" 24.88" or 27.88"

Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro 2.0 glide max load weight is 90 lbs.

Product Description		
OBD: Drawer/door base, 1 door, 1 upper		
drawer, 27" D cabinet includes half-depth shelf, 24" D cabinet includes full-depth shelf.		
27" Depth SKU	24" Depth SKU	
OBD0911-LH	OBD0911-24-LH	
OBD0911-RH	OBD0911-24-RH	
OBD1211-LH	OBD1211-24-LH	
OBD1211-RH	OBD1211-24-RH	
OBD1511-LH	OBD1511-24-LH	
OBD1511-RH	OBD1511-24-RH	
OBD1811-LH	OBD1811-24-LH	
OBD1811-RH	OBD1811-24-RH	
OBD2111-LH	OBD2111-24-LH	
OBD2111-RH	OBD2111-24-RH	
OBD2411-LH	OBD2411-24-LH	
OBD2411-RH	OBD2411-24-RH	




Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro 2.0 glide max load weight is 90 lbs.

Product Description		
OBD: Drawer/doors base,1 upper drawer, 2 doors, 27" D cabinet includes half-depth shelf, 24" D cabinet includes full-depth shelf.		
27" Depth SKU	24" Depth SKU	
OBD2412	OBD2412-24	
OBD2712	OBD2712-24	
OBD3012	OBD3012-24	
OBD3312	OBD3312-24	
OBD3612	OBD3612-24	
OBD3912	OBD3912-24	

Storage Base Cabinets - Full-Height Doors: OBFxx01, OBFxx02

*Return to Table of Contents




NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.

27" Depth SKU	24" Depth SKU
OBF0901-LH	OBF0901-24-LH
OBF0901-RH	OBF0901-24-RH
OBF1201-LH	OBF1201-24-LH
OBF1201-RH	OBF1201-24-RH
OBF1501-LH	OBF1501-24-LH
OBF1501-RH	OBF1501-24-RH
OBF1801-LH	OBF1801-24-LH
OBF1801-RH	OBF1801-24-RH
OBF2101-LH	OBF2101-24-LH
OBF2101-RH	OBF2101-24-RH
OBF2401-LH	OBF2401-24-LH
OBF2401-RH	OBF2401-24-RH

Product Description

OBF: Full-height door base, 1 door, 27" D



NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.

Product Description
OBF: Full-height door base, 2 doors, 27" D
cabinet includes half-depth shelf, 24" D cabinet
includes full-depth.

27" Depth SKU	24" Depth SKU
OBF2402	OBF2402-24
OBF2702	OBF2702-24
OBF3002	OBF3002-24
OBF3302	OBF3302-24
OBF3602	OBF3602-24
OBF3902	OBF3902-24
OBF4202	OBF4202-24
OBF4502	OBF4502-24
OBF4802	OBF4802-24

4 - 1

Storage Base Cabinets - OBFxx01-15 & -18, OBFxx02-15 & -18

*Return to Table of Contents

18" Depth SKU

OBF0901-18-LH

OBF0901-18-RH

OBF1201-18-LH

OBF1201-18-RH

OBF1501-18-LH

OBF1501-18-RH OBF1801-18-LH

OBF1801-18-RH

OBF2101-18-LH

OBF2101-18-RH

Product Description

OBF2402-18

OBF2702-18

OBF3002-18

OBF3302-18

OBF3602-18

OBF3902-18

OBF4202-18

OBF4502-18

OBF4802-18

OBFxx02-15 or -18: Full-height door base, 2 doors, includes full-depth shelf. 15" or 18"

Product Description

OBFxx01-15 or -18: Full-height door base,

1 door, includes full-depth shelf. 15" or 18"

15" Depth SKU

OBF0901-15-LH

OBF0901-15-RH

OBF1201-15-LH

OBF1201-15-RH

OBF1501-15-LH

OBF1501-15-RH

OBF1801-15-LH OBF1801-15-RH

OBF2101-15-LH

OBF2101-15-RH

depth.

OBF2402-15

OBF2702-15

OBF3002-15

OBF3302-15


OBF3602-15

OBF3902-15

OBF4202-15


OBF4502-15

OBF4802-15



NOTE: Cabinet boxes are 30" high plus 4.5"

leveling legs or 2" (ADA) leg heights.




Tages	

NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.

Storage Base Cabinets - Full-Height Doors: OBFxx02H18

*Return to Table of Contents



NOTE: Designed for grills that sit on cabinet top. (Example: Yoder, Blackstone)

N.S.		
		18,00
		1.50

Product Description

OBFxx02H18: Full-height door base. 30"-48"W x 18"H x 27"D Base - 2 Full Height Doors: 23.88"W x 17.75"H. NO SHELF OPTIONS FOR THIS CABINET. ***Requires CUSTOM finished back/sides panels if necessary due to 18"H. Do not use standard OBP, OFE, or OSP!***

27" Depth SKU
OBF3002H18
OBF3602H18
OBF4202H18
OBF4802H18
OBF5403H18


Storage Base Cabinets - Wall Depth: OBFWDxx30, OBFWDxx36

*Return to Table of Contents


OBFWD1836-LH

OBFWD1836-RH

OBFWD2136-LH OBFWD2136-RH



NOTE: Cabinets may tip if not attached to 24" or 30" depth cabinets. Please observe all local building codes when installing. Cabinet boxes are 30" or 36" high plus 4.5" leveling legs or 2" (ADA) leg heights. Decorative side panels are available in every door style.



NOTE: Cabinets may tip if not attached to 24" or 30" depth cabinets. Please observe all local building codes when installing. Cabinet boxes are 30" or 36" high plus 4.5" leveling legs or 2" (ADA) leg heights. Decorative side panels are available in every door style.

Product Description OBFWD: Full-height door base, Wall Depth 13", 1 door, includes two full-depth shelves. 30" Height SKU 36" Height SKU OBFWD1230-LH OBFWD1236-LH OBFWD1230-RH OBFWD1236-RH OBFWD1530-LH OBFWD1536-LH OBFWD1530-RH OBFWD1536-RH

OBFWD1830-LH

OBFWD1830-RH


OBFWD2130-LH


OBFWD2130-RH

Product Description		
OBFWD: Full-height door base, Wall Depth 13", 2 doors, includes two full-depth shelves.		
30" Height SKU	36" Height SKU	
OBFWD2430	OBFWD2436	
OBFWD2730	OBFWD2736	
OBFWD3030	OBFWD3036	
OBFWD3330	OBFWD3336	
OBFWD3630	OBFWD3636	

Wall Depth Base - Flush End Panels: OFE 13L/R

*Return to Table of Contents





Product Description

OFE: Wall depth cabinet flush end panel, 13"D x 30"H. Sits flush to cabinet side, specify based on cabinet side and depth. No round access hole cutout.

13" Depth x 30"H SKU

OFE 13L

OFE 13R

13" Depth x 36"H SKU

OFE 13L 36H

OFE 13R 36H

Product Description

OFE: Wall depth cabinet flush end panel, 13"D x 30"H. Sits flush to cabinet side, specify based on cabinet side and depth. Round access hole cutout.

13" Depth x 30"H SKU

OFE 13L APPLIANCE

OFE 13R APPLIANCE

13" Depth x 36" High SKU

OFE 36H 13L APPLIANCE

OFE 36H 13R APPLIANCE

Product Description

OFEGF: Base wall height cabinet galvanized flush end panel, 30"H or 36"H. Sits flush in cabinet side, used to fill in cabinet side for adhering waterfall countertops and other materials. Specify based on cabinet depth and height.

13" Depth x 30" Height SKU

OFEGF13

13" Depth x 36" Height SKU

OFEGF13 36H

30


Product Description OSP: ¾" Thick 13"D x 30/36"H side panels for wall depthbase cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels)

13" Depth x 30" High SKU		
OSP 13.88L		
OSP 13.88R		
OSP 14.63L	13"D Cabinet with back panel	
OSP 14.63R	13"D Cabinet with back panel	

13" Depth x 36" High SKU		
OSP 13.88L 36H		
OSP 13.88R 36H		
OSP 14.63L 36H	13"D x 36"H Cabinet with back panel	
OSP 14.63R 36H	13"D x 36"H Cabinet with back panel	

Storage Base Cabinets - Open Base Cabinet: OBFxx00

*Return to Table of Contents



Note: OBFxx00 cabinet box depth is 24.88"D or 27.88"D to match total depth of standard cabinets with fronts. Flush end panels (OFE) are available to finish the exposed side seen when OBFxx00 bases are placed next to standard bases. The return flange on the OBFxx00 side is 7/8" longer to line up with adjacent sides.

The interior of OBFxx00 cabinets can be powdercoated but cannot have woodgrain powdercoat applied.

Product Description			
OBFxx00: Open base cabinet, #4 brushed finish, no drawers/doors, no holes on interior. Includes one full-depth shelf.			
27" Depth SKU	24" Depth SKU		
OBF0900	OBF0900-24		
OBF1200	OBF1200-24		
OBF1500	OBF1500-24		


OBF0900	OBF0900-24
OBF1200	OBF1200-24
OBF1500	OBF1500-24
OBF1800	OBF1800-24
OBF2100	OBF2100-24
OBF2400	OBF2400-24
OBF2700	OBF2700-24
OBF3300	OBF3300-24
OBF3600	OBF3600-24
OBF3900	OBF3900-24
OBF4200	OBF4200-24
OBF4500	OBF4500-24
OBF4800	OBF4800-24


Storage Base Cabinets - Insert Cabinets: OBIxx10 and OBI4200


*Return to Table of Contents

Product Description OBIxx10: XX"W x 27"D Base - 1 Upper Drawer, no doors. Made to accept Dry Pantry Storage box or other insert. ***this cabinet needs a trim kit (OBIK).

27" Depth SKU	24" Depth SKU
OBI3010	OBI3010-24
OBI3610	OBI3610-24
OBI4200	OBI4200-24








Storage Base Cabinets - Drawer Specifications and Volume

*Return to Table of Contents




Note: Subtract 3.82" from cabinet width to determine drawer wrap width. Drawer depth remains the same regardless of cabinet width.

22 ______ 23

Storage Base Cabinets - Multi-Drawer: OBFxx2xN

*Return to Table of Contents


*Return to Table of Contents



OBFxx11 & OBFxx12: 1 Drawer
and 1 Full-Height Door (12"-21"
wide cabinets) / 1 Drawer and 2
Full-Height Doors (24"-30" wide
cabinets). Nested drawer with 18"
slides, no handle - pull to open,
Hampton slab front ONLY, will
match power coat on cabinet door
when applicable. Front: 15"H.

Product Description


27" Depth SKU	24" Depth SKU
OBF1211N	OBF1211N-24
OBF1511N	OBF1511N-24
OBF1811N	OBF1811N-24
OBF2111N	OBF2111N-24
OBF2412N	OBF2412N-24
OBF2712N	OBF2712N-24
OBF3012N	OBF3012N-24



OBFxx21 & OBFxx22: 2 Drawers
and 1 Full-Height Door (12"-21"
wide cabinets) / 2 Drawers and 2
Full-Height Doors (24"-30" wide

wide cabinets) / 2 Drawers and 2 Full-Height Doors (24"-30" wide cabinets). Nested drawers with 18" slides, no handle - pull to open, Hampton slab front ONLY, will match power coat on cabinet door when applicable. Top front 5.63"H, bottom front 15"H.

27" Depth SKU	24" Depth SKU
OBF1221N	OBF1221N-24
OBF1521N	OBF1521N-24
OBF1821N	OBF1821N-24
OBF2121N	OBF2121N-24
OBF2422N	OBF2422N-24
OBF2722N	OBF2722N-24
OBF3022N	OBF3022N-24



24.00 07 27.00

12"-21" width cabinets have one door

24"-30" width cabinets have two doors

Note: The Dynapro2.0 slide max load weight is 90 lbs.

12"-21" width cabinets have one door

24"-30" width cabinets have two doors

Note: The Dynapro 2.0 slide max load weight is 90 lbs.

24

Product Description

OBFxx31 & OBFxx32: 3 Drawers and 1 Full-Height Door (12"-21" wide cabinets) / 3 Drawers and 2 Full-Height Doors (24"-30" wide cabinets). Nested drawers with 18" slides, no handle - pull to open, Hampton slab front ONLY, will match power coat on cabinet door when applicable. Top fronts 5.63"H, bottom front 12"H.

27" Depth SKU 24" Depth SKU

OBF1231N-24

OBF1531N-24

OBF1831N-24

OBF2131N-24

OBF2432N-24

OBF2732N-24

OBF3032N-24

OBF1231N

OBF1531N

OBF1831N


OBF2131N

OBF2432N

OBF2732N

OBF3032N

*Return to Table of Contents



Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro 2.0 glide max load weight is 90 lbs.

		14.8125'
30"	0	14.8125'
4.5" 24.8	38" or 27.88"	

	24.00 or 27.00	
30,00		5563
450		12,00

30,00	24.00 or 27.00.	

12"-21" width cabinets have one door


24"-30" width cabinets have two doors

Note: The Dynapro 2.0 slide max load weight is 90 lbs.

OBMxx20: Multi-Drawer Base, 2 Drawers		
27" Depth SKU	24" Depth SKU	
OBM0920	OBM0920-24	
OBM1220	OBM1220-24	
OBM1520	OBM1520-24	
OBM1820	OBM1820-24	
OBM2120	OBM2120-24	
OBM2420	OBM2420-24	
OBM2720	OBM2720-24	
OBM3020	OBM3020-24	
OBM3320	OBM3320-24	
OBM3620	OBM3620-24	


Storage Base Cabinets - Multi-Drawer: OBMxx30 and OBMxx40

*Return to Table of Contents



Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

OBMxx30: Multi-Drawer Base, 3 Drawers		
27" Depth SKU	24" Depth SKU	
OBM0930	OBM0930-24	
OBM1230	OBM1230-24	
OBM1530	OBM1530-24	
OBM1830	OBM1830-24	
OBM2130	OBM2130-24	
OBM2430	OBM2130-24	
OBM2730	OBM2730-24	
OBM3030	OBM3030-24	
OBM3330	OBM3330-24	
OBM3630	OBM3630-24	




Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

Product Description			
OBMxx40: Multi-Drawer Base, 4 Drawers			
27" Depth SKU 24" Depth SKU			
OBM0940	OBM0940-24		
OBM1240	OBM1240-24		
OBM1540	OBM1540-24		
OBM1840	OBM1840-24		
OBM2140	OBM2140-24		
OBM2440	OBM2440-24		
OBM2740	OBM2740-24		
OBM3040	OBM3040-24		
OBM3340	OBM3340-24		
OBM3640	OBM3640-24		

Storage Base Cabinets - Multi-Drawer Bench: OBMBHxx20 or 30

*Return to Table of Contents



Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

OBMBH3020


	12,000	
T. F. T.		

OBMBHxxxx: Outdoor Base Multi-Drawer Bench Height, 2 Drawers. 12" box height, 16.5"H overall with legs set at 4.5". 4 extrusions on top for extra

support. Can use Ceramic Egg on units.

Product Description


27" Depth SKU **OBMBH3020** OBMBH3020-24 OBMBH3620-24 **OBMBH3620** OBMBH4220 OBMBH4220-24 **OBMBH4830** OBMBH4830-24



Product Description		
OSP: ¾" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels). 12"H for Bench Height bases.		
24" Depth x 12" High SKU		
OSP 24.88L 12H		
OSP 24.88R 12H		
OSP 25.63L 12H	24"D Cabinet with back panel	
OSP 25.63R	24"D Cabinet with back panel	
27" Depth x 12" High SKU		
OSP 27.88L 12H		
OSP 27.88R 12H		
OSP 28.63L 12H	27"D Cabinet with back panel	
OSP 28.63R 12H	27"D Cabinet with back panel	

Multi-Drawer Bench - Flush End Panels: OFE xxL/R 12H


*Return to Table of Contents



	FTOULCE D	escription	
OFE: Base bench cabinet flush end panel, 12"h Sits flush to cabinet side, specify based on cabinet side and depth. No round access hole cutout or attachment holes for ORS.			
27" Depth SKU 24" Depth SKU			
	OFE 27L 12H	OFE 24L 12H	
	OFE 27R 12H OFE 24R 12H		

Product Description
OFEGF: Base bench height cabinet galvanized flush end panel, 12"H. Sits flush in cabinet side used to fill in cabinet side for adhering waterfall countertops and other materials. Specify based on cabinet depth.

27" Depth SKU	24" Depth SKU
OFEGF27 12H	OFEGF24 12H




Product Description

OBP: ¾" Thick back panel 12" high, fits exact width of Bench Height cabinet up to 42"W, wider cabinets use two smaller back panels. (Example: OBMBH4203 uses two 21"W back panels).

SKU	Description
OBP21 12H	21" back panel, 12"H
OBP24 12H	24" back panel, 12"H
OBP30 12H	30" back panel, 12"H
OBP36 12H	36" back panel, 12"H


Corner Base Cabinets - Angle End: AEBxx02

*Return to Table of Contents



Product Description								
AEBxx02: Angle End Corner Base, 2 Doors. Includes half-depth shelf. NOTE: 27" cabinets door width 16.81"								
24" cabinet door	width 14.69"							
27" Depth SKU 24" Depth SKU								
AEB2702	AEB2402							

32 ______ 33



BCBxx01: Blind Corner Base, 1 door. *MUST SPECIFY DOOR PLACEMENT, DOOR WIDTH, & PANEL WIDTH IN PART NOTES,
SEE SIZING MATRIX!* Example on left shows a BCB4801-LH with a 18" wide door and 30"
wide panel.


NOTE:	27"ca	binets c	come v	with h	alf-de	epth :	shelf,	24
	cabine	ets com	e with	full-c	depth	shelf		

27" Depth SKU	24" Depth SKU
BCB3001-LH	BCB3001-24-LH
BCB3001-RH	BCB3001-24-RH
BCB3601-LH	BCB3601-24-LH
BCB3601-RH	BCB3601-24-RH
BCB4201-LH	BCB4201-24-LH
BCB4201-RH	BCB4201-24-RH
BCB4501-LH	BCB4501-24-LH
BCB4501-RH	BCB4501-24-RH
BCB4801-LH	BCB4801-24-LH
BCB4801-RH	BCB4801-24-RH

	Blind Corner Base Matrix: Panel Width in bold, Door Width in center												
		6	9	12	15	18	21	24	27	30	33	36	39
th	30	24	21	18	15	12	9						
Cabinet Width	33		24	21	18	15	12	9					
st V	36			24	21	18	15	12	9				
oine	39				24	21	18	15	12	9			
Cat	42					24	21	18	15	12	9		
	45						24	21	18	15	12	9	
	48							24	21	18	15	12	9

Corner Base Cabinets - Blind Corner Base: BCBxx11

*Return to Table of Contents



BCBxx11: Blind Corner Base, 1 drawer, 1 door *MUST SPECIFY DOOR PLACEMENT, DOOF WIDTH, & PANEL WIDTH IN PART NOTES, SEE SIZING MATRIX!* Example on left shows a BCB4811-LH with a 18" wide drawer/door and 30" wide panel. NOTE: 27"cabinets come with half-depth shelf, 24"cabinets come with full-depth shelf.


27" Depth SKU	24" Depth SKU
BCB3011-LH	BCB3011-24-LH
BCB3011-RH	BCB3011-24-RH
BCB3611-LH	BCB3611-24-LH
BCB3611-RH	BCB3611-24-RH
BCB4211-LH	BCB4211-24-LH
BCB4211-RH	BCB4211-24-RH
BCB4511-LH	BCB4511-24-LH
BCB4511-RH	BCB4511-24-RH
BCB4811-LH	BCB4811-24-LH
BCB4811-RH	BCB4811-24-RH

		Blind	Corne	er Base	Matrix	: Pane	l Widtl	n in bo	ld, Doo	or Wid	th in ce	enter	
		6	9	12	15	18	21	24	27	30	33	36	39
th	30	24	21	18	15	12	9						
Width	33		24	21	18	15	12	9					
	36			24	21	18	15	12	9				
Cabinet	39				24	21	18	15	12	9			
Cat	42					24	21	18	15	12	9		
	45						24	21	18	15	12	9	
	48							24	21	18	15	12	9

34 _______ 3

Corner Base Cabinets - Diagonal Corner: DCBxx

*Return to Table of Contents




Product Description									
	r front fillers are								
27" Depth SKU 24" Depth SKU									
DCB39-LH									

DCB36-RH

DCB39-RH


Corner Base Cabinets - Diagonal Corner Sink Base: DCBSxx

*Return to Table of Contents




DCBSxx: Diagonal Corner Sink Base, 1 DCBS39 matches cabinets of 27" depth, DCBS36 matches cabinets of 24" depth. Note: 1" wide or greater front fillers are recommended on either side of cabinet f clearance.		ets of 27" depth, lets of 24" depth. front fillers are
	24" Depth SKU	
	DCBS39-LH	DCBS36-LH
	DCBS39-RH	DCBS36-RH

Product Description



Corner Base Cabinets - Diagonal Corner Sink Base: DCBSxx


*Return to Table of Contents




Sink Base Cabinets - OBSxxxx cutouts

*Return to Table of Contents

All OBS (Sink Base Cabinets) have pre-cut openings in the rear and bottom panels as well as standard side openings for plumbing and electrical conduit. Cabinet comes with two (2) opening covers.



Plan View



OBS Cabinet 24"/27" Depth Sink Spacing

Sink Base Cabinets - False Front: OBSxx01, OBSxx02

*Return to Table of Contents

OBS2401-24-LH

OBS2401-24-RH

Product Description OBSxx01: Outdoor Sink Base, false Drawer front, 1 Door. 24" Depth SKU OBS1201-LH OBS1201-24-LH OBS1201-24-RH OBS1201-RH OBS1501-24-LH OBS1501-LH OBS1501-24-RH OBS1501-RH OBS1801-24-LH OBS1801-LH OBS1801-RH OBS1801-24-RH OBS2101-24-LH OBS2101-LH OBS2101-RH OBS2101-24-RH


OBS2401-LH OBS2401-RH

20 20 00 77.88 20 50 00 77.88 6.13


Product Description	
OBSxx02: Outdoor Sink Base, false Drawer front, 2 Doors.	
27" Depth SKU	24" Depth SKU
OBS2402	OBS2402-24
OBS2702	OBS2702-24
OBS3002	OBS3002-24
OBS3302	OBS3302-24
OBS3602	OBS3602-24
OBS3902	OBS3902-24
OBS4202	OBS4202-24
OBS4502	OBS4502-24
OBS4802	OBS4802-24

Sink Base Cabinets - Full-Height Door: OBSxxxx-FHD

*Return to Table of Contents



Product Description		
OBSxx01-FHD: Outdoor Sink Base, 1 Full-Height Door		
27" Depth SKU	24" Depth SKU	
OBS1201-FHD-LH	OBS1201-24-FHD-LH	
OBS1201-FHD-RH	OBS1201-24-FHD-RH	
OBS1501-FHD-LH	OBS1501-24-FHD-LH	
OBS1501-FHD-RH	OBS1501-24-FHD-RH	
OBS1801-FHD-LH	OBS1801-24-FHD-LH	
OBS1801-FHD-RH	OBS1801-24-FHD-RH	
OBS2101-FHD-LH	OBS2101-24-FHD-LH	
OBS2101-FHD-RH	OBS2101-24-FHD-RH	
OBS2401-FHD-LH	OBS2401-24-FHD-LH	
OBS2401-FHD-RH	OBS2401-24-FHD-RH	



Product Description		
OBSxx02-FHD: Outdoor Sink Base, 2 Full-Height Doors		
27" Depth SKU	24" Depth SKU	
OBS2402-FHD	OBS2402-24-FHD	
OBS2702-FHD	OBS2702-24-FHD	
OBS3002-FHD	OBS3002-24-FHD	
OBS3302-FHD	OBS3302-24-FHD	
OBS3602-FHD	OBS3602-24-FHD	
OBS3902-FHD	OBS3902-24-FHD	
OBS4202-FHD	OBS4202-24-FHD	
OBS4502-FHD	OBS4502-24-FHD	
OBS4802-FHD OBS4802-24-FHD		

40

Sink Base Cabinets - Farm Sink Bases: OBSxxxxH11-FARM

*Return to Table of Contents

10.75" 29.75" 18.875"

Product Description


OBSxx02H11-FARM: Outdoor Sink Base for Farm/ Apron sinks, 2 Full height doors (1 door available for 24"W), specify sink for trim kit.

NOTE: Trim Kit does not include sink support brackets

27" Depth SKU	24" Depth SKU
OBS2401H11-FARM-LH	OBS2401H11-24-FARM-LH
OBS2401H11-FARM-RH	OBS2401H11-24-FARM-RH
OBS2402H11-FARM	OBS2402H11-24-FARM
OBS2702H11-FARM	OBS2702H11-24-FARM
OBS3002H11-FARM	OBS3002H11-24-FARM
OBS3302H11-FARM	OBS3302H11-24-FARM
OBS3602H11-FARM	OBS3602H11-24-FARM
OBS3902H11-FARM	OBS3902H11-24-FARM
OBS4202H11-FARM	OBS4202H11-24-FARM
OBS4502H11-FARM	OBS4502H11-24-FARM
OBS4802H11-FARM	OBS4802H11-24-FARM

Sink Base Cabinets - Galley Sink Bases: OBSxxxx GALLEY

*Return to Table of Contents



Note: 3 doors (not shown) may be hinged in any combination.


	Product Description	
only. Control to support or Full	OBSxx0y Galley: Outdoor Sink Base for Galley Sinks only. Consists of multiple smaller sink bases with cutouts to support Galley Sinks. Either made with False Front or Full Height Door (-FHD). *See table below for cabinet and back panel configuration.*	
27	" Depth SKU	24" Depth SKU
OBS30	02 GALLEY	OBS3002-24 GALLEY
OBS36	02 GALLEY	OBS3602-24 GALLEY
OBS48	02 GALLEY	OBS4802-24 GALLEY
OBS60	03 GALLEY	OBS6003-24 GALLEY
OBS30	02-FHD GALLEY	OBS3002-24-FHD GALLEY
OBS36	02-FHD GALLEY	OBS3602-24-FHD GALLEY
L OBC 40	00 EUD OALLEY	ODC4000 04 FUD OALLEY


or Full Height Door (-FHD). *See table below for cabinet and back panel configuration.*		
27" Depth SKU	24" Depth SKU	
OBS3002 GALLEY	OBS3002-24 GALLEY	
OBS3602 GALLEY	OBS3602-24 GALLEY	
OBS4802 GALLEY	OBS4802-24 GALLEY	
OBS6003 GALLEY	OBS6003-24 GALLEY	
OBS3002-FHD GALLEY	OBS3002-24-FHD GALLEY	
OBS3602-FHD GALLEY	OBS3602-24-FHD GALLEY	
OBS4802-FHD GALLEY	OBS4802-24-FHD GALLEY	
OBS6003-FHD GALLEY	OBS6003-24-FHD GALLEY	

OBS7203-FHD GALLEY OBS7203-24-FHD GALLEY

OBS8404-FHD GALLEY OBS8404-24-FHD GALLEY


Galley OBP SKU	Cabinet/OBP Configuration
OBS3002 GALLEY	1-30" cabinet, OBP30
OBS3602 GALLEY	1-36" cabinet, OBP36
OBS4802 GALLEY	2-24" cabinets, 2-OBP24
OBS6003 GALLEY	2-18" cabinets, 1-24" cabinet
OBP60GALLEYBPKIT	2-OBP18, 1-OBP24
OBP72GALLEYBPKIT	3-24" cabinets, 3-OBP24
OBP84GALLEYBPKIT	4-21" cabinets, 4-OBP21





OBSxx00 ADA: Outdoor ADA Sink Base, no doors, removable panel inside, 32.25" total height for ADA compliance. Glides on bottom adjustable up to 1"H.		
27" Depth SKU	24" Depth SKU	
OBS3600 ADA	OBS3600-24 ADA	
OBS3900 ADA	OBS3900-24 ADA	
OBS4200 ADA	OBS4200-24 ADA	
OBS4500 ADA	OBS4500-24 ADA	
OBS4800 ADA	OBS4800-24 ADA	


Product Description




Sink Base Cabinets - Sink Space: OBSxx00 ADA SINK SPACE


*Return to Table of Contents

Product Description		
OBSxx00 ADA SINK SPACE: ADA compliant Sink Base/Workstation, no doors. Consists of side panels, extrusions, and front/back rails with modesty panel. Attaches directly to adjacent cabinets, no leveling legs needed.		
27" Depth SKU 24" Depth SKU		
OBS3600 ADA SINK SPACE	OBS3600-24 ADA SINK SPACE	
OBS3900 ADA SINK SPACE	OBS3900-24 ADA SINK SPACE	
OBS4200 ADA SINK SPACE	OBS4200-24 ADA SINK SPACE	
OBS4500 ADA SINK SPACE	OBS4500-24 ADA SINK SPACE	
OBS4800 ADA SINK SPACE	OBS4800-24 ADA SINK SPACE	






OBSxx00 ADA SINK SPACE configuration variations



OBTxx00: Outdoor Trash Base for 30 quart cans. 1 Full-Height Door. NOTE: 15" cabinets have 1 trash bin. Cabinets 18" and above have 2 trash bins.		
27" Depth SKU	24" Depth SKU	
OBT1500	OBT1500-24	
OBT1800	OBT1800-24	
OBT2100	OBT2100-24	
OBT2400	OBT2400-24	
OBT2700	OBT2700-24	


Product Description



Product Description		
OBTxx10: Outdoor Trash Base for 30 quart cans. 1 Full-Height Door, 1 drawer above. NOTE: 15" cabinets have 1 trash bin. Cabinets 18" and above have 2 trash bins.		
27" Depth SKU	24" Depth SKU	
OBT1510	OBT1510-24	
OBT1810	OBT1810-24	
OBT2110	OBT2110-24	
OBT2410	OBT2410-24	
OBT2710	OBT2710-24	

Trash Base Cabinets - OBTxx10N (nested), OBTxx10N TECNO

*Return to Table of Contents



Product Description


OBTxx10N: Outdoor Trash Base Nested Top Drawer for 30 quart cans. 1 Full-Height Door, 1 Hidden Drawer (Hampton front, no handle, pull underneath to open); Pull-out Trash attached to Door.

NOTE: 15" cabinets have 1 trash bin. Cabinets 18" and above have 2 trash bins.

27" Depth SKU	24" Depth SKU
OBT1510N	OBT1510N-24
OBT1810N	OBT1810N-24
OBT2110N	OBT2110N-24
OBT2410N	OBT2410N-24
OBT2710N	OBT2710N-24


Trash Base Cabinets - Large 51 Quart Can: OBTxx00L

*Return to Table of Contents



OBTxx00L: Outdoor Trash Base for Large 51 quart cans. 1 Full-Height Door.	
27" Depth SKU	24" Depth SKU
OBT2100L	OBT2100L-24
OBT2400L	OBT2400L-24
OBT2700L	OBT2700L-24


Product Description



OBT2100L Cross Section Dimensions

- Side Burner bases available in widths from 12" to 30".
- Side Burner Base specified MUST be 3-6" larger than the Side Burner cutout (i.e. 13"W side burner cutout requires a 15-18"W side burner base).
- OBBxxxx LOW base specified MUST be 7.5" larger than the Power Burner cutout (i.e. 22.5"W power burner cutout requires a 30"W OBB3002 LOW power burner base).
- Factory installed trim kits designed to accommodate all manufacturers.
- OBB appliance cabinetry accommodate all electrical, plumbing and gas necessities.


*NOTE: Extra depth cabinets are not available in all sizes. Please contact: Sales@danver.com for specific needs.



There are two side burner (OBB) cabinet styles - one placing the burner at countertop level and the recessed cabinet (LOW) placing the burner 7" below the countertop.


The recessed cabinet offers more convenience for stock pot cooking.


The LOW cabinets have a larger trim kit than normal. The appliance cutout MUST be 7.5" less than the cabinet width. Ex. for an OBB2702 LOW the appliance cutout must be 19.5"W or less.




Side Burner Base - OBBxxxx: 1 Door, 2 Door, 2 Drawer

*Return to Table of Contents









OBBxx02:Outdoor Side Burner Base, 2 Doors. 9.75"H burner shelf (9.5"H trim kit sides)	
27" Depth SKU 24" Depth SKU	
OBB2402-24	
OBB2702-24	
OBB3002-24	


Product Description




OBBxx20:Outdoor Side Burner Base, 2 Drawers. 9.75"H burner shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBB1220	OBB1220-24
OBB1520	OBB1520-24
OBB1820	OBB1820-24
OBB2120	OBB2120-24
OBB2420	OBB2420-24
OBB2720	OBB2720-24
OBB3020	OBB3020-24

- 50







Product Description	
OBBxx01H11: Outdoor Side Burner Base, Deep,1 Door. 11"H burner shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBB1201H11-LH	OBB1201H11-24-LH
OBB1201H11-RH	OBB1201H11-24-RH
OBB1501H11-LH	OBB1501H11-24-LH
OBB1501H11-RH	OBB1501H11-24-RH
OBB1801H11-LH	OBB1801H11-24-LH
OBB1801H11-RH	OBB1801H11-24-RH
OBB2401H11-LH	OBB2401H11-24-LH
OBB2401H11-RH	OBB2401H11-24-RH



Product Description	
OBBxx02H11:Outdoor Side Burner Base, Deep, 2 Doors. 11"H burner shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBB2402H11	OBB2402H11-24
OBB2702H11	OBB2702H11-24
OBB3002H11	OBB3002H11-24




OBBxx20H11:Outdoor 2 Drawers. 11"H burner shelf (10.7	Side Burner Base, Deep, 5"H trim kit sides)
27" Depth SKU	24" Depth SKU
OBB1220H11	N/A
OBB1520H11	N/A
OBB1820H11	N/A
OBB2120H11	N/A
OBB2420H11	N/A
OBB2720H11	N/A
OBB3020H11	N/A



OBBxx01H12.5: Outdoor Side Burner Base, 1 Door.	
12.5"H burner shelf (1 27" Depth SKU	2.25 H trim kit sides) 24" Depth SKU
OBB1201H12.5-LH	OBB1201H12.5-LH-24
OBB1201H12.5-RH	OBB1201H12.5-RH-24
OBB1501H12.5-LH	OBB1501H12.5-LH-24
OBB1501H12.5-RH	OBB1501H12.5-RH-24
OBB1801H12.5-LH	OBB1801H12.5-LH-24
OBB1801H12.5-RH	OBB1801H12.5-RH-24
OBB2101H12.5-LH	OBB2101H12.5-LH-24
OBB2101H12.5-RH	OBB2101H12.5-RH-24
OBB2401H12.5-LH	OBB2401H12.5-LH-24
OBB2401H12.5-RH	OBB2401H12.5-RH-24

Product Description




i Toddol Description	
OBBxx02H12.5:Outdoor Side Burner Base, 2	
Doors.	
12.5"H burner shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBB2402H12.5	OBB2402H12.5-24
OBB2702H12.5	OBB2702H12.5-24
OBB3002H12.5	OBB3002H12.5-24

Side Burner Base - 15.5"H Shelf: OBBxx01 LOW, OBBxx02 LOW

*Return to Table of Contents

17.500 25.714 25.714 15.440

N
Note: Inner trim dimensions of OBBxx01 LOW adjust based on the power burner
selected. Power burner cutout must be at least 7.5" LESS than cabinet size
selected due to trim kit requirements.



Note: Inner trim dimensions of OBBxx01 LOW adjust based on the power burner selected. Power burner cutout must be at least 7.5" LESS than cabinet size selected due to trim kit requirements.

Product Description	
OBBxx01 LOW: Outdoor Side Burner Base, Low shelf design, 1 Door. 15.5" high burner shelf (16"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBB1801-RH LOW	OBB1801-24-RH LOW
OBB1801-LH LOW	OBB1801-24-LH LOW
OBB2101-RH LOW	OBB2101-24-RH LOW
OBB2101-LH LOW	OBB2101-24-LH LOW
OBB2401-RH LOW	OBB2401-24-RH LOW
OBB2401-LH LOW	OBB2401-24-LH LOW

Product Description	
OBBxx02 LOW: Outdoor Side Burner Base, Low shelf design, 2 Doors.	
15.5" high burner shelf (16"H trim kit sides)	
·	,


27" Depth SKU	24" Depth SKU
OBB2402 LOW	OBB2402-24 LOW
OBB2702 LOW	OBB2702-24 LOW
OBB3002 LOW	OBB3002-24 LOW

Bartending Center Base - OBCxxxx

*Return to Table of Contents

- Available in widths from 15" 39" in 3" increments.
- Factory installed trim kits individually designed to accommodate all Bartending and Refreshment/Prep Center manufacturers.
- Bartending Center Base specified MUST be 3-6" larger than the specified cutout width (i.e. 30"W cutout, 33-36" Bartending Center Base).
- Some Bartending/Prep Stations require a deeper cutout and shelf height (11"H). This is denoted with a "D" suffix. Example: OBC3602D.

*NOTE: Extra depth cabinets are not available in all sizes. Please contact: Sales@danver.com for specific needs.




54 _____


Bartending Center Base - OBCxx01H11, OBCxx02H11

*Return to Table of Contents


*Return to Table of Contents




Product Description	
OBCxx01:Outdoor Bartending Center Base, 1 Door. 9.75"H appliance shelf (9.5"H trim kit sides)	
27" Depth SKU 24" Depth SKU	
OBC1501-LH	OBC1501-24-LH
OBC1501-RH	OBC1501-24-RH
OBC1801-LH	OBC1801-24-LH
OBC1801-RH	OBC1801-24-RH
OBC2101-LH	OBC2101-24-LH
OBC2101-RH	OBC2101-24-RH
OBC2401-LH	OBC2401-24-LH
OBC2401-RH	OBC2401-24-RH



Product Description	
OBCxx01H11:Outdoor Bartending Center Base, Deep, 1 Door. 11"H appliance shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC1501H11-LH	OBC1501H11-24-LH
OBC1501H11-RH	OBC1501H11-24-RH
OBC1801H11-LH	OBC1801H11-24-LH
OBC1801H11-RH	OBC1801H11-24-RH
OBC2101H11-LH	OBC2101H11-24-LH
OBC2101H11-RH	OBC2101H11-24-RH
OBC2401H11-LH	OBC2401H11-24-LH
OBC2401H11-RH	OBC2401H11-24-RH



Product Description	
OBCxx02:Outdoor Bartending Center Base, Deep, 2 Doors. 9.75"H appliance shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC2402	OBC2402-24
OBC2702	OBC2702-24
OBC3002	OBC3002-24
OBC3302	OBC3302-24
OBC3602	OBC3602-24
OBC3902	OBC3902-24




OBCxx02H11:Outdoor Bartending Center Base, Deep, 2 Doors. 11"H appliance shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC2402H11	OBC2402H11-24
OBC2702H11	OBC2702H11-24
OBC3002H11	OBC3002H11-24
OBC3302H11	OBC3302H11-24
OBC3602H11	OBC3602H11-24
OBC3902H11	OBC3902H11-24

Product Description


-

Bartending Center Base - OBCxx01H12.5, OBBxx02H12.5

*Return to Table of Contents




Product Description	
OBCxx01H12.5:Outdoor Bartending Center Base, Deep, 1 Door. 12.5"H appliance shelf (12.25"H trim kit sides)	
24" Depth SKU	
N/A	



Product Description	
OBCxx02H12.5:Outdoor Bartending Center Base, Deep, 2 Doors. 12.5"H appliance shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC2402H12.5	N/A
OBC3002H12.5	N/A
OBC3602H12.5	N/A

Warming Drawer Bases - OBWxx02 H12, OBWxx10 H12

*Return to Table of Contents




OBWxx02: Outdoor Warming Drawer/Microwave Base, 2 Doors. Shelf 12" from top.	
27" Depth SKU	24" Depth SKU
OBW3002 H12	OBW3002-24 H12
OBW3302 H12	OBW3302-24 H12
OBW3602 H12 OBW3602-24 H12	

Product Description

Note: OBW30xx's are made for 27" wide warming drawers.

OBW36xx's accomodate 33" wide warming drawers.




·	
OBWxx10: Outdoor Warming Drawer/Microwave Base, 1 Drawer. Shelf 12" from top.	
27" Depth SKU	24" Depth SKU
OBW3010 H12	OBW3010-24 H12
OBW3310 H12	OBW3310-24 H12
OBW3610 H12	OBW3610-24 H12

58 ______ 59

Warming Drawer Bases - OBWxx10 H21: 1 Drawer


*Return to Table of Contents



Note: OBW30xx's are made for 27" wide warming drawers.


OBW36xx's accomodate 33" wide warming drawers.

Product Description	
OBW3010 H21: Outdoor Warming Drawer/ Microwave Base, 1 Drawer. Shelf 21" from top.	
27" Depth SKU 24" Depth SKU	
N/A	OBW2110-24 H21
N/A	OBW2410-24 H21
N/A	OBW2710-24 H21
OBW3010 H21	OBW3010-24 H21
OBW3310 H21	N/A




Warming Drawer Bases - OBWxx10 H17.38

*Return to Table of Contents



Note: OBW30xx's are made for 27" wide warming drawers.

OBW36xx's accomodate 33" wide warming drawers.



|--|

	OBWxx10: Outdoor Warming Drawer/Microwave Base, extra deep 17.63" cutout for DCS or similar. 1 Drawer. Shelf 17.38"H from top.	
	27" Depth SKU	24" Depth SKU
I	OBW3010 H17.38	N/A
	OBW3310 H17.38	N/A

OBW3610 H17.38

N/A

Warming Drawer Bases - OBWxx02 H14.13, OBWxx10 H14.13

*Return to Table of Contents

OBW3002-24 H14.13

OBW3302-24 H14.13

OBW3602-24 H14.13

Product Description OBWxx02 H14.13: Outdoor Warming Drawer/

Microwave Base, Deep, 2 Doors. Shelf 14.13"

Product Description OBWxx10 H14.13: Outdoor Warming Drawer/ Microwave Base, Deep, 1 Drawer. Shelf 14.13"

24" Depth SKU

OBW3010-24 H14.13

OBW3310-24 H14.13

OBW3610-24 H14.13

from top.

from top.

27" Depth SKU

OBW3010 H14.13


OBW3310 H14.13

OBW3610 H14.13

OBW3002 H14.13


OBW3302 H14.13

OBW3602 H14.13



Vote:	OBW3	0xx's	are	made	for	27"	wide	warming	drawers.	

OBW36xx's accomodate 33" wide warming drawers.




Note: OBW30xx's are made for 27" wide warming drawers.

OBW36xx's accomodate 33" wide warming drawers.

Double Warming Drawer Bases - ODWxx00 H14


*Return to Table of Contents



	Product D	escription
	ODWxx00 H14: Outdoo Drawer/Microwave Base 14" from top.	
	27" Depth SKU	24" Depth SKU
1 14	ODW3000 H14	ODW3000-24 H14
	ODW3300 H14	ODW3300-24 H14
	ODW3600 H14	ODW3600-24 H14

Product Description			
OEBxx02 H16.5: Outdoor Egg Smoker Base, 2 Doors. Side trim pieces: 1.75". *Shelf is 16.5" from top of cabinet*			
27" Depth SKU 24" Depth SKU			
OEB2702 H16.5 OEB2702-24 H16.5			
OEB3302 H16.5	OEB3302-24 H16.5		


Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).



Product Description			
OEBxx02 H12.5: Outdoo 2 Doors. Side trim pieces from top of cabinet*	r Egg Smoker Base, s: 1.75".*Shelf is 12.5"		
07" D 11 01(11	0.4" D 41 01411		

27" Depth SKU	24" Depth SKU
OEB2702 H12.5	OEB2702-24 H12.5
OEB3302 H12.5	OEB3302-24 H12.5


Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).



EXAMPLE: OEB2702 and OEB3302 side elevation measurements.

Egg Base Cabinets - OEBxx02-35 H16.5 or 12.5 (Extra Large)

*Return to Table of Contents





2 Doors. *35"D TO FIT BIG GREEN EGG XL, 2XL WILL NOT FIT!* Shelf is 12.5" or 16.5" from top of cabinet* This base comes with OFE APPLIANCE finished sides due to the cabinet most likely sitting forward from the rest of the run.			
27" Depth SKU	24" Depth SKU		
OEB3302-35 H16.5	N/A		
OEB3302-35 H12.5	N/A		
	-		

OEB3302-35 H16.5 or H12.5: Outdoor Egg


Smoker Base,

Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).





	39.000	
39.000	45.830	27.000
	27.000	



Product Description

DCBExx H16.5: Diagonal Corner Egg Smoker Base, 1 Door. *Shelf is 16.5" from top of cabinet* Note: 1" wide or greater front fillers are recommended on either side of cabinet for clearance.

27" Depth SKU	24" Depth SKU
DCBE39 H16.5-LH	DCBE36 H16.5-LH
DCBE39 H16.5-RH	DCBE36 H16.5-RH


Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).

Product Description

DCBExx H12.5: Diagonal Corner Egg Smoker Base, 1 Door. *Shelf is 12.5" from top of cabinet*. Note: 1" wide or greater front fillers are recommended on either side of cabinet for clearance.

27" Depth SKU	24" Depth SKU
DCBE39 H12.5-LH	DCBE36 H12.5-LH
DCBE39 H12.5-RH	DCBE36 H12.5-RH

Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).




Grill Cabinets - OGBxxxx

*Return to Table of Contents

- Available in widths from 30" 62".
- Factory installed trim kits individually designed to accommodate all grill manufacturers.
- Cabinets available for additional cooking appliances such as range cooktops and Evo Grills.
- Grill Base or Grill/Warming Drawer Base specified MUST be 3-6" larger than the cutout width (i.e. 30"W grill cutout, 33-36" grill base).
- Some grill manufacturers (Wolf, Twin Eagles, Fire Magic) require a deeper cutout (11"H). This is denoted with a "D" suffix. Example: OGB4802H11. Danver also offers an even deeper cutout and shelf (12.5"H). This is denoted with a "W" suffix. Example: OGB4802H12.5. This shelf height is also needed when using a .75" countertop with a deep grill cutout.
- Pellet and charcoal smokers typically require a very large cutout and shelf (18.5"H).
- *NOTE: While our cabinetry can house most grill models on the market, they are not approved for use with Argentine or Santa Maria style grills, and/or odd shaped pellet grill models and grills that have their own cart attachment, (e.g., Recteq). If you are unsure if a particular grill can be housed in our cabinetry, please contact Sales@danver.com for clarification.

*NOTE: Extra depth cabinets are not available in all sizes, please contact: Sales@danver.com for specific needs.





Appliance Cabinet cutout height requirement is calculated as: **Shelf Height PLUS Counter Top Height MINUS Manufacturer Cutout Height.** If this calculation is a negative number, a cabinet with a deeper Shelf Height must be used. See example below for sizing.

- OBC/OBB/OGB/OGWxxxx standard appliance base shelf height is 9.75"
- OBC/OBB/OGB/OGWxxxxH11 appliance base shelf height is 11"
- OBC/OBB/OGBxxxxH12.5 appliance base shelf height is 12.5"
- OGBxxxxH15.5 grill base shelf height is 15.5"
- OGBxxxxH18.5 grill base shelf height is 18.5"


Appliance Base shelf height should be as close to the required Appliance cutout height as possible. Using a lower shelf height than required reduces the amount of usable cabinet storage space below the Appliance.


Example: Alfresco ALXE-42 40.5 "W x 10.25" H x 23 "D. The ALXE-42 installed with a 1.25" thick countertop will fit in a standard 9.75" H shelf depth Appliance cabinet. An 11" H shelf depth or greater should only be used in situations with multiple Appliances where required shelf heights differ.





Grill Cabinets - Doors: OGBxx02, OGBxx03







Product Description				
OGBxx03: Outdoor Grill Base, 3 Doors. 9.75"H grill shelf (9.5"H trim kit sides)				
27" Depth SKU 24" Depth SKU				
OGB5403 OGB5403-24				
OGB5803 OGB5803-24				
OGB6203 OGB6203-24				
·				

Grill Cabinets - Drawers/Doors: OGBxx21, OGBxx22, OGBxx41


*Return to Table of Contents



Product Description			
OGBxx21: Outdoor Grill Base, 2 Drawers, 1 Door. 9.75"H grill shelf (9.5"H trim kit sides)			
27" Depth SKU 24" Depth SKU			
OGB3021	OGB3021-24		
OGB3321	OGB3321-24		
OGB3621	OGB3621-24		
OGB3921	OGB3921-24		
OGB4221	OGB4221-24		
OGB4521	OGB4521-24		
OGB4821	OGB4821-24		




Product Description				
OGBxx22: Outdoor Grill Base 2 Drawers, 2 Doors. 9.75"H grill shelf (9.5"H trim kit sides)				
27" Depth SKU	24" Depth SKU			
OGB5422	OGB5422-24			
OGB5822	OGB5822-24			
OGB6222	OGB6222-24			



Froduct Description	
OGBxx41: Outdoor Grill Base, 4 Drawers, 1 Door.	
9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5441	OGB5441-24
OGB5841	OGB5841-24
OGB6241	OGB6241-24


Grill Cabinets - Full-Height Drawers: OGBxx20, OGBxx30

*Return to Table of Contents



OGBxx20: Outdoor Grill Base, 2 Full-Height Drawers. 9.75"H grill shelf (9.5"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB3020	OGB3020-24	
OGB3320	OGB3320-24	
OGB3620	OGB3620-24	
OGB3920	OGB3920-24	
OGB4220	OGB4220-24	
OGB4520	OGB4520-24	
OGB4820	OGB4820-24	


Product Description




OGBxx30: Outdoor Grill Base, 3 Full-Height Drawers. 9.75"H grill shelf (9.5"H trim kit sides)			
27" Depth SKU	24" Depth SKU		
OGB5430	OGB5430-24		
OGB5830	OGB5830-24		
OGB6230	OGB6230-24		
-			

Grill Cabinets - EVO: OGBxxxx-EVO

*Return to Table of Contents



Product Description		
OGBxx40: Outdoor Grill Base, 4 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)		
27" Depth SKU 24" Depth SKU		
OGB3640	OGB3640-24	
OGB3940 OGB3940-24		
OGB4240 OGB4240-24		
OGB4540 OGB4540-24		
OGB4840 OGB4840-24		



	Product Description		
	OGBxx60: Outdoor Grill Base, 6 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)		
27" Depth SKU 24" Depth SKU		24" Depth SKU	
	OGB5460	OGB5460-24	
	OGB5860	OGB5860-24	
	OGB6260	OGB6260-24	

Product Description

*Return to Table of Contents

OGBxx02-EVO: Outdoor Grill Base, 2 Doors. 9.75"H grill shelf (9.5"H trim kit sides),*countertop thickness must be 1.25"H*

NOTE: EVO 25G Grill with a countertop thickness less then 1.25" will require a grill size of OGB33xx-EVO or larger.

EVO 30G Grill must use a countertop thickness of 1.25" or thicker.

27" Depth SKU	24" Depth SKU
OGB3302-EVO	N/A
OGB3602-EVO	N/A
OGB3902-EVO	N/A
OGB4202-EVO	N/A

Product Description

OGBxx21-EVO:Outdoor Grill Base, 2 Drawers, 1 Door. 9.75"H grill shelf (9.5"H trim kit sides),*countertop thickness must be 1.25"H*

NOTE: EVO 25G Grill with a countertop thickness less then 1.25" will require a grill size of OGB33xx-EVO or larger.

EVO 30G Grill must use a countertop thickness of 1.25" or thicker.

27" Depth SKU	24" Depth SKU
OGB3321-EVO	N/A
OGB3621-EVO	N/A
OGB3921-EVO	N/A
OGB4221-EVO	N/A

Product Description


OGBxx40-EVO:Outdoor Grill Base,


4 Drawers. 9.75"H grill shelf (9.5"H trim kit sides),*countertop thickness must be 1.25"H*


NOTE: EVO 25G Grill with a countertop thickness less then 1.25" will require a grill size of OGB33xx-EVO or larger.

EVO 30G Grill must use a countertop thickness of 1.25" or thicker.

27" Depth SKU	24" Depth SKU
OGB3340-EVO	N/A
OGB3640-EVO	N/A
OGB3940-EVO	N/A
OGB4240-EVO	N/A







Note: 25" and 30" EVO grills installed in 33" wide bases will overhang the cabinet sides and back slightly. Please see following page for top view and additional specifications.

72


Grill Cabinets - EVO: OGB33xx-EVO details/top view

*Return to Table of Contents

1.000 1 0.418

TOP VIEW OGB3302 EVO-25

Note: Top view of 25" EVO installed in OGB3302. There is no overhang on the cabinet sides but it does overhang by 1" on the cabinet back.




Note: Top view of 30" EVO installed in OGB3302. The grill overhangs 1.77" on the side as well as 2.9" on the cabinet back.


Note: If PPS PANELS are powder coated, the PPS SUPPORT MID and END parts will be powder coated as well.

Grill Cabinets - EVO: OGBxx30 & xx36-EVO details/top view

*Return to Table of Contents




Note: Top view of 25" EVO installed in OGB30xx. There is a 1.08" overhang on the cabinet sides.




Note: Top view of 30" EVO installed in OGB36xx. The grill overhangs .27" on the sides as well as 2" in the back.

Grill Cabinets - OGBxx40H11, OGBxx60H11

*Return to Table of Contents



Product Description		
OGBxx02H11: Outdoor Grill Base, 2 Doors, Deep. 11"H grill shelf (10.75"H trim kit sides)		
27" Depth SKU 24" Depth SKU		
OGB3002H11	OGB3002H11-24	
OGB3302H11 OGB3302H11-24		
OGB3602H11 OGB3602H11-24		
OGB4202H11	OGB4202H11-24	
OGB4802H11 OGB4802H11-24		



Product Description		
OGBxx40H11: Outdoor Grill Base, 4 Drawers, Deep. 11"H grill shelf (10.75"H trim kit sides)		
27" Depth SKU 24" Depth SK		
OGB3640H11	OGB3640H11-24	
OGB3940H11	OGB3940H11-24	
OGB4240H11	OGB4240H11-24	


OGB4540H11

OGB4840H11


*Return to Table of Contents

OGB4540H11-24

OGB4840H11-24




Product Description			
OGBxx03H11: Outdoor Grill Base, 3 Doors, Deep. 11"H grill shelf (10.75"H trim kit sides)			
27" Depth SKU 24" Depth SKU			
OGB5403H11	OGB5403H11-24		
OGB5803H11	OGB5803H11-24		
OGB6203H11	OGB6203H11-24		



OGBxx60H11: Outdoor Grill Base, Deep, 6 Drawers.		
11"H grill shelf (10.75"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB5460H11	OGB5460H11-24	
OGB5860H11 OGB5860H11-24		
OGB6260H11 OGB6260H11-24		

Grill Cabinets - OGBxx20H11, OGBxx30H11

*Return to Table of Contents




OGB6241H11


			10.75"
30"	0		29.75"
4.5"			

*Return to Table of Contents


Product Description		
OGBxx20H11: Outdoor Grill Base, Deep, 2 Full-Height Drawers. 11"H grill shelf (10.75"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB3020H11	OGB3020H11-24	
OGB3320H11	OGB3320H11-24	
OGB3620H11	OGB3620H11-24	
OGB3920H11	OGB3920H11-24	
OGB4220H11	OGB4220H11-24	
OGB4520H11	OGB4520H11-24	
OGB4820H11	OGB4820H11-24	



Product Description	
OGBxx22H11: Outdoor Grill Base, Deep, 2 Drawers, 2 Doors. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5422H11	OGB5422H11-24
OGB5822H11	OGB5822H11-24
OGB6222H11	OGB6222H11-24



OGB6241H11-24



OGBxx30H11: Outdoor Grill Base, Deep, 3 Full-Height Drawers. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5430H11	OGB5430H11-24
OGB5830H11	OGB5830H11-24
OGB6230H11	OGB6230H11-24


Product Description

8 - - - - - -


Grill Cabinets - OGBxx20H12.5, OGBxx30H12.5

*Return to Table of Contents

*Return to Table of Contents




Product Description	
OGBxx02H12.5: Outdoor Grill Base, 2 Doors 12.5"H grill shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3302H12.5	OGB3302H12.5-24
OGB3602H12.5	OGB3602H12.5-24
OGB3902H12.5	OGB3902H12.5-24
OGB4202H12.5	OGB4202H12.5-24
OGB4502H12.5	OGB4502H12.5-24
OGB4802H12.5	OGB4802H12.5-24




OGBxx20H12.5: Outdoor Grill Base, 2 Drawers 12.5"H grill shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3020H12.5	OGB3020H12.5-24
OGB3320H12.5	OGB3320H12.5-24
OGB3620H12.5	OGB3620H12.5-24
OGB3920H12.5	OGB3920H12.5-24
OGB4220H12.5	OGB4220H12.5-24
OGB4520H12.5	OGB4520H12.5-24
OGB4820H12.5	OGB4820H12.5-24

Product Description



Product Description	
OGBxx03H12.5: Outdoor Grill Base, 3 Doors 12.5"H grill shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5403H12.5	OGB5403H12.5-24
OGB5803H12.5	OGB5803H12.5-24
OGB6203H12.5	OGB6203H12.5-24




OGBxx30H12.5: Outdoor Grill Base, 3 Drawers. 12.5"H grill shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5430H12.5	OGB5430H12.5-24
OGB5830H12.5	OGB5830H12.5-24
OGB6230H12.5	OGB6230H12.5-24

Product Description


Grill Cabinets - OGBxx21H12.5, xx22H12.5, xx41H12.5

*Return to Table of Contents


*Return to Table of Contents





Product Description		
OGBxx40H12.5: Outdoor Grill Base, 4 Drawers 12.5"H grill shelf (12.25"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB3640H12.5	OGB3640H12.5-24	
OGB3940H12.5	OGB3940H12.5-24	
OGB4240H12.5	OGB4240H12.5-24	
OGB4540H12.5	OGB4540H12.5-24	
OGB4840H12.5	OGB4840H12.5-24	



Product Description	
OGBxx60H12.5: Outdoor Grill Base, 6 Drawers 12.5"H grill shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5460H12.5	OGB5460H12.5-24
OGB5860H12.5	OGB5860H12.5-24
OGB6260H12.5	OGB6260H12.5-24







OGBxx21H12.5: Outdoor Grill Base, 2 Drawers, 1 Door 12.5"H grill shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3621H12.5	OGB3621H12.5-24
OGB3921H12.5	OGB3921H12.5-24
OGB4221H12.5	OGB4221H12.5-24
OGB4521H12.5	OGB4521H12.5-24
OGB4821H12.5	OGB4821H12.5-24

Product Description

Product Description		
OGBxx22H12.5: Outdoor Grill Base, 2 Drawers, 2 Doors. 12.5"H grill shelf (12.25"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB5422H12.5	OGB5422H12.5-24	
OGB5822H12.5	OGB5822H12.5-24	

OGB6222H12.5-24


OGB6222H12.5

Product Description		
OGBxx41H12.5: Outdoor Grill Base, 4 Drawers, 1 Door. 12.5"H grill shelf (12.25"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB5441H12.5	OGB5441H12.5-24	
OGB5841H12.5	OGB5841H12.5-24	
OGB6241H12.5	OGB6241H12.5-24	


Grill Cabinets - OGBxx20H18.5, OGBxx30H18.5

*Return to Table of Contents

*Return to Table of Contents



Product Description		
OGBxx02H15.5: Outdoor Grill Base, 2 Doors, Deep. 15.5"H grill shelf (15.25"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGB3002H15.5	OGB3002H15.5-24	
OGB3302H15.5	OGB3302H15.5-24	
OGB3602H15.5	OGB3602H15.5-24	
OGB4202H15.5	OGB4202H15.5-24	
OGB4802H15.5	OGB4802H15.5-24	




18.50"H grill shelf (18.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3020H18.5	N/A
OGB3320H18.5	N/A
OGB3620H18.5	N/A
OGB3920H18.5	N/A
OGB4220H18.5	N/A
OGB4520H18.5	N/A
OGB4820H18.5	N/A


Product Description

2 Drawers, extra deep shelf, for Hasty Bake

OGBxx20H18.5: Outdoor Grill Base




Product Description	
OGBxx03H15.5: Outdoor Grill Base, 3 Doors, Deep. 15.5"H grill shelf (15.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5403H15.5	OGB5403H15.5-24
OGB5803H15.5	OGB5803H15.5-24
OGB6203H15.5	OGB6203H15.5-24



OGBxx30H18.5: Outdoor Grill Base, 3 Drawers for Hasty Bake grills and other extra deep cooking appliances. 18.50"H grill shelf (18.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB5430H18.5	N/A
OGB5830H18.5	N/A

Product Description


34 _______ 8



	OGBxx20-CALIBER ROCKWELL: Outdoor Grill Base, 2 Drawers, 9.75"H grill shelf. Used ONLY for Caliber Rockwell grills of the same size, *NO TRIM KIT NEEDED! *this cabinet cannot be used on the end of a run, please call sales rep to discuss*	
	27" Depth SKU	24" Depth SKU
	OGB4220-CALIBER ROCKWELL	N/A
OGB4820-CALIBER ROCKWELL N/A		

Grill Cabinets - Gas Stop Timer: OGBxx00 GS, OGBxx00H11 GS


*Return to Table of Contents



OGBxx00 GS: Outdoor Grill Base, No Doors/Drawers, Full bottom Tecno-style Panel with 1-hour Gas Shutoff Timer included. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3300 GS	OGB3300-24 GS
OGB3600 GS	OGB3600-24 GS
OGB3900 GS	OGB3900-24 GS
OGB4200 GS	OGB4200-24 GS
OGB4500 GS	OGB4500-24 GS
OGB4800 GS	OGB4800-24 GS
OGB5400 GS	OGB5400-24 GS
OGB5800 GS	OGB5800-24 GS

Product Description

Note: Gas Stop Timer bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.



No Doors/Drawers, Full bottom Tecno-style Panel with 1-hour Gas Shutoff Timer included. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3300H11 GS	OGB3300H11-24 GS
OGB3600H11 GS	OGB3600H11-24 GS
OGB3900H11 GS	OGB3900H11-24 GS
OGB/200H11 GS	OGB/200H11-2/ GS

OGB3300H11 GS OGB3300H11-24 GS
OGB3600H11 GS OGB3600H11-24 GS
OGB3900H11 GS OGB3900H11-24 GS
OGB4200H11 GS OGB4200H11-24 GS
OGB4500H11 GS OGB4500H11-24 GS
OGB4800H11 GS OGB5400H11-24 GS
OGB5400H11 GS OGB5800H11-24 GS


Note: Gas Stop Timer bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.

86 ______ 87

9.5" 29.75" 20.125"

Product Description	
OGBxx00: Outdoor Grill Base, No Doors/Drawers, Full-Face Tecno-style Panel, installed on magnets with no hinges. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3300	OGB3300-24
OGB3600	OGB3600-24
OGB3900	OGB3900-24
OGB4200	OGB4200-24
OGB4500	OGB4500-24
OGB4800	OGB4800-24
OGB5400	OGB5400-24
OGB5800	OGB5800-24

Note: Tecno-style grill bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.




Product Description	
OGBxx00H11: Outdoor Grill Base, Deep, No Doors/Drawers, Full-Face Tecno-style Panel, installed on magnets with no hinges. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGB3300H11	OGB3300H11-24
OGB3600H11	OGB3600H11-24
OGB3900H11	OGB3900H11-24
OGB4200H11	OGB4200H11-24
OGB4500H11	OGB4500H11-24
OGB4800H11	OGB4800H11-24
OGB5400H11	OGB5400H11-24
OGB5800H11	OGB5800H11-24

Note: Tecno-style grill bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.


Grill/Large Insert Cabinets - OGFxx00

*Return to Table of Contents




insert such as refrigerator or dry pantry. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGF3600	OGF3600-24
OGF4200	OGF4200-24
OGF4800	OGF4800-24
OGF5400	OGF5400-24
OGF6200	OGF6200-24

Product Description



NOTE: OGF bases have a larger cabinet box than standard cabinets.




88 _____

Grill/Warming Drawer Cabinets - OGWxx00, OGWxx10

*Return to Table of Contents

9.5" 29.75" 20.125"


Product Description	
OGWxx00: Outdoor Grill Base for Warming Drawer Insert, No Doors or Drawers. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW3600	N/A
OGW4200	N/A
OGW4800	N/A



Product Description	
OGWxx10: Outdoor Grill Base for Warming Drawer Insert, 1 Drawer. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW3310	N/A
OGW3610	N/A


Grill/Warming Drawer Cabinets - OGWxx20, OGWxx30

*Return to Table of Contents



OGWxx20: Outdoor Grill Base for Warming Drawer Insert, 2 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW4220	OGW4220-24
OGW4520	OGW4520-24
OGW4820	OGW4820-24
OGW5420	OGW5420-24

Product Description




OGWxx30: Outdoor Grill Base for Warming Drawer Insert, 3 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
21 Deptil 3NO	24 Deptil SNO
OGW5430	N/A
OGW5830	N/A
OGW6230	N/A


Product Description

90


*Return to Table of Contents




Product Description	
OGWxx01: Outdoor Grill Base for Warming Drawer Insert, 1 Door 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5401	N/A
OGW5801	N/A
OGW6201	N/A





Product Description	
OGWxx11: Outdoor Grill Base for Warming Drawer Insert, 1 Door, 1 Drawer. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5411	N/A



Product Description	
OGWxx21: Outdoor Grill Base, for Warming Drawer Insert, 1 Door, 2 Dawers. 9.75"H grill shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5421	N/A
OGW5821	N/A
OGW6221	N/A







Product Description	
OGWxx00D: Outdoor Grill Base, Deep, for Warming Drawer Insert, No Doors or Drawers. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW3600H11	N/A
OGW4200H11	N/A
OGW4800H11	N/A


Product Description	
OGWxx10H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Drawer. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU 24" Depth SKU	
OGW3310H11	N/A
OGW3610H11	N/A

Product D	Product Description	
OGWxx20H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 2 Drawers. 11"H grill shelf (10.75"H trim kit sides)		
27" Depth SKU	24" Depth SKU	
OGW4220H11	N/A	
OGW4820H11	N/A	
OGW5420H11	N/A	


92

Grill/Warming Drawer Cabinets - OGWxx30H11


*Return to Table of Contents



Product Description	
OGWxx01H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Door. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5401H11	N/A
OGW5801H11	N/A
OGW6201H11	N/A




Product Description	
OGWxx11H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Door, 1 Drawer. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5411H11	N/A



OGWxx21H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Door, 2 Dawers. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5421H11	N/A
OGW5821H11	N/A
OGW6221H11	N/A

Product Description




OGWxx30H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 3 Drawers. 11"H grill shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OGW5430H11	N/A
OGW5830H11	N/A
OGW6230H11	N/A

Product Description


Post and Panel System

*D - t--



Product Description	
OOCxx00: 30"W x 27"D Base Oven Cabinet, full height oven front. Must specify built-in oven.	
27" Depth SKU	24" Depth SKU
OOC3000	OOC3000-24
OOC3600	OOC3600-24

*Return to Table of Contents



Product Description


PPS – Post and Panel System: Using a combination of supports, spacers, and panels you can create countertop space without the additional cost of doors or drawers. These parts assemble to be standalone units or connect with base cabinets. Ideal for multi-family spaces, the supports can also be brought down to ADA compliant height with our available ADA legs.


36"H versions of all PPS parts are available as well, with an extra option of 18"D. 36"H PPS parts are designated with a -TALL at the end of the SKU.

Post and Panel System - PPS SPACERS & PANELS

*Return to Table of Contents

*Return to Table of Contents






PPS Support End

Note: If PPS PANELS are powder coated, the PPS SUPPORT MID and END parts will be powder coated as well.

18" Depth SKU	Description
PPS SUPPORT MID 18	3"W x 18"D x 30"H Middle supports (unfinished, hidden from view)
PPS SUPPORT MID 18-TALL	3"W x 18"D x 36"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 18-TALL	3"W x 18"D x 36"H End supports (one finished side for ending a run)
24" Depth SKU	Description
PPS SUPPORT MID 24	3"W x 24"D x 30"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 24	3"W x 24"D x 30"H End supports (one finished side for ending a run)
PPS SUPPORT MID 24-TALL	3"W x 24"D x 36"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 24-TALL	3"W x 24"D x 36"H End supports (one finished side for ending a run)
27" Depth SKU	Description
PPS SUPPORT MID 27	3"W x 27"D x 30"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 27	3"W x 27"D x 30"H End supports (one finished side for ending a run)
PPS SUPPORT MID 27-TALL	3"W x 27"D x 36"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 27-TALL	3"W x 27"D x 36"H End supports (one finished side for ending a run)




Spacers consist of 3 panels that connect supports to each other, support to cabinet, or cabinets together.

Product Description

*NOTE: If PPS PANELS are powder coated, the PPS SPACER parts will be powder coated as well.

Width	Spacer SKU	
6"W	PPS SPACER 6	
	PPS SPACER 6-TALL	
9"W	PPS SPACER 9	
	PPS SPACER 9-TALL	
12"W	PPS SPACER 12	
	PPS SPACER 12-TALL	
15"W	PPS SPACER 15	
	PPS SPACER 15-TALL	
18"W	PPS SPACER 18	
	PPS SPACER 18-TALL	
21"W	PPS SPACER 21	
	PPS SPACER 21-TALL	
24"W	PPS SPACER 24	
	PPS SPACER 24-TALL	
27"W	PPS SPACER 27	
	PPS SPACER 27-TALL	
30"W	PPS SPACER 30	
	PPS SPACER 30-TALL	
33"W	PPS SPACER 33	
	PPS SPACER 33-TALL	
36"W	PPS SPACER 36	
	PPS SPACER 36-TALL	
39"W	PPS SPACER 39	
XX"W	PPS SPACER XX (specify)	
	PPS SPACER 39-TALL	
42"W	PPS SPACER 42	
	PPS SPACER 42-TALL	

(PPS PANELS Cont. on Next Page)



(PPS PANELS Cont.)


· · · · · · · · · · · · · · · · · · ·
Finished panels hang over the spacers and supports for an
even look, so specify panels based on total width of span.
The finished panels are 3/4" thick and sit flush with door/
drawer fronts on cabinets as well as back panels if used.

9"W PPS PANEL 9 PPS PANEL 9-TALL PPS PANEL 9 ELEC PPS PANEL 9-TALL ELEC PPS PANEL 9 KW PPS PANEL 9 KW-TALL 12"W PPS PANEL 12 PPS PANEL 12 TALL PPS PANEL 12 ELEC PPS PANEL 12-TALL ELEC PPS PANEL 12 KW PPS PANEL 12-TALL ELEC PPS PANEL 15 PPS PANEL 15-TALL PPS PANEL 15 ELEC PPS PANEL 15-TALL ELEC PPS PANEL 15 KW PPS PANEL 15-TALL ELEC PPS PANEL 16 KW PPS PANEL 18-TALL 18"W PPS PANEL 18 PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18-TALL ELEC PPS PANEL 21 ELEC PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 21-TALL 24"W PPS PANEL 24 PPS PANEL 21-TALL 24"W PPS PANEL 24 ELEC PPS PANEL 24-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 33 PPS PANEL 33-TALL	Width	Panel SKU	Tall Panel SKU	
PPS PANEL 9 KW PPS PANEL 9 KW-TALL 12"W PPS PANEL 12 PPS PANEL 12 PPS PANEL 12 TALL PPS PANEL 12 ELEC PPS PANEL 12 ELEC PPS PANEL 12 KW PPS PANEL 12 KW-TALL 15"W PPS PANEL 15 PPS PANEL 15 PPS PANEL 15-TALL PPS PANEL 15 KW PPS PANEL 15-TALL ELEC PPS PANEL 15 KW-TALL 18"W PPS PANEL 18 PPS PANEL 18 PPS PANEL 18 ELEC PPS PANEL 18-TALL PPS PANEL 18 KW PPS PANEL 18-TALL PPS PANEL 18 KW PPS PANEL 18-TALL 21"W PPS PANEL 21 PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21-TALL PPS PANEL 21-TALL PPS PANEL 24-TALL PPS PANEL 27 PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 30 PPS PANEL 30-TALL PRD PANEL 30-TALL PR	9"W	PPS PANEL 9	PPS PANEL 9-TALL	
12"W PPS PANEL 12 PPS PANEL 12 TALL PPS PANEL 12 ELEC PPS PANEL 12-TALL ELEC PPS PANEL 12 KW PPS PANEL 12-TALL ELEC PPS PANEL 15 PPS PANEL 15-TALL PPS PANEL 15 ELEC PPS PANEL 15-TALL ELEC PPS PANEL 15 KW PPS PANEL 15 KW-TALL 18"W PPS PANEL 18 PPS PANEL 18-TALL PPS PANEL 18 ELEC PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18-TALL ELEC PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL PPS PANEL 24 KW PPS PANEL 24-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 36-TALL PPS PANEL 36-TALL		PPS PANEL 9 ELEC	PPS PANEL 9-TALL ELEC	
PPS PANEL 12 ELEC PPS PANEL 12 KW PPS PANEL 12 KW-TALL 15"W PPS PANEL 15 PPS PANEL 15 PPS PANEL 15-TALL PPS PANEL 15 ELEC PPS PANEL 15 KW PPS PANEL 15 KW-TALL 18"W PPS PANEL 18 PPS PANEL 18 ELEC PPS PANEL 18-TALL PPS PANEL 18 KW PPS PANEL 18 KW-TALL 18"W PPS PANEL 18 KW PPS PANEL 18 KW-TALL 18"W PPS PANEL 18 KW PPS PANEL 18 KW-TALL PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 KW-TALL PPS PANEL 25 ELEC PPS PANEL 26 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL PPS PANEL 27 KW PPS PANEL 27-TALL PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 30-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 30 KW-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 30 KW-TALL PPS PANEL 36 PPS PANEL 36-TALL ELEC		PPS PANEL 9 KW	PPS PANEL 9 KW-TALL	
PPS PANEL 12 KW	12"W	PPS PANEL 12	PPS PANEL 12 TALL	
15"W PPS PANEL 15 PPS PANEL 15-TALL PPS PANEL 15 ELEC PPS PANEL 15-TALL ELEC PPS PANEL 15 KW PPS PANEL 15 KW-TALL 18"W PPS PANEL 18 PPS PANEL 18-TALL PPS PANEL 18 ELEC PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18-TALL ELEC PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL ELEC PPS PANEL 21 KW PPS PANEL 21-TALL ELEC PPS PANEL 21 KW PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL ELEC PPS PANEL 24 KW PPS PANEL 24-TALL ELEC PPS PANEL 27 ELEC PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL ELEC PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 33 KW PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30-KW-TALL 36"W PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 12 ELEC	PPS PANEL 12-TALL ELEC	
PPS PANEL 15 ELEC PPS PANEL 15 KW PPS PANEL 15 KW-TALL 18"W PPS PANEL 18 PPS PANEL 18 PPS PANEL 18-TALL PPS PANEL 18 ELEC PPS PANEL 18 KW-TALL 21"W PPS PANEL 21 PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 21-TALL PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27 PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 KW PPS PANEL 27-TALL PPS PANEL 27 KW PPS PANEL 27-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 KW PPS PANEL 30-TALL PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 33 KW PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 33 KW PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 36-TALL PPS PANEL 36 PPS PANEL 36-TALL ELEC		PPS PANEL 12 KW	PPS PANEL 12 KW-TALL	
PPS PANEL 15 KW PPS PANEL 18	15"W	PPS PANEL 15	PPS PANEL 15-TALL	
18"W PPS PANEL 18 PPS PANEL 18-TALL PPS PANEL 18 ELEC PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18 KW-TALL 21"W PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL ELEC PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL ELEC PPS PANEL 24 KW PPS PANEL 24-TALL 27"W PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL ELEC PPS PANEL 27 KW PPS PANEL 30-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 33-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL		PPS PANEL 15 ELEC	PPS PANEL 15-TALL ELEC	
PPS PANEL 18 ELEC PPS PANEL 18-TALL ELEC PPS PANEL 18 KW PPS PANEL 18 KW-TALL PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL ELEC PPS PANEL 21 KW PPS PANEL 21 KW-TALL PPS PANEL 24 KW-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL ELEC PPS PANEL 24 KW-TALL PPS PANEL 24 KW PPS PANEL 24-TALL ELEC PPS PANEL 24 KW-TALL PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL ELEC PPS PANEL 27 KW-TALL PPS PANEL 27 KW PPS PANEL 27 KW-TALL PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30-TALL ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL ELEC		PPS PANEL 15 KW	PPS PANEL 15 KW-TALL	
PPS PANEL 18 KW PPS PANEL 18 KW-TALL 21"W PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21 ELEC PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL PPS PANEL 24 KW PPS PANEL 24-TALL PPS PANEL 27 PPS PANEL 27 PPS PANEL 27 PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 30-TALL PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 33 FLEC PPS PANEL 33-TALL PPS PANEL 33 FLEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 33 FLEC PPS PANEL 33-TALL PPS PANEL 33 FLEC PPS PANEL 33-TALL ELEC PPS PANEL 36-TALL PPS PANEL 36-TALL	18"W	PPS PANEL 18	PPS PANEL 18-TALL	
21"W PPS PANEL 21 PPS PANEL 21-TALL PPS PANEL 21 ELEC PPS PANEL 21-TALL ELEC PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL ELEC PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL		PPS PANEL 18 ELEC	PPS PANEL 18-TALL ELEC	
PPS PANEL 21 ELEC PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24 ELEC PPS PANEL 24-TALL PPS PANEL 24 KW PPS PANEL 24-TALL ELEC PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 KW-TALL PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 18 KW	PPS PANEL 18 KW-TALL	
PPS PANEL 21 KW PPS PANEL 21 KW-TALL 24"W PPS PANEL 24 PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 30 KW-TALL PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30 KW-TALL PPS PANEL 33 KW PPS PANEL 30 KW-TALL PPS PANEL 33 KW PPS PANEL 30 KW-TALL PPS PANEL 33 FLEC PPS PANEL 30 KW-TALL PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC	21"W	PPS PANEL 21	PPS PANEL 21-TALL	
24"W PPS PANEL 24 PPS PANEL 24-TALL PPS PANEL 24 ELEC PPS PANEL 24-TALL ELEC PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 30-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30-TALL 36"W PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL ELEC		PPS PANEL 21 ELEC	PPS PANEL 21-TALL ELEC	
PPS PANEL 24 ELEC PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 33 FLEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30-TALL PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36-TALL ELEC		PPS PANEL 21 KW	PPS PANEL 21 KW-TALL	
PPS PANEL 24 KW PPS PANEL 24 KW-TALL 27"W PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33 FLEC PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30 KW-TALL PPS PANEL 33 KW PPS PANEL 36-TALL PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC	24"W	PPS PANEL 24	PPS PANEL 24-TALL	
27"W PPS PANEL 27 PPS PANEL 27-TALL PPS PANEL 27 ELEC PPS PANEL 27-TALL ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 24 ELEC	PPS PANEL 24-TALL ELEC	
PPS PANEL 27 ELEC PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 24 KW	PPS PANEL 24 KW-TALL	
PPS PANEL 27 KW PPS PANEL 27 KW-TALL 30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL PPS PANEL 33 KW PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC	27"W	PPS PANEL 27	PPS PANEL 27-TALL	
30"W PPS PANEL 30 PPS PANEL 30-TALL PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 27 ELEC	PPS PANEL 27-TALL ELEC	
PPS PANEL 30 ELEC PPS PANEL 30-TALL ELEC PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 27 KW	PPS PANEL 27 KW-TALL	
PPS PANEL 30 KW PPS PANEL 30 KW-TALL 33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC	30"W	PPS PANEL 30	PPS PANEL 30-TALL	
33"W PPS PANEL 33 PPS PANEL 33-TALL PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 30 ELEC	PPS PANEL 30-TALL ELEC	
PPS PANEL 33 ELEC PPS PANEL 33-TALL ELEC PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 30 KW	PPS PANEL 30 KW-TALL	
PPS PANEL 33 KW PPS PANEL 30 KW-TALL 36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC	33"W	PPS PANEL 33	PPS PANEL 33-TALL	
36"W PPS PANEL 36 PPS PANEL 36-TALL PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 33 ELEC	PPS PANEL 33-TALL ELEC	
PPS PANEL 36 ELEC PPS PANEL 36-TALL ELEC		PPS PANEL 33 KW	PPS PANEL 30 KW-TALL	
	36"W	PPS PANEL 36	PPS PANEL 36-TALL	
PPS PANEL 36 KW PPS PANEL 36 KW-TALL		PPS PANEL 36 ELEC	PPS PANEL 36-TALL ELEC	
1		PPS PANEL 36 KW	PPS PANEL 36 KW-TALL	

Width	Panel SKU	Tall Panel SKU
39"W	PPS PANEL 39	PPS PANEL 39-TALL
	PPS PANEL 39 ELEC	PPS PANEL 39-TALL ELEC
	PPS PANEL 39 KW	PPS PANEL 39 KW-TALL
42"W	PPS PANEL 42	PPS PANEL 42-TALL
	PPS PANEL 42 ELEC	PPS PANEL 42-TALL ELEC
	PPS PANEL 42 KW	PPS PANEL 42 KW-TALL
45"W	PPS PANEL 45	PPS PANEL 45-TALL
	PPS PANEL 45 ELEC	PPS PANEL 45-TALL ELEC
	PPS PANEL 45 KW	PPS PANEL 45 KW-TALL
48"W	PPS PANEL 48	PPS PANEL 48-TALL
	PPS PANEL 48 ELEC	PPS PANEL 48-TALL ELEC
	PPS PANEL 48 KW	PPS PANEL 48 KW-TALL
XX"W	PPS PANEL XX (specify)	

Post and Panel System - PPS CABINET CONNECTOR

*Return to Table of Contents





Product Description

PPS CABINET CONNECTOR: Required when a PPS Spacer is attaching to a cabinet. One connector needed PER side when installed between two base cabinets.

Note: This part is not needed for connecting to ADA Sink Bases. Those cabinets have pre-drilled holes in the sides for accepting PPS Spacers.

- Available in heights of 84", 90", and 96". The height includes the cabinet box and 4.5"H adjustable leg.
- 24"D and 27"D cabinet boxes only, 24.88"D and 27.88" with door fronts
- 84"H tall bases 18" or 21"W are available with a single Full-Height Door. 84"H tall bases 24"W and wider are available with 2 Full-Height Doors.
- 18"W and 21"W tall bases have 2 Doors (1 upper and 1 lower) at 90"H and 96"H, and there is an option for 2 doors at 84"H as well. 24"W and wider have 4 doors.
- Cabinets come standard with 4.50" adjustable legs.
- Black anodized toe kick may be ordered and cut on-site.
- Comes with 5 adjustable shelves (full height door) or 4 adjustable shelves (door at top).
- Flush and 3/4"thick finished side panels available.
- Tall base cabinets need to be secured to a back wall in the field.







Door removed to show shelving

Tall Storage Cabinets - Full-Height Doors: TBxx84-24-FHD

*Return to Table of Contents




24" Depth SKU	27" Depth SKU
TB1884-24-FHD-LH	TB1884-FHD-LH
TB1884-24-FHD-RH	TB1884-FHD-RH
TB2184-24-FHD-LH	TB2184-FHD-LH
TB2184-24-FHD-RH	TB2184-FHD-RH




TBxx84-FHD: Tall base, 24" or 27" depth, 2 Full-Height Doors. Hampton slab doors only.			
24" Depth SKU	27" Depth SKU		
TB2484-24-FHD	TB2484-FHD		
TB2784-24-FHD	TB2784-FHD		
TB3084-24-FHD	TB3084-FHD		
TB3384-24-FHD	TB3384-FHD		
TB3684-24-FHD TB3684-FHD			


Product Description


102



Product Description		
TB18xx, TB21xx: Tall base, 24" depth, 2 Doors, 1 Upper Door, 1 Lower Door. Hampton slab or Key West doors only.		
24" Depth SKU		
TB1884-24-LH	TB1884-24-RH	
TB1890-24-LH	TB1890-24-RH	
TB1896-24-LH	TB1896-24-RH	
TB2184-24-LH	TB2184-24-RH	
TB2190-24-LH	TB2190-24-RH	
TB2196-24-LH	TB2196-24-RH	









TBxxyy: Tall bar 2 Upper Doors, or Key West do	se, 24" depth, 4 2 Lower Doors. ors only.	Doors, Hampton slab	
84" Tall 90" Tall 96" Tall			

	84" Tall	90" Tall	96" Tall
ТВ	2484-24	TB2490-24	TB2496-24
ТВ	2784-24	TB2790-24	TB2796-24
ТВ	3084-24	TB3090-24	TB3096-24
ТВ	3384-24	TB3390-24	TB3396-24
ТВ	3684-24	TB3690-24	TB3696-24

Product Description		
TBxxyy: Tall base, 27" depth, 4 Doors,		
2 Upper Doors, 2 Lower Doors. Hampton slab		
or Key West doors only.		

84" Tall	90" Tall	96" Tall
TB2484	TB2490	TB2496
TB2784	TB2790	TB2796
TB3084	TB3090	TB3096
TB3384	TB3390	TB3396
TB3684	TB3690	TB3696






104 - 105

15.3125"

8.0625"


79.5"

*Return to Table of Contents



Product Description		
TTxxyy: Tall Oven Cabinet, 27" depth 2 Upper Doors, 2 Lower Drawers. Specify ovens being used.		
84" Tall	90" Tall	96" Tall
TT3384	TT3390	TT3396
TT3684	TT3690	TT3696

	21.3125"		27.3125"
"	85.5"	91.5"	91.5"
24.38"	8.0625"	4.2" 24.88	8.0625"



) r a a	1104	Da	0.0	e i e	sti a
'rod	ucı	De	SCI	Ш9	HIC

TFLF: Tall base cabinet front filler for use with tall storage bases and tall oven bases. Sits flush with door/drawer faces. 1"W minimum, available in 1/8" increments as needed. Specify width and tall base height.

Example SKUs:

TFLF 2.88 84

TFLF 4.50 96

11.00 70		
27" Depth SKU	Description	
TFLF03XX	3"W Tall Front Filler. Specify 84", 90", or 96" height.	
TFLF04XX	4"W Tall Front Filler. Specify 84", 90", or 96" height.	
TFLFXXXX	Custom width Tall Front Filler. Engineering charges may apply. Contact Sales for more information. XX" Wide x XX" High	

sits flush with door/drawer faces

covers cabinet box only

*Return to Table of Contents

Product Description

OSPT: ¾" Thick tall base side panel for tall storage bases and tall oven bases, 24.88"W x XX"H, sits flush with door/drawer faces, specify tall base height and side.

SKU		
84"H Cabinet	90"H Cabinet	96"H Cabinet
OSPT 2484L	OSPT 2490L	OSPT 2496L
OSPT 2484R	OSPT 2490R	OSPT 2496R

Product Description

OSPT: 3/4" Thick tall base side panel for tall storage bases and tall oven bases, 27.88"W x XX"H, sits flush with door/drawer faces, specify tall base height and side.

	SKU	
84"H Cabinet	90"H Cabinet	96"H Cabinet
OSPT 2784L	OSPT 2790L	OSPT 2796L
OSPT 2784R	OSPT 2790R	OSPT 2796R

Product Description

OFET: Tall base flush side panel for tall storage bases and tall oven bases, 24"W x XX"H, sits flush to cabinet side, specify tall base height and side.

	SKU	
84"H Cabinet	90"H Cabinet	96"H Cabinet
OFET 2484L	OFET 2490L	OFET 2496L
OFET 2484R	OFET 2490R	OFET 2496R

Product Description


OFET: Tall base flush side panel for tall storage bases and tall oven bases, 27"W x XX"H, sits flush to cabinet side, specify tall base height and side.

SKU		
84"H Cabinet	90"H Cabinet	96"H Cabinet
OFET 2784L	OFET 2790L	OFET 2796L
OFET 2784R	OFET 2790R	OFET 2796R

Cabinet Accessories: Nomenclature

*Return to Table of Contents

All Danver Accessories use nomenclature designed to help you find the desired part.



Part Name	Description	Part Usage Summary
FSxxB	Floating Shelf	Wall mounted shelf with floating appearance to match cabinet fronts
OAF90 xx	Angled Front Filler 90 degrees	Front corner filler to attach two sides of L-shaped run
OAR90 xx	Angled Rear Filler 90 degrees	Rear corner filler with post, fills void and provides countertop support
OBPVGFxx	Back Panel Vented Galvanized	Applied to cabinet back as attachment point for Equal Back Panels
OBPVxx	Back Panel Vented	Finishes back of appliance cabinet, .75" depth
OBPxx	Back Panel (Non-vented)	Finishes back of non-appliance cabinet, .75" depth
OBX	Box Column	Used between two undercounter appliances as countertop support
OBXF	Box Column Filler	Skin that connects over front and back of OBX to increase width
OCPS	Countertop Pier Support	Used to create a bar area behind cabinets
ocs	Countertop Support	Support between cabinet and refrigerator box column
OFE xxL/R OCS	Flush End Left/Right for OCS	Notched for use on cabinet with OCS countertop span applied
OFExxL	Flush End Left	Applied to cabinet next to undercounter appliance or to end run
OFF	Full-Height Door Filler	4" deep cabinet with no back wall for easy access to area behind
OFL	Filler Rear	Used between two cabinets to fill rear space, .75" minimum
OFLA	Front Filler Adjustable	Filler that can be adjusted as needed, seam in middle
OFLF	Filler Front	Used between two cabinets to fill front space, .75" minimum
OFLFxx END	Filler Front End	Used to end run: one side attaches to cabinet, other to wall
OFTS	Fridge Top Spacer	Fills void between countertop and top of undercounter appliance
OPP	Propane Pullout Shelf	Used in opening under door appliance base to hold propane tank
ORP	Refrigerator Box Column	Ends run and supports countertop next to undercounter appliance
ORPS	Refrigerator Panel Skin	Connects over an ORP to increase depth
ORS	Refrigerator Spacer	Spacer for undercounter appliance, pick size .25" larger than cutout
OSHxx	Half-Depth Shelf	Additional shelf for standard bases, 15" deep
OSHxxP	Pullout Shelf	Used under door side of appliance base for easy access storage
OSHxxxx	Full-Depth Shelf	Additional shelf for standard bases, 24" or 27" deep
OSP KW	Side Panel Key West Door	Decorative panels to match any door front style (Venice, Louver, etc.)
OSP xxL Extend	Side Panel Left Extended	Extends past cabinet back to cover gap between wall and cabinet
OSPxxL	Side Panel Left	Applied to end of run to finish cabinet side
OTKx	Toe Kick	Black composite material to cover legs: 2", 4.38", and 6" heights
OTPxx	Trash Pullout	Used to convert standard door to trash pullout for base cabinets

79.5", 85.5", or 91.5"

Product Description Floating Shelf: xx"W x 2.5"H x 10"D FS18B 17.7" bracket, no arms FS24B 17.7" bracket, 2 arms FS30B 27.2" bracket, no arms

FS36B	27.2" bracket, 2 arms
FS42B	2x 17.7" brackets, 2 arms
FS48B	2x 17.7" brackets, 4 arms
FS60B	2x 27.2" brackets, no arms
FS72B	2x 27.2" brackets, 4 arms


automatically installed on brackets based on width (see table above).


Lengths in inches: 18, 24, 30, 36, 42, Note: 3" Floating shelf arms pictured in red are Floating shelf bracket mounting 18.00 hole locations shown in left diagram. Shelf Length Cannot be Wood Grain powder coated. 2.00 --


Miscellaneous - Floating Shelves: Puck Lights


*Return to Table of Contents


Product Description















Floudet Description
OBP: ¾" Thick back panel for base cabinets. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels (ex. OBF4202 uses two 21"W back panels).

Note: Use standard OBP for ADA SINK SPACE.

SKU	Description
OBP09	9" back panel
OBP12	12" back panel
OBP15	15" back panel
OBP18	18" back panel. Order 1 for an 18" or 2 for a 36" non- appliance cabinet.
OBP19.5	19 1/2" back panel. Order 2 for a 39" non-appliance cabinet.
OBP21	21" back panel. Order 1 for a 21" cabinet or 2 for a 42" cabinet.
OBP22	22" back panel. Order 3 for Galley sink - OBS6603.
OBP22.5	22 1/2" back panel. Order 2 for a 45" non-appliance cabinet.
OBP24	24" back panel. Order 1 for a 24" cabinet or 2 for a 48" cabinet.
OBP26	26" back panel. Order 2 for a 52" non-appliance cabinet.
OBP27	27" back panel
OBP30	30" back panel
OBP33	33" back panel
OBP36	36" back panel
OBP39	39" back panel



Product Description


OBP: 3/4" Thick back panel for base cabinets. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels (ex. OBF4202 uses two 21"W back panels).

Note: Use OBPXX ADA SINK SPACE for ADA SINK SPACE applications.


Note: OBPxx ADA EXTEND 6/8 panels are available for use on the bases next to Equal BPs.


SKU	Description	
OBP36 ADA	36" back panel for OBS3600 ADA	
OBP39 ADA	39" back panel for OBS3900 ADA	
OBP42 ADA	42" back panel for OBS4200 ADA	
OBP48 ADA	48" back panel for OBS4800 ADA	





112 _______ 113







OBPV: 3/4" Thick vented back panel for base
cabinets. Use with cooking appliance cabinets
(OGB, OBB, etc.), fits exact width of cabinet up
to 36"W, wider cabinets use two smaller back
panels (ex. OGB5841 uses two 29"W back
panels).

Product Description

SKU	Description
OBPV15	15" vented back panel
OBPV18	18" vented back panel. Order 1 for a side burner or 2 for a 36" grill cabinet.
OBPV21	21" vented back panel. Order 2 for a 42" grill cabinet.
OBPV24	24" vented back panel. Order 2 for a 48" grill cabinet.
OBPV24 OGF	24" vented back panel. Order 2 for a 48" OGF cabinet.
OBPV27	27" vented back panel. Order 2 for a 54" grill cabinet.
OBPV29	29" vented back panel. Order 2 for a 58" grill cabinet.
OBPV30	30" vented back panel
OBPV31	31" vented back panel. Order 2 for a 62" grill cabinet.
OBPV31 OGF	36" vented back panel. Order 2 for 62" OGF cabinet
OBPV33	33" vented back panel
OBPV36	36" vented back panel
OBPV39	39" vented back panel.







OBPVGF: Base cabinet galvanized flush back panel. Sits flush in cabinet back, used to fill in cabinet back for adhering waterfall countertops and other materials. Used in conjunction with Equal Back Panels and Extended Back Panels. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels.

Product Description


SKU	Description	
OBPVGF09	Galvanized 9" filler back panel	
OBPVGF12	Galvanized 12" filler back panel	
OBPVGF15	Galvanized 15" filler back panel	
OBPVGF18	Galvanized 18" filler back panel. Order 1 for an 18" side burner or 2 for a 36" grill cabinet.	
OBPVGF21	Galvanized 21" filler back panel. Order 1 for an 21" side burner or 2 for a 42" grill cabinet.	
OBPVGF22.5	Galvanized 22.5" filler back panel. Order 2 for a 45" cabinet.	
OBPVGF24	Galvanized 24" filler back panel. Order 2 for a 48" grill cabinet.	
OBPVGF27	Galvanized 27" back panel. Order 2 for a 54" grill cabinet.	
OBPVGF29	Galvanized 29" filler back panel. Order 2 for a 58" grill cabinet.	
OBPVGF30	Galvanized 30" filler back panel.	
OBPVGF31	Galvanzied 31" filler back panel. Order 2 for 62" OGF cabinet.	
OBPVGF33	Galvanized 33" filler back panel	
OBPVGF36	Galvanized 36" filler back panel	
OBPVGF39	Galvanized 39" filler back panel	





OBPVGF: Base cabinet galvanized flush back panel, 36"H for OBFWDxx36 cabinets. Sits flush in cabinet back, used to fill in cabinet back for adhering waterfall countertops and other materials. Used in conjunction with Equal Back Panels and Extended Back Panels. Fits exact
width of cabinet up to 39"W, wider cabinets use two smaller back panels.
two sinalici back paricis.

two smaller back panels.	
SKU	Description
OBPVGF09 36H	Galvanized 9" filler back panel
OBPVGF12 36H	Galvanized 12" filler back panel
OBPVGF15 36H	Galvanized 15" filler back panel
OBPVGF18 36H	Galvanized 18" filler back panel. Order 1 for an 18" side burner or 2 for a 36" grill cabinet.
OBPVGF21 36H	Galvanized 21" filler back panel. Order 1 for an 21" side burner or 2 for a 42" grill cabinet.
OBPVGF24 36H	Galvanized 24" filler back panel. Order 2 for a 48" grill cabinet.
OBPVGF27 36H	Galvanized 27" back panel. Order 2 for a 54" grill cabinet.
OBPVGF30 36H	Galvanized 30" filler back panel.
OBPVGF33 36H	Galvanized 33" filler back panel
OBPVGF36 36H	Galvanized 36" filler back panel




anala: 3/" Thick back n

Equal Back Panels: ¾" Thick back panels for base cabinets made to match any door style.Widths 9"W – 36"W, custom made to equally span across a run. Must be ordered with OBPVGF galvanized filler back panels on corresponding cabinets for proper installation. Vented or non-vented depending on what cabinets they are being installed on.

Notes: When used with OSP finished side panels, choose the depth of the cabinet with back panels (ex: OSP 28.63 for 27.88"D cabinets).

When using Equal Back Panels with an OAR corner setup, one side will overhang by .75" to meet up with the equal panels on the other side.

3KU			
Door Style	Non-vented	Vented	
Hampton	EQUAL BP HM PANEL	EQUAL BP HM PANEL VENTS	
Key West	EQUAL BP KW PANEL	EQUAL BP KW PANEL VENTS	
Key West Beadboard Center	EQUAL BP KW BB CENTER	EQUAL BP KW BB CENTER VENTS	
Key West Louvered Center	EQUAL BP KW LV CENTER	EQUAL BP KW LV CENTER VENTS	
Venice	EQUAL BP VN	EQUAL BP VN VENTS	
Palm Beach	EQUAL BP PB PANEL	EQUAL BP PB PANEL VENTS	



Cabinet Accessories - Extended Equal Back Panels


*Return to Table of Contents

Product Description

EQUAL BP HM PANEL EXTEND VENTS or NO VENTS: 3/4" thick back panels for base cabinets that extend above cabinet tops. Height does not scale with countertop height, panels end 6" or 8" above the cabinet tops without any countertop. Widths 9"W - 36"W, custom made to span equally across a run. Must be ordered with OBPVGF galvanized filler back panels on corresponding cabinets to install. Vented or non-vented depending on cabinets installed on.

Notes: When used with OSP finished side panels, choose the depth of the cabinet without back panels. (Ex: OSP 27.88L or R for 27.88"D cabinets). When using Extended Back Panels with an OAR corner setup, one side will overhang by .75" to meet with equal panels on other side


SKU	Description	
EQUAL BP HM PANEL EXTEND 6	Finished equal back panels that extend 6" above cabinet tops.	
EQUAL BP HM PANEL EXTEND 6 VENTS	Finished vented equal back panels that extend 6" above cabinet tops.	
EQUAL BP HM PANEL EXTEND 8	Finished equal back panels WITHOUT VENTS that extend 8" above cabinet tops (ADA height). This back panel can ONLY be used with the OCPS41 countertop support pier.	
EQUAL BP HM PANEL EXTEND 8 VENTS	Finished equal back panels that extend 8" above cabinet tops (ADA height). This back panel can ONLY be used with the OCPS41 countertop support pier.	




Cabinet Accessories - ADA Extended Equal Back Panels

*Return to Table of Contents

Vented SKU







OBPXX ADA EXTEND VENTS or NO VENTS: 3/4" thick back panels for ADA base cabinets that extend

above cabinet tops. Height does not scale with

equal back panels.

Non-Vented SKU

countertop height, panels end 6" or 8" above the

cabinet tops without any countertop. Fits exact width


of cabinet up to 39"W, wider cabinets use two smaller

OBPV36 ADA EXTEND 8

Note: These are to be used when there are extended height equal back panels being used in a run, in conjunction with an ADA Sink Base.

> Galvanized back panels are not needed for application.

The EXTEND 8" panels are for an ADA application that uses OCPS41, 41E, 41-12 and 41-12E piers for use with barstools. If not using barstools, the EXTEND 6" on it's own, or paired with OCPS41 will work.



Cabinet Accessories - Flush End Panels: OFE xxL/R, OFEGFxx

- covers cabinet box only

OFE APPLIANCE

*Return to Table of Contents

Product Description

OFE: Base cabinet flush side panel. Sits flush to cabinet side, specify based on cabinet side and depth. No round access hole cutout or attachment holes for ORS.

27" Depth SKU	24" Depth SKU
OFE 27L	OFE 24L
OFE 27R	OFE 24R

Product Description


OFE APPLIANCE: Base cabinet flush side panel. Sits flush to cabinet side, has round knockout access hole for plumbing/electrical in rear of panel, used to finish a cabinet side adjacent to an undercounter appliance. Specify based on cabinet side and depth.

27" Depth SKU	24" Depth SKU
OFE 27L APPLIANCE	OFE 24L APPLIANCE
OFE 27R APPLIANCE	OFE 24R APPLIANCE

Product Description


OFEGF: Base cabinet galvanized flush side panel. Sits flush in cabinet side, used to fill in cabinet side for adhering waterfall countertops and other materials. Specify based on cabinet depth.


27" Depth SKU	24" Depth SKU
OFEGF27	OFEGF24




Cabinet Accessories - Flush End Panels GFCI: OFE xxL/R ELEC

*Return to Table of Contents









r roddot Bescription		
OFE xxL/R ELEC FRONT or REAR: Base cabinet flush side panel. Sits flush to cabinet side, specify based on cabinet side and depth. Choose Front or Rear GFCI cutout in standard location.		
27" Depth SKU	24" Depth SKU	
OFE 27L ELEC FRONT	OFE 24L ELEC FRONT	
OFE 27R ELEC FRONT	OFE 24R ELEC FRONT	
OFE 27L ELEC REAR		
OFE 27R ELEC REAR		

Product Description

*Return to Table of Contents







OSP: 3/4" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels).	
24" Dep	oth SKU
OSP 24.88L	
OSP 24.88R	
OSP 25.63L	24"D Cabinet with back panel
OSP 25.63R	24"D Cabinet with back panel
27" Depth SKU	
OSP 27.88L	
OSP 27.88R	
OSP 28.63L	27"D Cabinet with back panel
OSP 28.63R	27"D Cabinet with back panel


Product Description

OSP panels can be made to match any door style.	
SKU Prefix	Door Style
OSP KW	Key West Panel
OSP KW BB	Key West Bead Board Center
OSP KW LV	Key West Louvered Center
OSP KW SG	Key West Seaglass Center (Sky Blue, Seafoam Green, or Cloud White)
OSP PB	Palm Beach Panel
OSP VN	Venice Panel
	•






Product Description
OSP: 3/4" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels). Choose Front or Rear GFC cutout in standard location.
24" Depth SKU
OSP 24.88L ELEC FRONT
OSP 24.88R ELEC FRONT
COD OF COLUMN FILES EDON'T



Cabinet Accessories - Extended Side Panels: OSP EXTEND


*Return to Table of Contents



Product D	Description
OSP EXTEND: 3/4" Thick side p extends past the back of cabine cabinets are pulled forward from door/drawer faces in front. 3" and 4" extended panels star Custom sizes also available, us cabinet size and depth.	et to cover gaps in back when m walls. Panels sit flush with
27" Depth SKU	24" Depth SKU
OSP 27.88L EXTEND 3.0	OSP 24.88L EXTEND 3.0
OSP 27.88R EXTEND 4.0	OSP 24.88R EXTEND 4.0
Custom SKU	Note
OSP XXL/R EXTEND XX	XX"=Cabinet depth (24.88" or 27.88") x XX" extended depth needed

Cabinet Accessories - Access Door Fillers: OFFxx


*Return to Table of Contents



OFF: Full-Height door fi no back wall for easy ac Door at 24"W and small Attaches between two b	ocess to area behind. 1 er, 2 doors at 27-36"W.
1 Door SKU	2 Door SKU
OFF09-LH / RH	OFF27
OFF12-LH / RH	OFF30
OFF15-LH / RH	OFF33

OFF36

Product Description



OFF CORNER

Product Description

OFF CORNER: Full-Height door filler cabinet, 4"D with no back wall for easy access to area behind. Installs in between two cabinets at a corner. 1 Door, specify hinge direction.

|--|

OFF15.5 CORNER

OFF18-LH / RH

OFF21-LH / RH OFF24-LH / RH

Cabinet Accessories - Front Fillers: OFLFxx, OFLF ENDxx

*Return to Table of Contents

Product Description


OFLF: Front base cabinet filler, sits flush with door/drawer faces, joggle bends on both sides to attach between two base cabinets. 1"W minimum, available in 1/8" increments as needed.

Example: OFLF 1.25

OFLFXX

OFLF END

OFLF



Product Description


OFLF END: Front base cabinet end filler, sits flush with door/drawer faces, attaches between a base cabinet and a wall. 0.5"W minimum, available in 1/8" increments as needed. Joggle bend on one side to attach to cabinet, flat bend on other side for easy installation to wall, specify side.

Example: OFLF END 2.00

OFLF END XX

Cabinet Accessories - Front Fillers: OFLF 24-27L/R, OFLA x-x

*Return to Table of Contents




Product Description

OFLF: Front Filler with joggle bends, 29.75"H angled at 45 degrees to connect a 24"D cabinet to a 27"D cabinet or vice versa. Filler width is 4.25"W but it creates a 3"W gap between the cabinets where it connects.

OFLF 24-27L

OFLF 24-27R



OFLA: Adjustable front base cabinet filler, 29.75"H, sits flush with door/drawer faces, joggle bends on both sides to attach between two base cabinets.

OFLA 1.0-1.50

OFLA 1.5-2.38


OFLA 2.0-3.5

Product Description

OFL: Rear base cabinet filler with two flat bends. Installs flush with cabinet back or back panels if present, attaches between two base cabinets. 1"W minimum, available in 1/8" increments as needed.


Example: OFL 1.25

OFL XX



Cabinet Accessories - Front/Rear Fillers with GFCI cutout

*Return to Table of Contents



Product Description

OFLF ELEC: Front base cabinet filler, 29.75"H to sit flush with door/drawer faces, joggle bends on both sides to attach between two base cabinets. 1"W minimum, available in 1/8" increments as needed.

Standard GFCI electrical cutout located 4" down from the top of the filler and centered.

*GFCI Outlet Box not provided.

SKU


OFLF 4.00 ELEC

Product Description

OFL ELEC: Rear base cabinet filler, installs flush with cabinet back or back panels if present, attaches between two base cabinets. 1"W minimum, available in 1/8" increments as needed Standard GFCI electrical cutout located 4" down from the top of the filler and centered.

SKU

OFL 4.00 ELEC




Cabinet Accessories - Undercounter Appliance Filler: OFTS xx xx


*Return to Table of Contents

-.750

1.375




1.625



Cabinet Accessories - Half and Full-Depth Shelving: OSH

*Return to Table of Contents

We offer a variety of different shelving options including half-depth, full-depth, pullout, and heavy duty pullout shelves for ice chests. NOTE: Appliance shelves are installed in FIXED position and cannot be adjusted.



Product Description	
OSHxx: Half-Depth Shelves, 15" deep.	
27" Depth SKU	
OSH12	
OSH15	
OSH16.5 (for 33"W grill bases)	
OSH18	
OSH19.3 (for 58"W grill bases)	
OSH20.7 (for 62"W grill bases)	
OSH21	
OSH24	
OSH27	
OSH30	
OSH33	
OSH36	
OSH39	
OSH42	
OSH45	
OSH48	

Product	Description
OSHxxyy: Full-Depth	shelves (15" or 18" deep)
18" Depth SKU	15" Depth SKU
OSH0918	OSH0915
OSH1218	OSH1215
OSH1518	OSH1515
OSH1818	OSH1815
OSH2118	OSH2115
OSH2418	OSH2415
OSH2718	OSH2715
OSH3018	OSH3015
OSH3318	OSH3315
OSH3618	OSH3615
OSH3918	OSH3915
OSH4218	OSH4215
OSH4518	OSH4515
OSH4818	OSH4815

OSHxxyy: Full-Depth shelves (24" or 27" deep) 27" Depth SKU OSH0927 OSH0924 OSH1227 OSH1527 OSH1524 OSH1527 OSH16.5-27 OSH16.5-24 OSH2127 OSH2127 OSH2124 OSH2127 OSH22.5-27 OSH22.5-24 OSH2427 OSH2427 OSH2427 OSH2427 OSH2727 OSH2724 OSH3027 OSH3024	Product Description	
OSH0927 OSH0924 OSH1227 OSH1224 OSH1527 OSH1524 OSH16.5-27 OSH16.5-24 OSH1827 OSH1824 OSH2127 OSH2124 OSH22.5-27 OSH22.5-24 OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3927 OSH3924 OSH3927 OSH3924 OSH4527 OSH4524 OSH4527 OSH4524	OSHxxyy: Full-Depth sh	nelves (24" or 27" deep)
OSH1227 OSH1527 OSH1527 OSH1524 OSH16.5-27 OSH16.5-24 OSH1827 OSH1827 OSH2127 OSH2124 OSH22.5-27 OSH22.5-27 OSH2424 OSH2727 OSH2424 OSH3027 OSH3027 OSH3024 OSH3027 OSH3024 OSH3627 OSH3624 OSH3927 OSH3927 OSH4227 OSH4227 OSH4524	27" Depth SKU	24" Depth SKU
OSH1527 OSH1524 OSH16.5-27 OSH16.5-24 OSH1827 OSH1824 OSH2127 OSH2124 OSH22.5-27 OSH22.5-24 OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH3927 OSH3924 OSH4527 OSH4524	OSH0927	OSH0924
OSH16.5-27 OSH16.5-24 OSH1827 OSH1824 OSH2127 OSH2124 OSH22.5-27 OSH22.5-24 OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH1227	OSH1224
OSH1827 OSH1824 OSH2127 OSH2124 OSH22.5-27 OSH22.5-24 OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH1527	OSH1524
OSH2127 OSH2124 OSH22.5-27 OSH22.5-24 OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4524	OSH16.5-27	OSH16.5-24
OSH22.5-27 OSH22.5-24 OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH1827	OSH1824
OSH2427 OSH2424 OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH2127	OSH2124
OSH2727 OSH2724 OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH22.5-27	OSH22.5-24
OSH3027 OSH3024 OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH2427	OSH2424
OSH3327 OSH3324 OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH2727	OSH2724
OSH3627 OSH3624 OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH3027	OSH3024
OSH3927 OSH3924 OSH4227 OSH4224 OSH4527 OSH4524	OSH3327	OSH3324
OSH4227 OSH4224 OSH4527 OSH4524	OSH3627	OSH3624
OSH4527 OSH4524	OSH3927	OSH3924
*******	OSH4227	OSH4224
OSH4827 OSH4824	OSH4527	OSH4524
	OSH4827	OSH4824

Cabinet Accessories - Pullout Shelving

2nd Position


. Can be 3" lower

Pullout Shelf Spacing

*Return to Table of Contents


OSHxxP: Pullout Shelf OSH12P OSH15P OSH16.5P (for 33"W grill bases) OSH18P OSH19.3P (for 58"W grill bases) OSH19.5P (for 39"W grill bases) OSH20.7P (for 62"W grill bases) OSH22.5P (for 45"W grill bases) OSH21P OSH24P OSH27P OSH30P OSH33P OSH36P OSH39P OSH42P


OSH45P OSH48P




Cabinet Accessories - Pullout Ice Chest

*Return to Table of Contents






Ex. OSH36PCHEST, installs in 36"W cabinet





Side Mount Slides

r roudet Becomplien
OPPxx: Propane pullout accessory
Designed to fit 18 - 30" wide OBB Side Burner cabinets and 33"-
62"W OGB Grill Cabinets. **CANNOT BE USED FOR LOW AND
DEEP CABINETS!**

SKU	Description
OPP16.5	Propane Pullout for 1 side of 33" Grill Base
OPP18	Propane Pullout for 18" OBB or 36"/54" Grill Base
OPP19.33	Propane Pullout for 58" Grill cabinet
OPP20.67	Propane Pullout for 62" Grill cabinet
OPP21	Propane Pullout for 21" OBB or 1 side of 42" Grill Base
OPP22.5	Propane Pullout for 1 side of 45" Grill Base
OPP24	Propane Pullout for 24" OBB or 1 side of 48" Grill Base
OPP27	Propane Pullout for 27" OBB Side Burner Base
OPP30	Propane Pullout for 30" OBB Side Burner base







Note: optional lock shown at top on trash pullout image.

OTPxx and OTPxxH11: 28 quart Trash pullout
accessory. Designed to fit 15 - 24" wide OBF, OBD,
OBB Side Burner cabinets and 33"W, 36"W, 42"W
and 48"W Grill Cabinets. Can hold up to 111 lbs.

SKU	Description	
OTP15	Single Trash for 15" cabinet or 1 side of 30" Grill cabinet	
OTP15H11	Single Trash for 15" cabinet or 1 side of 30" Grill cabinet, for 11"H shelf	
OTP16.5	Single Trash for 1 side of 33" Grill cabinet	
OTP16.5H11	Single Trash for 1 side of 33" Grill cabinet, for 11"H shelf	
OTP18	Double Trash for 18" cabinet or 36" Grill - side burner	
OTP18H11	Double Trash for 18" cabinet or 36" Grill - side burner, for 11"H shelf	
OTP19.33	Double Trash for 58" Grill cabinet	
OTP19.33H11	Double Trash for 58" Grill cabinet, for 11"H shelf	
OTP 19.5	Single Trash for 1 side of 39" Grill cabinet	
OTP 19.5H11	Single Trash for 1 side of 39" Grill cabinet, for 11"H shelf	
OTP20.67	Double Trash for 62" Grill cabinet	
OTP20.67H11	Double Trash for 62" Grill cabinet, for 11"H shelf	
OTP21	Double Trash for 21" cabinet or 1 side of 42" Grill cabinet	
OTP21H11	Double Trash for 21" cabinet or 1 side of 42" Grill cabinet, for 11"H shelf	
OTP 22.5	Single Trash for 1 side of 45" Grill cabinet	
OTP 22.5H11	Single Trash for 1 side of 45" Grill cabinet, for 11"H shelf	
OTP24	Double Trash	
OTP24H11	Double Trash, for 11"H shelf	
OTP27	Double Trash	
OTP27H11	Double Trash, for 11"H shelf	
OTP30	Double Trash	
OTP30H11	Double Trash, for 11"H shelf	
OTP33	Double Trash	
OTP33H11	Double Trash, for 11"H shelf	


135

Cabinet Accessories - Undercounter Appliance Parts


*Return to Table of Contents

We offer a variety of different options for designing corners, void spaces, and undercounter appliance areas.

See example below for how to fill a corner void to place refrigerator at end of run.




Example of how to place refrigerator next to corner.



Cabinet Accessories - Front Corner Fillers: OAF90/45xx


*Return to Table of Contents



OAF90: 90 degree front base corner filler, sits flush with door/drawer faces, attaches to two base cabinets, OBX columns, or a combination of the two depending on your design. SKUs are designated by overall filler width, specify each side of bend. 2"W overall minimum (1" minimum on either side of bend), available in 1/8" increments as needed. Note: If an OBX is used at corner for creating an undercounter appliance space, the OAF90 will attach over the OBX (see Sample Layouts sheet at the beginning of this section).



Example: OAF90 9.50, 3.5" x 6"



Product Description

OAF45: 45 degree front base corner filler, sits flush with door/drawer faces, attaches to two base cabinets, OBX columns, or a combination of the two depending on your design. SKUs are designated by overall filler width, specify each side of bend. 2"W overall minimum (1" minimum on either side of bend), available in 1/8" increments as needed.

Note: If an OBX is used at corner for creating an undercounter appliance space, the OAF45 will attach over the OBX (see Sample Layouts sheet at the beginning of this section).

Example: OAF45 4.00, 2" x 2"

Example: OAF45 7.25, 4.125" x 3.125"

SKU

OAF45XX

Cabinet Accessories - Corner Void Support System: OAR90xx

*Return to Table of Contents


3.860 -28.770-Size of corner post is constant, width of panels varies depending on cabinet depth, size of front corner filler (OAF90), and whether back panels are used or not. This example is for 27"D cabinets with back panels and a 4" x 4" OAF90 (OAF90 8.00). 32.630

|--|

OAR90: Rear corner support column with two back panels to attach in void where OAF90 front base corner filler is used. Post size is constant, panel sizes are based on front base corner filler size (OAF90). Single adjustable leg on column to match those on cabinetry, can be upgraded to SSLEG.

27" Depth SKU	Description
OAR90XX NO VENT	Solid Panels
OAR90XX VENT	Vented Panels
OAR90XX EQUAL BP VENT	galvanized and vented panels, for use with Equal Back Panels and Extened Back Panels

Size of corner post is constant, width of panels varies depending on cabinet depth, size of front corner filler (OAF45), and whether back panels are used or not. This example is for 27"D cabinets with back panels and a 2" x 2" OAF90 (OAF45 4.00).



Product Description

OAR45: Rear corner support column with two back panels to attach in void where OAF45 front base corner filler is used. Post size is constant, panel sizes are based on front base corner filler size (OAF45). Single adjustable leg on column to match those on cabinetry, can be upgraded to SSLEG.

27" Depth SKU	Description
OAR45XX NO VENT	Solid Panels
OAR45XX VENT	Vented Panels
OAR45XX EQUAL BI VENT	Galvanized and vented panels, for use with Equal Back Panels and Extened Back Panels

Cabinet Accessories - OAR90XX Insert No Vent/Vent Access


*Return to Table of Contents


Prod	IICt	Descr	ıntıar
I I UU	uul	DESUL	וטנוטו

OAR90xx Insert No Vent (or Vent) Access:

Rear corner support column with 2 non-vented back panels to attach in void where OAF front corner filler is used. One of the back panels (specify which side in notes and on drawing) comes with an insert (IDR2721-2, 27"W x 21"H Frame, Two Flush Access Doors) installed into it for access into corner. *NOTE: Insert ALWAYS comes with a slab style door. If panel size is too small for that insert, the next largest insert will be used.*

27" Depth SKU	Description
OAR90XX INSERT NO VENT ACCESS	Solid Panels, IDR2721-2 in one panel
OAR90XX INSERT VENT ACCESS	Vented Panels, IDR2721-2 in one panel





2.88" 3.00" 3.88" 6.00" 27.875 8" 8" 8" 5"

Note: OBX has rectangular cutouts on one side, finished on front and back only.

Cabinet Accessories - ORP with electrical cutout

*Return to Table of Contents


OBXzz.zz x.xx: Column for countertop support for the middle of a run with an undercounter appliance Attaches to a cabinet or another column via an OBS panel. Comes in two standard widths and four


the middle of a run with an undercounter appliance. Attaches to a cabinet or another column via an ORS panel. Comes in two standard widths and four standard depths to match cabinets with or without back panels. Comes with two adjustable legs to match those on cabinetry.

Example SKU: OBX27.88 2.88

A tapered SSLEG can only be used with 3.88" widths.

Prefix Depth Width OBX 24.88 2.88 OBX 24.88 3.00 OBX 24.88 3.88 OBX 24.88 6.00 OBX 25.63 2.88 OBX 25.63 3.00 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.88 OBX 27.88 3.88 OBX 27.88 3.88 OBX 28.63 3.88 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00 OBX 30.63 6.00 OBX 30.93 2.88	A lapeled 33LLC	can only be used v	viiii 5.00 vvidiiis.
OBX 24.88 2.88 OBX 24.88 3.00 OBX 24.88 3.88 OBX 24.88 6.00 OBX 25.63 2.88 OBX 25.63 3.00 OBX 25.63 3.88 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00		SKU	
OBX 24.88 3.00 OBX 24.88 3.88 OBX 24.88 6.00 OBX 25.63 2.88 OBX 25.63 3.00 OBX 25.63 3.00 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 3.00 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	Prefix	Depth	Width
OBX 24.88 3.88 OBX 24.88 6.00 OBX 25.63 2.88 OBX 25.63 3.00 OBX 25.63 3.88 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.88 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	24.88	2.88
OBX 24.88 6.00 OBX 25.63 2.88 OBX 25.63 3.00 OBX 25.63 3.88 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	24.88	3.00
OBX 25.63 2.88 OBX 25.63 3.00 OBX 25.63 3.88 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	24.88	3.88
OBX 25.63 3.00 OBX 25.63 3.88 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	24.88	6.00
OBX 25.63 3.88 OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	25.63	2.88
OBX 25.63 6.00 OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	25.63	3.00
OBX 27.88 2.88 OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	25.63	3.88
OBX 27.88 3.00 OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	25.63	6.00
OBX 27.88 3.88 OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	27.88	2.88
OBX 28.63 2.88 OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	27.88	3.00
OBX 28.63 3.00 OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	27.88	3.88
OBX 28.63 3.88 OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	28.63	2.88
OBX 29.88 2.88 OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	28.63	3.00
OBX 29.88 3.88 OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	28.63	3.88
OBX 29.88 6.00 OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	29.88	2.88
OBX 30.63 2.88 OBX 30.63 3.88 OBX 30.63 6.00	OBX	29.88	3.88
OBX 30.63 3.88 OBX 30.63 6.00	OBX	29.88	6.00
OBX 30.63 6.00	OBX	30.63	2.88
	OBX	30.63	3.88
OBX 30.93 2.88	OBX	30.63	6.00
	OBX	30.93	2.88





Product Description

ORPzz.zz x.xx(L or R) ELEC:

Same as standard ORP, but with a standard GFCI electrical cutout located 4" down from the top of the column and centered on front. Left and Right SKUs as cutout negates reversibility.

*GFCI Outlet Box not provided.

Example SKU: ORP27.88 3.88 ELEC

Example SKU: OR	P27.88 3.88 ELEC	
	SKU	
Prefix	Depth	Width/Side
ORP	24.88	3.88L ELEC
ORP	24.88	3.88R ELEC
ORP	24.88	6.00L ELEC
ORP	24.88	6.00R ELEC
ORP	25.63	3.88L ELEC
ORP	25.63	3.88R ELEC
ORP	25.63	6.00L ELEC
ORP	25.63	6.00R ELEC
ORP	27.88	3.88L ELEC
ORP	27.88	3.88R ELEC
ORP	27.88	6.00L ELEC
ORP	27.88	6.00R ELEC
ORP	28.63	3.88L ELEC
ORP	28.63	3.88R ELEC
ORP	28.63	6.00L ELEC
ORP	28.63	6.00R ELEC
ORP	29.88	3.88L ELEC
ORP	29.88	3.88R ELEC
ORP	30.63	3.88L ELEC
ORP	30.63	3.88R ELEC
ORP	35.88	3.88L ELEC
ORP	35.88	3.88R ELEC
ORP	35.88	6.00L ELEC
ORP	35.88	6.00R ELEC
ORP	36.63	3.88L ELEC
ORP	36.63	3.88R ELEC
ORP	36.63	6.00L ELEC
ORP	36.63	6.00R ELEC

Product Description


OBXzz.zz x.xx ELEC:


Same as standard OBX, but with a standard GFCI electrical cutout located 4" down from the top of the column and centered on front.

*GFCI Outlet Box not provided.

Example SKU: OBX27.88 3.88 ELEC


	SKU	
Prefix	Depth	Width
OBX	24.88	3.88 ELEC
OBX	24.88	6.00 ELEC
OBX	25.63	3.88 ELEC
OBX	25.63	6.00 ELEC
OBX	27.88	3.88 ELEC
OBX	27.88	6.00 ELEC
OBX	28.63	3.88 ELEC
OBX	28.63	6.00 ELEC
OBX	29.88	3.88 ELEC
OBX	30.63	3.88 ELEC





Cabinet Accessories - End Support Columns: ORPzz.zz x.xx

*Return to Table of Contents



Note: ORP has rectangular cutouts on one side and is finished on front, back, and one side. Reversible for application on either end of a run.

Product Description

ORPzz.zz x.xx: Column for countertop support with one finished side for ending a run with an undercounter appliance. Attaches to a cabinet or another column via an ORS panel. Comes in two standard widths and four standard depths to match cabinets with or without back panels. Can be upgraded to match door styles on finished side. Comes with two adjustable legs to match those on

Example SKU: ORP27.88 2.88

A tapered SSLEG can only be used with 3.88" widths. SKU		
Prefix	Depth	Width
ORP	24.88	2.88
ORP	24.88	3.00
ORP	24.88	3.88
ORP	24.88	6.00
ORP	25.63	2.88
ORP	25.63	3.00
ORP	25.63	3.88
ORP	25.63	6.00
ORP	27.88	2.88
ORP	27.88	3.00
ORP	27.88	3.88
ORP	28.63	2.88
ORP	28.63	3.00
ORP	28.63	3.88
ORP	29.88	2.88
ORP	29.88	3.88
ORP	29.88	6.00
ORP	30.63	2.88
ORP	30.63	3.88
ORP	30.63	6.00
ORP	30.93	2.88
ORP	35.88	2.88
ORP	35.88	3.88
ORP	35.88	6.00
ORP	36.63	2.88
ORP	36.63	3.88
ORP	36.63	6.00


Cabinet Accessories - ORP Cabinet Connector xx


*Return to Table of Contents


Product Description


ORP Cabinet Connector: Bracket to connect an ORP or OBX countertop support column to adjacent cabinet at end of a run.

SKU		
Prefix	Depth	
ORP Cabinet Connector	24.88	
ORP Cabinet Connector	25.63	
ORP Cabinet Connector	27.88	
ORP Cabinet Connector	28.63	











Cabinet Accessories - ORP Decorative Side Panels: OSP xx yy

*Return to Table of Contents



ORP with Key West Panel side panel



Product Description

OSP: Decorative side panels to match door styles are available for installation on ORP columns. These are also able to installed on the side of cabinets to finish them.

KW: Key West Panel

KW SG: Key West Seaglass Center

KW BB: Key West Beadboard


KW LV: Key West Louvered

VN: Venice

PB: Palm Beach Panel

Example SKU: OSP KW BB 27.88

SKU			
Style	Widths		
KW	24.88, 25.63, 27.88, 28.63		
KW SG	24.88, 25.63, 27.88, 28.63		
KW BB	24.88, 25.63, 27.88, 28.63		
KW LV	24.88, 25.63, 27.88, 28.63		
VN	24.88, 25.63, 27.88, 28.63		
РВ	24.88, 25.63, 27.88, 28.63		
	KW KW SG KW BB KW LV		




Product Description

List width of ORP that the skin is attaching to followed by the depth increase.

Example: ORPS27.88 2.88 (=ORP width) 3.00 (=depth increase)

27" Depth SKU	Description	
ORPSXX XX XXL	Custom Left skin to connect to increase depth of ORP (first two dimensions are ORP depth and width).	
ORPSXX XX XXR	CUSTOM Right skin to connect to increase depth of ORP (first two dimensions are ORP depth and width).	

Varies 0.750 -0.750




Product Description OBXF: Skins that connect over the front and back of an OBX to increase width. Order 2 if a filler is needed for both the front and back of the OBX.

NOTE: Available in any width in 1/8" increments. Some SKUs already programmed, see table below. Use OBXF XX for custom sizes as needed.


27" Depth SKU	Description
OBXF 3.00	3.00"W Skin
OBXF 3.50	3.50"W Skin
OBXF 3.88	3.88"W Skin
OBXF 4.75	4.75"W Skin
OBXF 5.25	5.25"W Skin
OBXF 5.38	5.38"W Skin
OBXF 5.63	5.63"W Skin
OBXF 5.88	5.88"W Skin
OBXF 6.00	6.00"W Skin
OBXF 6.25	6.25"W Skin
OBXF 7.25	7.25"W Skin
OBXF 8.00	8.00"W Skin
OBXF XX	Custom Width Skin

Cabinet Accessories - Undercounter Appliance Spacers: ORS

*Return to Table of Contents



EXAMPLE: ORS24.25 used as a spacer, creating an opening for an appliance, attached between a cabinet and an ORP column.



ORS Brace ships with the ORS. OFE Appliance panel(s) must be ordered to install the brace. If OFE Appliance panel(s) is not ordered the brace can be discarded, but the customer must secure the ORP.

Product Description

ORSxx: Rear vented spacer panel used to "lock-in" exact size opening for undercounter appliances. Used as a back panel for undercounter appliance space when needed.

Available in 1/8" increments, custom widths available, contact Sales for information. Brace is 8" deep and matches width of spacer.

Non-Vented versions of all sizes are available.

Attaches between two cabinets, two ORP or

OBX columns, or a cabinet and ORP or OBX.			
Vented SKU	Non-Vented SKU		
ORS15	ORS15 NV		
ORS15.25	ORS15.25 NV		
ORS15.50	ORS15.50 NV		
ORS18	ORS18 NV		
ORS18.25	ORS18.25 NV		
ORS20.25	ORS20.25 NV		
ORS20.50	ORS20.50 NV		
ORS20.75	ORS20.75 NV		
ORS21	ORS21 NV		
ORS21.25	ORS21.25 NV		
ORS21.75	ORS21.75 NV		
ORS22	ORS22 NV		
ORS22.25	ORS22.25 NV		
ORS23	ORS23 NV		
ORS23.75	ORS23.75 NV		
ORS24	ORS24 NV		
ORS24.25	ORS24.25 NV		
ORS24.50	ORS24.50 NV		
ORS24.75	ORS24.75 NV		
ORS26.25	ORS26.25 NV		
ORS27.25	ORS27.25 NV		
ORS28.25	ORS28.25 NV		
ORS28.50	ORS28.50 NV		
ORS29	ORS29 NV		
ORS30	ORS30 NV		
ORS30.25	ORS30.25 NV		
ORS30.75	ORS30.75 NV		
ORS31.50	ORS31.50 NV		
ORS33	ORS33 NV		
ORS36	ORS36 NV		
ORS36.38	ORS36.38 NV		
ORS38	ORS38 NV		
ORS39	ORS39 NV		
ORS39.38	ORS39.38 NV		
ORS48	ORS48 NV		

Cabinet Accessories - Countertop Support Piers: OCPSxx

*Return to Table of Contents

OCPS41E (electrical cutout)

Product Description

OCPS: Raised countertop support piers for creating a bar behind cabinets, 5"W x 5"D, 34.5", and 41" heights available. Comes with standard height adjustable feet and sliding bracket to cover them. Uses arm to support countertop. Does not require OCP SPAN.


*GFCI Outlet Box not provided.


Standard SKU		
OCPS34.5		
OCPS34.5-12		
OCPS41		
OCPS41-12		

With Electrical Cutout SKU

OCPS41E-12

OCPS41E





Cabinet Accessories - Countertop Span Support: OCSxx

*Return to Table of Contents

Note: OCS countertop support spacers are cut 1.5" longer than size listed. They are designed to fit inside OFE XXL/R OCS by .75".

Ex: OCS30 supports are cut to **31.5" long**.

Product Description

The OCS Brace Kit is used to support countertop material. The three 1.58" x 1.58" square aluminum extrusions insert .75" into each adjacent cabinet using an OFE XXL/R OCS (flush finished side panel ready to receive the OCS kit see). The kit can only be used in between two cabinets, the minimum allowable width of the cabinets is 12" wide for proper structure and support.

While the extrusions are durable, our company does not warranty that the Brace Kit will prevent countertop from cracking. Please refer to your countertop fabricator to verify usage with particular countertop material.


If using an OCS to end a run, choose a small 12" wide cabinet like OBF1201 or OBD1211 then finish the side using an OFE OCS part. (See OFE XXL/R OCS on page 150)

OCS30

	OCS33
	OCS36
_	OCS39
MINUM 3.31	OCS42
3.31	OCS45
	OCS48
OFE xxR OCS	OCS 12.00 MINIMUM

Cabinet Accessories - Countertop Flush Ends: OFE xxL/R OCS


*Return to Table of Contents



·			
OFE: Base cabinet flush side panel. Sits flush to cabinet side, specify based on cabinet side and depth. *Notched for use with OCS countertop support span*			
27" Depth SKU	24" Depth SKU		
OFE 27L OCS	OFE 24L OCS		
OFE 27R OCS	OFE 24R OCS		

Product Description


OFE xxL OCS notch detail:



Miscellaneous - Handles

*Return to Table of Contents

Standard Handle




All Danver, Brown Jordan, and Trex Outdoor Kitchens cabinets come drilled and assembled with our standard stainless steel handle unless otherwise noted on the order.

Product Description

6" center to center.

NOTE: Pulls can be powder coated any finish except wood grain finishes using the PC HANDLES part.

Overlay Panel Handle



NOTE: For use on appliance overlay panels only


Product Description


All Danver, Brown Jordan, and Trex Outdoor Kitchens overlay panels come drilled for our standard stainless steel overlay handle unless otherwise noted on the order. 12" center to center.

NOTE: Handles can be powder coated any finish except wood grain finishes using the PC HANDLES part.

Wall Cabinet handle placement

Vertical wall cabinet handle placement is the same as base cabinets but at the bottom of each door.







Hampton (slab) handle placement

Note: Vertical knob hole placement is is 1.56" from door top, 2.19" from side. Horizontal knob placement is centered on the door in the same location as pulls from the top.

Hampton Drawer handle placement will match door placement. Smaller slab drawers under 7"H will be centered.







Key West handle placement

Note: Louver, Beadboard, Palm Beach, London, Newport, and Rio style doors have the same handle placement as Key West.

Key West drawer handle placement will match door placement. Smaller slab drawers under 7"H will be centered.






Venice handle placement

Venice drawer handle placement will match door placement. Smaller slab drawers under 7"H will be centered.

Miscellaneous - Pull Tab Handles

*Return to Table of Contents



Product Description


PULL TAB: Stainless steel tab pull, can be powder coated. Top Center install on drawers. Top Edge install on doors.

*** MADE IN HOUSE - cannot be installed Vertically or on Inserts or overlay panels.***


Notes

Door pulls: 3" wide, 1 5/8"deep, 3/8" tab


Drawer pulls: 6" wide, 1 5/8"deep, 3/8" tab









Pull tab placement on slab door.









Pull tab placement on slab drawer.

152 _______ 153





Product Description

Panels made to match any door/drawer style for most outdoor rated panel ready appliances such as refrigerators, ice makers, beverage centers, etc. Glass door frames in the Key West or Rio style are also possible. Please submit manufacturer specifications for panel(s) when requesting a kitchen quote.

Example SKU:

True 15 URB-LH. This panel is used for a True 15" refrigerator, Hampton (slab) door style, left-hinged.

Overlay panels are made at 29.75"H to match our cabinet fronts. Because every appliance is different, Overlay panels may mount higher or lower on the appliance door to stay aligned with the adjacent cabinet doors. Overlay panels are manufactured without mounting holes and will need to be drilled on-site.

NOTE: No Locks Available for Overlay Panels

SAMPLE SKUs			
Manufacturer	Width	Door Style	Hinge
TRUE	24	KW	-LH
PERLICK	15	VN	-RH
PERLICK	24	GLASS RIO	-LH
SUMMIT	24	НМ	-LH
SUB-ZERO	24	KW SG	-RH


SAMPLE SKU ADA			
Manufacturer	Width	Door Style	Hinge
TRUE ADA	24	KW	-LH

SAMPLE SKU DRAWER			
Manufacturer	Width	Drawers	Door Style
PERLICK	24	2	НМ

DOOR STYLE NOMENCLATURE		
Abbreviation	Door Style	
НМ	Hampton	
VN	Venice	
KW	Key West	
KW BB	Key West Beadboard	
KW LV	Key West Louver	
KW OFG	Key West Open For Glass	
PB	Palm Beach	
TECNO	Tecno	
GLASS RIO	Rio	

Product Description

LOCK: Add keyed lock to Hampton, Key West, Palm Beach, or Pull Tab doors. Can be applied to Key West doors but NOT drawers or trash pullouts.



- 1. Hampton, Venice, and Rio style doors all have centered lock placement above the handle.
- 2. Locks are unavailable on all Key West drawer variations due to the handle conflicting with the lock.

Miscellaneous - Powder Coat Wood Grain Direction: Slab/Rio


*Return to Table of Contents

HORIZON WOOD GRAIN CORRECT USAGE

ONLY USE IN HORIZONTAL GRAIN PATTERN ONLY FOR USE ON HAMPTON, VENICE (GENTER PANEL ONLY), ELEMENTS & TECNO DOOR STYLES




NO VERTICAL GRAIN DIRECTION




NO OTHER DOOR STYLES



Wood grain direction: Hampton Slab & Rio Door styles




Wood grain direction: Key West Door Style




Miscellaneous - Powder Coat Wood Grain Direction: Beadboard


*Return to Table of Contents

Wood grain direction: Key West Beadboard Door Style




Wood grain direction: Key West Louver Door Style






Wood grain direction: Venice Door Style



Note: Venice doors can ONLY have the center panel wood grain powder coated and the frame left as stainless steel or powder coated a standard color. Wood grain centers are coated with standard vertical orientation shown above.


Miscellaneous - Venice Door Powder Coating Options

*Return to Table of Contents




Option 1: Stainless Steel Frame and Center Panel

Center & Frame: Stainless Steel



Option 2: Powder Coated Frame and Center - Single Color

Center & Frame: Primary Color



Option 3: Stainless Frame with Powder Coated Center Panel

Center: Primary Color, Frame: Stainless Steel


Option 4: Powder Coated Center Panel with Complementary Frame

Center: Primary Color, Frame: Secondary Color

Note: powder coat finishes are available for the center panel and will be used on the accessories - trim kits, fillers, side/back panels, etc.

All powder coat finishes can be used on frame except for wood grain finishes.

160





Product Description		
SC: Stainless 304 sink covers with handles to match cabinets. Can be powder coated to match cabinets. Custom sizes available, please contact sales. *Size listed is inside dimension* Ex: 21"W x 16"H		
SKU		
SC2116		
SC2121		
SC2422		
SC3222		
SC3422		
SC3822		

SC4322

Miscellaneous - Standard & ADA Legs

Typical cabinet leg location.





Side View

*Return to Table of Contents


Our standard cabinet leg is adjustable from **3.75" to 5.75"**

Standard legs that have been cut to ADA height are adjustable from **2" to 3.25"**.

Modification of Standard Legs

Standard legs can be modified if the cabinet needs to sit below our standard minimum leg height (i.e. ADA application). This modification will allow the legs to be at a reduced height but still afford the ability for adjustment, ensuring correct leveling of cabinets.

Refer to the Cabinet Installation Instructions for complete information.





Miscellaneous - Toe Kick: OTKx


*Return to Table of Contents

*Return to Table of Contents

Product Description










SSLEG options: A wide range of Stainless Steel leg covers are available. ADA compliant leg and wall cabinet leg modifier kits are also available. Stainless legs can be powder coated to match cabinetry.		
SKU	Descriptoin	
SSLEG	Exposed 4.5"-5.25" high stainless steel tapered leg. Number required based on cabinet sizes, either 4, 6, or 8 (54" and above). REPLACES LEGS.	
	NOTE: Cannot be used for ORP/OBX units smaller than 3.88"W. Should only be used on a level deck.	
SSLEG COVER	Square stainless cover for standard legs where no toe kick preferred. NOTE:Cannot be used for ORP/OBX units smaller than 3.88"W	
SSLEG COVER ADJ	Adjustable square stainless steel leg cover: 3" minimum - 5.62" maximum height. NOTE: Cannot be used for ORP/OBX units smaller than 3.88"W	
SSLEG COVER DOUBLE	Square stainless cover to cover 2 standard legs	
ADA SSLEG	Exposed 2"-2.75" high stainless steel tapered leg for ADA compliant cabinet. Number required based on cabinet sizes, either 4, 6, or 8 (54" and above). REPLACES STANDARD LEGS. NOTE: Cannot be used for ORP or OBX units smaller than 3.88"W	

smaller than 3.88"W Should only be used on a level deck.







Product Description


Toe Kick: .090" thick Aluminum toe kick is available plain to match stainless or can be powder coated to match cabinetry.


NOTE: SHIPPED SEPARATELY VIA FEDEX/UPS GROUND, NOT WITH FREIGHT SHIPMENT!

Finish	84" Length of Toe Kick	Splice for Connecting Straight Run	45 Degree Corner Splace	90 Degree Corner Splice
2" H Black Finish	OTK2	OTK2 SPLICE	OTK2 CORNER 45	OTK2 CORNER 90
2" H 316 Stainless Steel	OTK2-SS 316	OTK2-SS 316 SPLICE	OTK2-SS 316 CORNER 45	OTK2-SS 316 CORNER 90
2" H Aluminum with Powder Coat Finish	OTK2-AL PAINTED	OTK2-AL SPLICE PAINTED	OTK2-AL CORNER 45 PAINTED	OTK2-AL CORNER 90 PAINTED
4.38" H Black Finish	OTK4	OTK4 SPLICE	OTK4 CORNER 45	OTK4 CORNER 90
4.38" H 316 Stainless Steel	OTK4-SS 316	OTK4-SS 316 SPLICE	OTK4-SS 316 CORNER 45	OTK4-SS 316 CORNER 90
4.38" H Aluminum with Powder Coat Finish	OTK4-AL PAINTED	OTK4-AL SPLICE PAINTED	OTK4-AL CORNER 45 PAINTED	OTK4-AL CORNER 90 PAINTED
6" H Black Finish	OTK6	OTK6 SPLICE	OTK6 CORNER 45	OTK6 CORNER 90
6" H 316 Stainless Steel	OTK6-SS 316	OTK6-SS 316 SPLICE	OTK6-SS 316 CORNER 45	OTK6-SS 316 CORNER 90
6" H Aluminum with Powder Coat Finish	OTK6-AL PAINTED	OTK6-AL SPLICE PAINTED	OTK6-AL CORNER 45 PAINTED	OTK6-AL CORNER 90 PAINTED


- Wall Cabinets & Accessories: Nomenclature
- *Return to Table of Contents

- Available in 3" increments from 12" to 48" wide.
- Standard heights range from 15" to 42".
- Cabinet depth is 13" (13.88" including door).
- Two doors are furnished with cabinets from 24" to 48" in width.
- Includes 0-3 shelves depending on the height of the cabinets: **15"H**=no shelf, **18-24"H**=1 shelf, **30-36"H**=2 shelves, **39-42"H**=3 shelves.
- Wall units require **PVC CLEAT** material on top and bottom notches to be hung.
- Every wall cabinet comes with:
 - top and bottom finished panels
 - standard stainless bar pulls
- The wall cabinet line includes diagonal corner and blind corner wall cabinet options.
- Finished side panels are optional and are available in two configurations:
 - Flush to the cabinet side (WFE) or .75" thick panel flush to the face of the door (WSP). Doors may be ordered in different styles or open for glass (OFG).
 - Wall cabinetry may also be fitted with standard or stainless legs and used as shallow depth base cabinets (accessory part name: WALL LEG KIT).






- All Danver Wall cabinets use specific nomenclature designed to help you find the specific type needed.
- Wall cabinets and Wall accessories begin with "W".
- Standard wall cabinet depth is 13".
- Specify "-24" after the part number for 24" depth cabinets. Example: W\$2421-24.




Double Door Wall Cabinet part nomenclature; example:			
WS3636: 36" Double Door Cabinet			
WS	36 36		
Style	Width	Height	
Style	Cabinet Width in inches	Cabinet Height in inches	


Wall Part Name	Description	Wall Part Usage Summary
PVC CLEAT	Cleat material	60"L x 3"H, used as anchor point to mount wall cabinets.
WBxxxx	Wall Blind Corner	Blind wall cabinet used in a corner void.
WDCxx	Wall Diagonal Corner	Wall cabinet used to fill a corner.
WFC xx yy	Wall Filler Corner	Corner filler with top and bottom pieces included to fill corner void.
WFExxL/R	Wall Flush End Left or Right	Applied to wall cabinet to end run, does not add any width.
WFL xx yy	Wall Filler Front	Used between two wall cabinets to fill space, .75" minimum
WMCxxxx	Wall Microwave Cabinet	Wall cabinet used to house microwave.
WSP DECORATIVE	Wall Decorate Side Panel	Decorative panels to match any door front style (Venice, Louver, etc.)
WSPxxL/R	Wall Side Panel Left or Right	Applied to end of Wall run to finish cabinet side, adds .75" width.

166 $\overline{}$ 167





Product Description		
WS: Single Door Wall Cabinets		
15" Height SKU	18" Height SKU	
WS1215-LH	WS1218-LH	
WS1215-RH	WS1218-RH	
WS1515-LH	WS1518-LH	
WS1515-RH	WS1518-RH	
WS1815-LH	WS1818-LH	
WS1815-RH	WS1818-RH	
WS2115-LH	WS2118-LH	
WS2115-RH	WS2118-RH	
21" Height SKU	24" Height SKU	
WS1221-LH	WS1224-LH	
WS1221-RH	WS1224-RH	
WS1521-LH	WS1524-LH	
WS1521-RH	WS1524-RH	
WS1821-LH	WS1824-LH	
WS1821-RH	WS1824-RH	
WS2121-LH	WS2124-LH	
WS2121-RH	WS2124-RH	
30" Height SKU	33" Height SKU	
WS1230-LH	WS1233-LH	
WS1230-RH	WS1233-RH	
WS1530-LH	WS1533-LH	
WS1530-RH	WS1533-RH	
WS1830-LH	WS1833-LH	
WS1830-RH	WS1833-RH	
WS2130-LH	WS2133-LH	
WS2130-RH	WS2133-RH	
36" Height SKU	39" Height SKU	
WS1236-LH	WS1239-LH	
WS1236-RH	WS1239-RH	
WS1536-LH	WS1539-LH	
WS1536-RH	WS1539-RH	
WS1836-LH	WS1839-LH	
WS1836-RH	WS1839-RH	
WS2136-LH	WS2139-LH	
WS2136-RH	WS2139-RH	
42" Height SKU		
WS1242-LH		
WS1242-RH		
WS1542-LH		
WS1542-RH		
WS1842-LH		
WS1842-RH		
WS2142-LH		
WS2142-RH		



Duadinat Decembrish			
Product Description			
WS: Double Door Wall Cabinets			
12" Height SKU			
WS3612			
15" Height SKU	18" Height SKU		
WS2415	WS2418		
WS2715	WS2718		
WS3015	WS3018		
WS3315	WS3318		
WS3615	WS3618		
WS3915	WS3918		
WS4215	WS4218		
21" Height SKU	24" Height SKU		
WS2421	WS2424		
WS2721	WS2724		
WS3021	WS3024		
WS3321	WS3324		
WS3621	WS3624		
WS3921	WS3924		
WS4221	WS4224		


, , , , , , , , , , , , , , , , , , ,			
VS: Double Door Wall Cabinets			
30" Height SKU	33" Height SKU		
VS2430	WS2433		
VS2730	WS2733		
VS3030	WS3033		
VS3330	WS3333		
VS3630	WS3633		
VS3930	WS3933		
VS4230	WS4233		
39" Height SKU	36" Height SKU		
VS2439	WS2436		
VS2739	WS2736		
VS3039	WS3036		
VS3339	WS3336		
VS3639	WS3636		
VS3939	WS3936		
VS4239	WS4236		
VS4539	WS4542		
39" Height SKU	42" Height SKU		
VS2439	WS2442		
VS2739	WS2742		
VS3039	WS3042		
VS3339	WS3342		
VS3639	WS3642		
VS3939	WS3942		
VS4239	WS4242		
VS4539	WS4542		
VS4839	WS4842		

Product Description


Wall Cabinets - Diagonal Corner: WDCxx, Blind Corner: WBxxzz


*Return to Table of Contents






Product Description		
WS: 24" DEEP Double or Single Door Wall Cabinets		
12" Height SKU		
WS2412-24		
WS3012-24		
WS3612-24		
15" Height SKU	18" Height SKU	
WS1515-24 (single)	WS1518-24 (single)	
WS3315-24	WS3018-24	
WS3615-24	WS3318-24	
21" Height SKU	24" Height SKU	
WS2421-24	WS1224-24	
WS3321-24	WS3324-24	
WS3621-24	WS3624-24	
30" Height SKU	36" Height SKU	
WS2430-24	WS2436-24	
39" Height SKU	42" Height SKU	
WS3039-24	WS3042-24	








Product Description			
WB: Blind Corner Wall Cabinets, 13"D, 1 door.			
24" Height SKU 30" Height SKU			
WB2724-LH	WB2730-LH		
WB2724-RH	WB2730-RH		
WB3024-LH	WB3030-LH		
WB3024-RH	WB3030-RH		
36" Height SKU	42" Height SKU		
WB2736-LH	WB2742-LH		
WB2736-RH	WB2742-RH		
WB3036-LH	WB3042-LH		
WB3036-RH	WB3042-RH		

170 _______ 17

Wall Cabinets - Microwave Cabinet: WMCxxzz


*Return to Table of Contents




Product Description		
WMC: Wall Microwave Cabinets with 18"D shelf, #4 finish in 13.5" microwave area, 2 doors		
30" Height SKU	33" Height SKU	
WMC2730	WMC2733	
WMC3030		
36" Height SKU	42" Height SKU	
WMC2436	WMC2742	
WMC2736	WMC3042	
WMC3036		

Wall Accessories - Side Panels: WSP, Flush End Panels: WFE

*Return to Table of Contents



Note: Decorative side panels to match door fronts can be applied using Part: **WSP DECORATIVE L/R** and filling in the height (randging from 15"-42" in 3" increments), depth (13.88" or 24.88"), side (left or right), and door style.



Product Description

WSP: ¾" Thick side panels for wall cabinets. XX"H, panels sit flush with door/drawer faces. Specify based on cabinet side and height.

Example SKUs: WSP15L, WSP24R, WSP36L, WSP42R

Wall Cabinet Side Panel Nomenclature			
Example: WSP15L			
WSP XX X			
Prefix Height Side			

Product Description

Decorative Wall Side Panel. **SPECIFY** which Wall Cabinet this is being installed on and Door style. Pricing TBD by sales--match decorative OSP cost based on door style.

Wall Cabinet Side Panel SKUs

WSP DECORATIVE L

WSP DECORATIVE R

Product Description


WFE: Flush side panels for wall cabinets. 13"W, panels sit flush with cabinet box. Specify based on cabinet side and height.

Example SKUs: WFE18L, WFE21R, WFE33L, WFE39R

172 _______ 173

Wall Accessories - Front Fillers: WFL, Corner Fillers: WFC

*Return to Table of Contents




Product Description

WFL: Wall cabinet front filler, sits flush with door faces, attaches between two wall cabinets. Use this filler when using a wall cabinet as a base cabinet with the addition of a Wall Leg Kit. 1"W minimum, available in 1/8" increments as needed.

Wall Cabillet Florit Filler Nomenciature				
Example: WFL 30 3.75				
WFL XX XX				
Prefix	Height	Width		

 ${\sf Example~SKUs:~WFE18L,~WFE21R,~WFE33L,~WFE39R}$




Product Description

WFC: Wall cabinet front 90-degree corner filler, sits flush with door faces, attaches between two wall cabinets. 2"W overall, 1"W minimum on each side of bend, available in 1/8" increments as needed.

Wall Cabinet Front Filler Nomenclature			
Example: WFC 24 3.63 2.00			
WFC XX XX XX			
Prefix Height Left Right Dim. Dim.			
Example SKIIs: WEC 18 4 00 4 00 WEC 36 3 50 3 00			

Wall Accessories - Light Rail: WLR xx yy zz, PVC Cleat

*Return to Table of Contents



Light Rail – Stainless light rail for wall cabinets. Comes in 84" lengths, cut onsite as needed. Can be powder coated to match cabinets.		
	SKU	
Light Rail	1.5"H	3.0"H
Straight Length	WLR STRAIGHT 1.5	WLR STRAIGHT 3.0
90-degree inside corner	WLR 90 IN 1.5	WLR 90 in 3.0
90-degree outside corner	WLR 90 OUT 1.5	WLR 90 OUT 3.0
135-degree inside corner	WLR 135 IN 1.5	WLR 135 IN 3.0
135-degree outside corner	WLR 135 OUT 1.5	WLR 135 OUT IN 3.0
Straight Splice	WLR SPLICE 1.5	WLR SPLICE 3.0

Product Description

Product Description

PVC Cleat: Required cleat for hanging wall cabinets. Comes in 60" x 3"H lengths, cut onsite as needed.

Product Description

Rolling Cart w/ locking glides. Add individual 27" depth cabinets and choose applicable options including Rolling Cart Skid. Equal Back Panels (any door style) required for stability.

SKU
ROLLING CART 48"
ROLLING CART 54"
ROLLING CART 60"
ROLLING CART 66"
ROLLING CART 72"

6' Rolling Cart W/Cabinets

Cosmopolitan Table Dining

Cosmopolitan Tables: Eat & Prep

Product Description

Cosmopolitan Dining Table. 58"W x 24"D x 34.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed narrow shelf – 12"W x 8.5"H from floor – with Walnut powder coated decorative slats to allow for stool seating. Up to 3 flat-packed tables PER skid.

*Return to Table of Contents


NOTE: Standard countertop that we provide is 12mm (.5") thick.


NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

SKU


COSMOPOLITAN EAT

COSMOPOLITAN EAT PC SLATS





6' Rolling Cart W/Cabinets



Cosmopolitan Table Prep

Product Description

Cosmopolitan Prep Table. 58"W x 24"D x 34.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed shelf –24"W x 15.5"H from floor – with Walnut powder coated decorative slats. Up to 3 flat-packed tables PER skid

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

SKII

COSMOPOLITAN PREP

COSMOPOLITAN PREP PC SLATS

176 _______ 177

Cosmopolitan Table Dining With Casters

*Return to Table of Contents

Product Description

Cosmopolitan Dining Table ADA. 58"W X 24"D

X 32.5"H without countertop. The feet allow for

an extra 1.25" of height adjustment. Midnight

shelf – 12"W x 8.5"H from floor – with Walnut

NOTE: Standard countertop that we provide is

NOTE: PC SLATS parts can be powder coated

Matte powder coated frame. Fixed narrow

powder coated decorative slats to allow for


stool seating.

12mm (.5") thick.

to match an Outdoor Kitchen.

COSMOPOLITAN EAT ADA

*Return to Table of Contents




Product Description

Cosmopolitan Dining Table with 4x 316 SS locking casters. 58"W x 24"D x 34.5"H without countertop. Midnight Matte powder coated frame. Fixed narrow shelf - 12"W x 8.5"H from floor – with Walnut powder coated decorative slats to allow for stool seating.


NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN EAT CASTERS



Cosmopolitan Table Dining ADA




Cosmopolitan Prep Table with 4x 316 SS locking casters. 58"W x 24"D x 34.5"H without countertop. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor with Walnut powder coated decorative slats.

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN PREP CASTERS



Cosmopolitan Table Prep ADA

Product Description

Cosmopolitan Prep Table ADA. 58"W X 24"D X 32.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor – with Walnut powder coated decorative slats.

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN PREP ADA

Cosmopolitan Table Prep With Casters

Product Description

Cosmopolitan Dining Table ADA with 4x 316 SS locking casters. 58"W X 24"D X 32.5"H without countertop. Midnight Matte powder coated frame. Fixed narrow shelf – 12"W x 8"H from floor – with Walnut powder coated decorative slats to allow for stool seating.

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

SKU

COSMOPOLITAN EAT ADA CASTERS

Cosmopolitan Table Dining ADA With Casters

32.00 VM Notes

Cosmopolitan Table Prep ADA With Casters

Product Description

Cosmopolitan Prep Table ADA with 4x 316 SS locking casters. 58"W X 24"D X 32.5"H without countertop. Midnight Matte powder coated frame. Fixed shelf –24"W x 15.5"H from floor – with Walnut powder coated decorative slats.


NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

SKU

COSMOPOLITAN PREP ADA CASTERS

Cosmopolitan Tables: Store & Cook



Cosmopolitan Table Storage

Product Description tan Storage Table, 58"V

*Return to Table of Contents

Cosmopolitan Storage Table. 58"W x 24"D x 34.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed shelf –24"W x 15.5"H from floor – with Walnut powder coated decorative slats. Three 6"H storage drawers across tabletop with Walnut powder coated interior. 16"W left side drawer, 21"W middle drawer, and 16"W right side drawer. Up to 3 flat-packed tables PER skid.


NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

SKH

COSMOPOLITAN STORE

COSMOPOLITAN STORE PC SLATS



Cosmopolitan Table Cook

Product Description

Cosmopolitan Cooking Table. 58"W x 24"D x 34.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed shelf –24"W x 15.5"H from floor – with Walnut powder coated decorative slats. Prepped to fit Invisacook 2-burner induction unit 110V (sold separately). Three 6"H drawers across tabletop with Walnut powder coated interior. 16"W left side drawer with insert for Invisacook control panel and storage behind. 21"W middle storage drawer and 16"W right side storage drawer. Up to 3 flat-packed tables PER skid.

NOTE: Standard countertop that we provide is 12mm (.5") thick. This is the maximum thickness for Invisacook to function properly.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

SKI

COSMOPOLITAN COOK


COSMOPOLITAN COOK PC SLATS


Cosmopolitan Storage Table with 4x 316 SS locking casters. 58"W x 24"D x 34.5"H without countertop. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor - with Walnut powder coated decorative slats. Three 6"H storage drawers across tabletop with Walnut powder coated interior. 16"W left side drawer, 21"W middle drawer, and 16"W right side drawer.

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN STORE CASTERS





Cosmopolitan Table Cook With Casters


Product Description

Cosmopolitan Cooking Table with 4x 316 SS locking casters. 58"W x 24"D x 34.5"H without countertop. Midnight Matte powder coated frame. Fixed shelf -24"W x 14"H from floor with Walnut powder coated decorative slats. Prepped to fit Invisacook 2-burner induction unit 110V (sold separately: INVISACOOK 2 BURNERS 110V). Three 6"H drawers across tabletop with Walnut powder coated interior. 16"W left side drawer with insert for Invisacook control panel and storage behind. 21"W middle storage drawer and 16"W right side storage drawer.


NOTE: Standard countertop that we provide is 12mm (.5") thick. This is the maximum thickness for Invisacook to function properly.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN COOK CASTERS



Cosmopolitan Table Storage ADA



Cosmopolitan Table Cook ADA

Product Description

Cosmopolitan Storage Table ADA. 58"W X 24"D X 32.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor – with Walnut powder coated decorative slats. Three 6"H storage drawers across tabletop with Walnut powder coated interior. 16"W left side drawer, 21"W middle drawer, and 16"W right side drawer.

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN STORE ADA

Product Description

Cosmopolitan Cooking Table ADA. 58"W X 24"D X 32.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor - with Walnut powder coated decorative slats. Prepped to fit Invisacook 2-burner induction unit 110V (sold separately: INVISACOOK 2 BURNERS 110V). Three 6"H drawers across tabletop with Walnut powder coated interior. 16"W left side drawer with insert for Invisacook control panel and storage behind. 21"W middle storage drawer and 16"W right side storage drawer.

NOTE: Standard countertop that we provide is 12mm (.5") thick. This is the maximum thickness for Invisacook to function properly.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN COOK ADA

Cosmopolitan Table Storage ADA With Casters

Cosmopolitan Cooking Table ADA with 4x 316

NOTE: Standard countertop that we provide thickness for Invisacook to function properly.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN COOK ADA CASTERS

Cosmopolitan Storage Table ADA with 4x 316 SS locking casters. 58"W X 24"D X 32.5"H without countertop. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor – with Walnut powder coated decorative slats. Three 6"H storage drawers across tabletop with Walnut powder coated interior. 16"W left side drawer, 21"W middle drawer, and 16"W right side drawer.

NOTE: Standard countertop that we provide is 12mm (.5") thick.

NOTE: PC SLATS parts can be powder coated to match an Outdoor Kitchen.

COSMOPOLITAN STORE ADA CASTERS


Product Description

SS locking casters. 58"W X 24"D X 32.5"H without countertop. Midnight Matte powder coated frame. Fixed shelf -24"W x 15.5"H from floor – with Walnut powder coated decorative slats. Prepped to fit Invisacook 2-burner induction unit 110V (sold separately: INVISACOOK 2 BURNERS 110V). Three 6"H drawers across tabletop with Walnut powder coated interior. 16"W left side drawer with insert for Invisacook control panel and storage behind. 21"W middle storage drawer and 16"W right side storage drawer.

is 12mm (.5") thick. This is the maximum

Cosmopolitan Tables: ADA Wheelchair Access

*Return to Table of Contents



Cosmopolitan Table Wheelchair Access

Product Description

Cosmopolitan ADA Wheelchair Access Table. 58"W x 24"D x 32.5"H without countertop. The feet allow for an extra 1.25" of height adjustment. Midnight Matte powder coated

NOTE: Standard countertop that we provide is 12mm (.5") thick.

COSMOPOLITAN TABLE ACCESS ADA

Cosmopolitan Table Cook With Casters ADA

Cosmopolitan Tables: Cosmopolitan Buffet Cook & Buffet Store


*Return to Table of Contents

Product Description

Cosmopolitan Cooking Buffet. 58"W x 24"D x 35"H. Furniture-inspired, powder coated stainless steel frame-based cabinets with storage. Finished on all four sides. 10"H leg with adjustable foot. Three 18"W cabinets powder coated Midnight Matte with Walnut wood grain drawer box. Buffet drawer box wood grain color can be changed to match an outdoor kitchen wood grain color or existing Dealer Display. Add wood grain color in Part Notes. One left side cabinet with 5.5"H nested drawer and deep storage drawer. Nested drawer is prepped to fit the Invisacook 2-burner induction unit 110V (sold separately). Two storage cabinets, each with a full depth, adjustable shelf.

SKl

COSMOPOLITAN BUFFET COOK



Product Description


Cosmopolitan Storage Buffet. 58"W x 24"D x 35"H. Furniture-inspired, powder coated stainless steel frame-based cabinets with storage. Finished on all four sides. 10"H leg with adjustable foot. Three 18"W cabinets powder coated Midnight Matte with Walnut wood grain drawer box. Buffet drawer box wood grain color can be changed to match an outdoor kitchen wood grain color or existing Dealer Display. Add wood grain color in Part Notes. One left side cabinet with 5.5"H nested storage drawer and a deep storage drawer. Two storage cabinets, each with a full depth, adjustable shelf.


SKU


COSMOPOLITAN BUFFET STORE

Cosmopolitan Kitchen: Frame Parts and Accessory Parts

*Return to Table of Contents











Powder Coat Options and Restrictions

Cosmopolitan Kitchen parts are unique because they do not require a 25% Powder Coat Upcharge or 35% Wood Grain Powder Coat Upcharge like standard base cabinets. Cosmopolitan Kitchens should be designed from left to right like an outdoor kitchen. Please follow the instructions below to specify powder coat for each part in this collection.

Default Colors

Frame: Midnight Matte.

Drawer Interior: Walnut -OR- color to match Wood Grain slat selection if specified.

Selection 1 - Slat Color

Specify a Powder Coat Color or Wood Grain Color under Part Notes.

Powder Coat Example: Slate.

Wood Grain Powder Coat Example: Walnut.

Selection 2 - Exterior Box Color

Specify a Powder coat Color under Part Notes. The same powder coat color may be specified that was applied to Slats.

Powder Coat Example: Pearl Night Blue.

*Note: Wood Grain is unavailable for Exterior Boxes.

*Note: Maximum of <u>TWO</u> powder coat colors may be specified per Cosmopolitan Kitchen.

Example: 1 Wood Grain/Powder Coat Slat Selection & 1 Exterior Box Selection

(Multiple exterior selections or slat selections are not allowed.)

Product Description

Cosmopolitan Kitchen Section 42 - 42"W x 24"D frame section. Attaches to Cosmopolitan Kitchen Transition or Cosmopolitan Kitchen End. Slats: specify one Powder Coat or Wood Grain color for Kitchen Sections under Part Notes at no charge.

SKU

COSMOPOLITAN KITCHEN SECTION 42

24.00

Product Description


Cosmopolitan Kitchen Section 60 - 60"W x 24"D frame section. Attaches to Cosmopolitan Kitchen Transition or Cosmopolitan Kitchen End. Slats: specify one Powder Coat or Wood Grain color for Kitchen Sections under Part Notes at no charge.

SKU

COSMOPOLITAN KITCHEN SECTION 60

Cosmopolitan Kitchen: Transition and End

*Return to Table of Contents




Product Description

Cosmopolitan Kitchen Transition - 1.77"W x 34.5"H x 24"D Frame Middle Transition to be used between two Section pieces. Slat will match powdercoat color on adjacent Section.

SKH

COSMOPOLITAN KITCHEN TRANSITION



Product Description

Cosmopolitan Kitchen End - 1.77"W x 34.5"H x 24"D Frame End to be used next to a Section piece. Slat will match powdercoat color on adjacent Section.

SKU

COSMOPOLITAN KITCHEN END

190

Cosmopolitan Kitchen: Invisacook and Trim Kit Shell

*Return to Table of Contents

Product Description

Cosmopolitan Kitchen Invisacook - 17.75"W x 6.8"H x 22"D Trim kit to house Invisacook unit with a purpose-built storage box. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.

SKII


COSMOPOLITAN KITCHEN INVISACOOK

Product Description

Cosmopolitan Kitchen Trim Shell - generic shell to house drop-in appliances ONLY. Max drop-in cutout height=16.75", max depth=19.9". List manufacturer name, model, and cutout specs in Notes. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.


SKU

COSMOPOLITAN TRIM KIT SHELL



Cosmopolitan Kitchen: Storage 18 and Storage TM 18

*Return to Table of Contents




Product Description

Cosmopolitan Kitchen Storage 18 - 17.75"W x 5"H x 22"D Single storage drawer box. Attaches to Cosmopolitan Kitchen shelf. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.

SKH

COSMOPOLITAN KITCHEN STORAGE 18



Product Description

Cosmopolitan Kitchen Storage TM 18 - 17.75"W x 6.8"H x 22"D Top mounted single storage drawer box to Cosmopolitan Kitchen frame. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.

SKU

COSMOPOLITAN KITCHEN STORAGE TM 18

Cosmopolitan Kitchen: Tall Storage 18 and Triple Storage 18

*Return to Table of Contents

Product Description

Cosmopolitan Kitchen Tall Storage 18 - 17.75"W x 10"H x 22"D single storage drawer box. Attaches to Cosmopolitan Kitchen shelf. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.

SKH

COSMOPOLITAN KITCHEN TALL STORAGE 18

17.75

Product Description


Cosmopolitan Kitchen Triple Storage 18 - 17.75"W x 14.88"H x 22"D Triple storage drawer box. Attaches to Cosmopolitan Kitchen shelf. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.

SKU

COSMOPOLITAN KITCHEN TRIPLE STORAGE 18

Cosmopolitan Kitchen: Propane Storage

*Return to Table of Contents



Product Description

Cosmopolitan Kitchen Propane Storage - 24"W x 16.8"H x 22"D houses a Flame King YSN201HZL 20lb horizontal propane tank (not included). Vertical tanks cannot be used. Cosmopolitan Kitchen Trim Shell must be adjacent to this unit. Interior: Walnut woodgrain OR match woodgrain Slat selection. Exterior: specify a Powder Coat Color under Part Notes, wood grain unavailable.

SKU

COSMOPOLITAN KITCHEN PROPANE STORAGE


Designers and builders of masonry island kitchens are now offered a complete line of door, drawer/door, drawer combinations and pullout cabinetry to construct a totally functional kitchen. The line features the optional Clean-Stor® box that attaches to door fronts to create useful storage and organization. The Clean-Stor box eliminates the infamous "masonry black hole" that lurks behind access doors. The steel construction is superior to presently used insert materials that are subject to warping, rotting and mildew. The Clean-Stor box comes with a shelf and provides clean dry storage.

Doors exhibit the same stainless quality, "heft & weight" and solid close as the modular cabinetry line allowing additional design flexibility by using both lines to create the ideal kitchen while retaining a consistent "look". Door and drawer faces can be upgraded to any door style and be powder coated to compliment your outdoor kitchen.

The insert line includes:


- One and Two Drawer Units
- Door and Drawer Combination Units
- One and Two Door (and frame) Units
- Paper Towel Dispenser
- Trash and Propane Pullouts

Access Door Inserts may be purchased with just the frame and doors or combined with the "Clean-Stor" box as a complete unit.



Island Insert Cabinets - Access Doors: IDRxxzz-1, IDRxxzz-2

*Return to Table of Contents




Product Description		
IDR: Access Door		
	SKU	
SKU	Description	Cut Out Size
IDR1621-1	16"W x 21"H Frame, One Flush Access Door	135⁄8"W x 191⁄2"H
IDR1725-1	17"W x 25"H Frame, One Flush Access Door	14⁵⁄₃"W x 23½"H
IDR2121-1	21"W x 21"H Frame, One Flush Access Door	18⁵⁄₃"W x 19½"H
IDR2721-2	27"W x 21"H Frame, Two Flush Access Doors	24⁵⁄₃"W x 19½"H
IDR3021-2	30"W x 21"H Frame, Two Flush Access Doors	27⁵⁄₃"W x 19½"H
IDR3025-2	30"W x 25"H Frame, Two Flush Access Doors	275/8"W x 231/2"H
IDR3621-2	36"W x 21"H Frame, Two Flush Access Doors	33⁵⁄₃"W x 19½"H
IDR4221-2	42"W x 21"H Frame, Two Flush Access Doors	39⁵⁄₃"W x 19½"H

196

Island Insert Cabinets - Clean-Stor® Box Drawer Sets: IDWxxzz


*Return to Table of Contents






Product Description	İ
Galvanized Storage Box to install behind frame (order at the same time as Access Doors).	
NOTE: All Clean-Stor® boxes are 221/4" Deep	

24" Depth SKU	Description	
IDR1621-B	Clean-Stor® storage box for IDR1621	
IDR1725-B	Clean-Stor® storage box for IDR1725	
IDR2121-B	Clean-Stor® storage box for IDR2121	
IDR2721-B	Clean-Stor® storage box for IDR2721	
IDR3021-B	Clean-Stor® storage box for IDR3021	
IDR3025-B	Clean-Stor® storage box for IDR3025	
IDR3621-B	Clean-Stor® storage box for IDR3621	
IDR4221-B	Clean-Stor® storage box for IDR4221	



Product Description		
IDW: Drawer Sets		
SKU		
SKU	Description	Cut Out Size
IDW1621-2	16"W x 21"H Frame, Two Drawers w/box	135/8"W x 191/2"H
IDW1630-3	16"W x 30"H Frame, Two Drawers w/box	13⁵⁄₅"W x 28½"H




Product Description		
IC: Door and Drawer Sets		
SKU		
SKU	Description	Cut Out Size
IC3021-21	30"W x 21"H Frame, Two Drawers, One door, 2 Separate boxes. Specifiy drawers on left or right of door.	27⁵⁄s"W x 19¹⁄₂"H

198

Island Insert Cabinet - Accessories

*Return to Table of Contents



Product Description		
Insert: Accessories		
SKU		
SKU	Description	Cut Out Size
ITR1725	17"W x 21"H Frame with Trash Pull Out	14⁵⁄s"W x 23½"H
IPR1725	17"W x 25"H Frame with Propane Pull Out	145/8"W x 231/2"H
IPT1711	17"W x 11"H Paper Towel Dispenser	15½"W x 8⁵⁄₃"H

