


### BROWN JORDAN OUTDOOR KITCHENS





### Specification Guide: Outdoor Cabinetry

Revision: 6-2-2025

### Table of Contents

Style and Construction	12	Multi-Drawer: OBMxx20	34
Outdoor Cabinets: Nomenclature	13	Multi-Drawer: OBMxx30 and OBMxx40	35
		Multi-Drawer Bench: OBMBHxx20 or 30	36
Storage Base Cabinets	14	Side Panels: OSP xxL/R 12H	37
Drawer/Door Base: OBDxx11, OBDxx12	15	Flush End Panels: OFE xxL/R 12H	38
OBDxx11 INVISACOOK	16	Connecting Panels: OFE xxL/R ADJACENT	39
Full-Height Doors: OBFxx01, OBFxx02	1 <i>7</i>	Back Panels: OBPxx 12H	40
OBFxx01-15 & -18, OBFxx02-15 & -18	18		
OBFxx01 H23.75, OBFxx02 H23.75	19	Corner Base Cabinets	41
OBFxx01 H21, OBFxx02 H21	20	Angle End: AEBxx02	41
Full-Height Doors: OBFxx02 H18	21	Blind Corner Base: BCBxx01	42
Wall Depth: OBFWDxx30, OBFWDxx36	22	Blind Corner Base: BCBxx11	43
Flush End Panels: OFE 13L/R	23	Diagonal Corner: DCBxx	44
Side Panels: OSP 13.88L/R, OSP 14.63L/R	24	Diagonal Corner Sink Base: DCBSxx	45
Back Panels: OBPxx H23.75 , OBPxx H21	25	DCBxxBPKIT & DCBxxOBPVGF	47
Side Panels: OSPxx H23.75, OSPxx H21	26	Sink Base Cabinets	48
Open Base Cabinet: OBFxx00	27	False Front: OBSxx01, OBSxx02	49
Insert Cabinets: OBIxx10 and OBI4200	28	Full-Height Door: OBSxxxx-FHD	50
Drawer Specifications and Volume	29	Farm Sink Bases: OBSxxxxH11-FARM	51
Multi-Drawer: OBFxx1xN	30	Galley Sink Bases: OBSxxxx GALLEY	52
Multi-Drawer: OBFxx2xN	31	OBSxx00 ADA	53
Multi-Drawer: OBFxx3xN	32	Sink Space: OBSxx00 ADA SINK SPACE	54
Multi-Drawer: OBFxx1xNT	33	OBXzz xxL/R ADA SINK SPACE	56

### Table of Contents

OBXzz xxL/R ELEC ADA SINK SPACE	57	OBWxx02 H14.13, OBWxx10 H14.13	77
ORPzz xxL/R ADA SINK SPACE	58	Double Warming Drawer Bases	78
ORPZZ XXL/R ELEC ADA SINK SPACE	59	ODWxx00 H14	78
OFE xxL/R ADA OCS	60		
Trash Base Cabinets	61	Egg Base Cabinets	79
		OEBxx02 H16.5, OEBxx02 H12.5	79
OBTxx00, OBTxx10	61	OEBxx02-35 H16.5 or 12.5 (Extra Large)	80
OBTxx10N (nested)	62	Diagonal Corner: DCBExx H16.5 or H12.5	81
Large 51 Quart Can: OBTxx00L	63	Grill Cabinets	82
Side Burner Base Cabinets	64	Griii Cabinets	
		Shelf Height & Cutout calculation	83
OBBxxxx: 1 Door, 2 Door, 2 Drawer	65	Doors: OGBxx02, OGBxx03	84
OBBxx01H11, OBBxx02H11, OBBxx20H11	66	Drawers/Doors: OGBxx21, OGBxx22, OGBxx41	85
OBBxx01H12.5, OBBxx02H12.5	67	Full-Height Drawers: OGBxx20, OGBxx30	86
15.5"H Shelf: OBBxx01 LOW, OBBxx02 LOW	68	Drawers: OGBxx40, OGBxx60	87
15.5"H Shelf: OBBxx10 LOW	69	EVO: OGBxxxx-EVO	88
Bartending Center Base	70	OGBxx02H11, OGBxx03H11	91
OBCxx01, OBCxx02	<i>7</i> 1	OGBxx40H11, OGBxx60H11	92
OBCxx01H11, OBCxx02H11	72	OGBxx21H11, xx22H11, xx41H11	93
OBCxx01H12.5, OBBxx02H12.5	73	OGBxx20H11, OGBxx30H11	94
Warming Drawer Bases	74	OGBxx02H12.5, OGBxx03H12.5	95
OBWxx02 H12, OBWxx10 H12	74	OGBxx21H12.5, xx22H12.5, xx41H12.5	98
OBWxx10 H21: 1 Drawer	75	OGBxx02H15.5, OGBxx03H15.5	99
OBWxx10 H17.38	76	OGBxx20H18.5, OGBxx30H18.5	100

### Table of Contents

101	Full-Height Doors: TBxx84-24-FHD	118
102	TBxxzz-24: 2 doors	119
103	TBxxzz-24: 4 doors	120
104	Tall Oven Cabinets	121
104	TTxxzz-24: 2 Doors, 2 Drawers	121
105	Tall Cabinet Accessories - Fillers: TFLF	122
105	Side Panels: OSPT xxzzL/R	123
106	Cabinet Accessories: Nomenclature	124
107	Floating Shelves: FSxxB	125
108		107
109	Back Panels: OBPxx	127
110	ADA Back Panels	128
	Vented Back Panels: OBPV	129
111	Galvanized Vented Back Panels: OBPVGF	130
111	OBPVGF 36H	131
112	Equal Back Panels	132
113	Extended Equal Back Panels	133
114	ADA Extended Equal Back Panels	134
115	Flush End Panels: OFE xxL/R, OFEGFxx	135
116	Flush End Panels GFCI: OFE xxL/R ELEC	136
117	Side Panels: OSP xxL/R	137
117	Side Panels GFCI: OSP xxL/R ELEC	138
	102 103 104 104 105 105 106 107 108 109 110 111 111 112 113 114 115 116 117	TBxxzz-24: 2 doors  TBxxzz-24: 2 doors  TBxxzz-24: 4 doors  Tall Oven Cabinets  Tall Cabinet Accessories - Fillers: TFLF  Side Panels: OSPT xxzzL/R  Cabinet Accessories: Nomenclature  Floating Shelves: FSxxB  Back Panels: OBPxx  ADA Back Panels  Vented Back Panels: OBPV  Galvanized Vented Back Panels: OBPVGF  OBPVGF 36H  Equal Back Panels  Extended Equal Back Panels  Tlush End Panels: OFE xxL/R, OFEGFxx  Flush End Panels GFCI: OFE xxL/R ELEC  Side Panels: OSP xxL/R

### Table of Contents

Extended Side Panels: OSP EXTEND	139	ORP Cabinet Connector xx	162
Access Door Fillers: OFFxx	140	ORP Decorative Side Panels: OSP xx yy	163
Front Fillers: OFLFxx, OFLF ENDxx	141	ORP Depth Skin: ORPS OBX Width Skin: OBXF	164
OFLF 24-27L/R, OFLA x-x	142	Undercounter Appliance Spacers: ORS	165
Rear Filler: OFLxx	143	Countertop Support Piers: OCPSxx	160
Front/Rear Fillers with GFCI cutout	144	Countertop Span Support: OCSxx	167
Undercounter Appliance Filler: OFTS xx xx	145	Countertop Flush Ends: OFE xxL/R OCS	168
Half and Full-Depth Shelving: OSH	146	Handles	169
Pullout Shelving	147	Hampton, Key West Handle Placement	170
Pullout Shelf for Ice Chest	149	Ashley Norton Knob Placement	17
Propane Pullout: OPPxx	150	Pull Tab Handles	172
Trash Pullout: OTP	151	Ashley Norton 'L' Pull	173
Undersounter Appliance Parts	152	Ashley Norton 'L' Pull - Door Application	174
Undercounter Appliance Parts		Ashley Norton 'L' Pull - Drawer Application	174
Front Corner Fillers: OAF90/45xx	153	Appliance Overlay Panels	173
OADzz .50 Outdoor Appliance Divider	155	Locks	170
OADzz .50 ADA Outdoor Appliance Divider	156	Horizon Wood Grain Usage	177
OAR90XX Insert No Vent/Vent Access	157		
Middle Box Columns: OBXzz.zz x.xx	158	Miscellaneous	178
ORP with electrical cutout	159	Powder Coat Wood Grain Direction: Slab/Rio	178
OBX with electrical cutout	160	Powder Coat Wood Grain Direction: Key West	179
End Support Columns: ORPzz.zz x.xx	161	Powder Coat Wood Grain Direction: Beadboard	180
		Powder Coat Wood Grain Direction: Venice	18

	Venice Door Powder Coating Options	182
	Sink Covers: SCxxzz	183
	Standard & ADA Legs	184
	Stainless Legs: SSLEG	185
	Stainless Legs: SSLEG-ADJUSTABLE	186
	Stainless Legs: SSLEG-ADJUSTABLE - USAGE	18 <i>7</i>
	Toe Kick: OTKx	189
W	all Cabinets	190
	Wall Cabinets & Accessories: Nomenclature	191
	Single door: WSxxzz-LH/RH	192
	Double door: WSxxzz	193
	24" Deep: WSxxzz-24	194
	Diagonal Corner: WDCxx, Blind Corner: WBxxzz	195
	Microwave Cabinet: WMCxxzz	196
W	all Accessories	197
	Side Panels: WSP, Flush End Panels: WFE	197
	Front Fillers: WFL	198
	Corner Fillers: WFC, WFL END	199
	Light Rail: WLR xx yy zz, PVC Cleat	200
R	olling Carts	201
ls	land Insert Cabinets	202
	Access Doors: IDRxxzz-1, IDRxxzz-2	203

### Table of Contents

Clean-Stor® Box with Shelf	204
Clean-Stor® Box Drawer Sets: IDWxxzz	205
Island Insert Cabinet - Accessories	206
Spice Rack Inserts	207
Drawer Dividers	208



### Style and Construction

- All standard doors, drawers and cabinet boxes are manufactured from 20g 304 stainless steel or choose to upgrade to 316 marine grade.
- European frameless, solid top construction with full overlay doors.
- Standard 30" high cabinet boxes plus 4.5" leveling legs adjustable from 3.75" to 5.75" or 2" to 3.25" ADA leg heights.
- Cabinet depths are standard 27.88" or optional 24.88" which includes 7/8" for drawer(s) and door(s).
- Concealed door hinges, full extension, soft-close drawer glides on residential projects.
- · Magnetic door closures and rain gaskets are standard on cabinetry.
- #2 matte finish interior standard on Danver Stainless Outdoor Kitchen cabinets.
- #4 brushed finish interior standard on Brown Jordan Outdoor Kitchen cabinets.

### **Cabinet Options**

- Shelving options: half depth standard, full depth, roll out or heavy duty available. Incremental 3" widths starting at 9" and heights starting at 12".
- Available in a variety of door style options.
- Powder coated finishes in solid colors along with woodgrain.
- Finished backs and sides are available for stand alone island installations.
- Pre-cut access holes to accommodate plumbing, electrical and required ventilation.

### **Outdoor Cabinets: Nomenclature**


\*Return to Table of Contents

All Danver Base cabinets use specific nomenclature designed to help you find the specific type needed.

Standard base cabinet box depth is 27" (drawers/door fronts are 7/8" thick)

For 24" depth cabinets, specify -24 after item #. For example OBF1501-24-LH.

Right hinge or left hinge on single door units is specified as -RH or -LH.



* Base Category Code Key		
AE	Angle End	
ВС	Blind Corner	
DC	Diagonal Corner	
ОВ	Outside Base	
OG	Outside Grill	
OE	Outside Egg	
OW	Outside Warming	
WS	Wall Cabinet	
ТВ	Tall Base	
TT	Tall Double Oven	
ID	Insert Door	
IC	Insert Combination	
IT	Insert Trash Pull-out	
IP	Insert Propane Pull-out	
IDW	Insert Drawer	


** Base Style Code Key		
В	Base or Burner if "BB"	
С	Cocktail Base	
F	Full-height Door	
FWD	Full-height Door Wall Depth (13"D)	
M	Multi-Drawer	
МВН	Multi-Drawer Bench Height (12"H)	
S	Sink	
Т	Trash	
W	Warming Drawer	


2 \_\_\_\_\_\_ 13

### Storage Base Cabinets - Front, Side, & Bottom View

\*Return to Table of Contents


Typical measurements for base storage cabinets. Note that 24" and shorter depth shelves come standard with a full depth shelf.






SIDE VIEW

Typical cabinet foot location.






**BOTTOM VIEW** 

SIDE VIEW (LEG)

### Storage Base Cabinets - Drawer/Door Base: OBDxx11, OBDxx12

\*Return to Table of Contents



Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

			6.125"
30"	0	4 4	23.50" 29.75"
4.5" 24.8	8" or 27.88"		

Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

Produc	t D	escr	ipti

OBD: Drawer/door base, 1 door, 1 upper drawer, 27" D cabinet includes adjustable half-depth shelf, 24" D cabinet includes adjustable full-depth shelf.

27" Depth SKU	24" Depth SKU
OBD0911-LH	OBD0911-24-LH
OBD0911-RH	OBD0911-24-RH
OBD1211-LH	OBD1211-24-LH
OBD1211-RH	OBD1211-24-RH
OBD1511-LH	OBD1511-24-LH
OBD1511-RH	OBD1511-24-RH
OBD1811-LH	OBD1811-24-LH
OBD1811-RH	OBD1811-24-RH
OBD2111-LH	OBD2111-24-LH
OBD2111-RH	OBD2111-24-RH
OBD2411-LH	OBD2411-24-LH
OBD2411-RH	OBD2411-24-RH

### Product Description

OBD: Drawer/doors base,1 upper drawer, 2 doors, 27" D cabinet includes adjustable half-depth shelf, 24" D cabinet includes adjustable full-depth shelf.

27" Depth SKU	24" Depth SKU
OBD2412	OBD2412-24
OBD2712	OBD2712-24
OBD3012	OBD3012-24
OBD3312	OBD3312-24
OBD3612	OBD3612-24
OBD3912	OBD3912-24

4 \_\_\_\_\_\_1

Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

### Product Description

OBDxx11-INVISACOOK: Drawer/door base for housing INVISACOOK Two-Burner unit, 1 door, 1 upper drawer, 27" D cabinet includes adjustable half-depth shelf, 24" D cabinet includes adjustable full-depth shelf.

18"W x 27"D/24"D Invisacook Two-Burner Base - 1 Drawer: 17.88" - 23.88" x 6.13", 1 Door: 17.88" - 23.88" x 23.5". Includes adjustable half depth shelf.

27" Depth SKU	24" Depth SKU
OBD1811-LH-INVISACOOK	OBD1811-24-LH-INVISACOOK
OBD1811-RH-INVISACOOK	OBD1811-24-RH-INVISACOOK
OBD2111-LH-INVISACOOK	OBD2111-24-LH-INVISACOOK
OBD2111-RH-INVISACOOK	OBD2111-24-RH-INVISACOOK
OBD2411-LH-INVISACOOK	OBD2411-24-LH-INVISACOOK
OBD2411-RH-INVISACOOK	OBD2411-24-RH-INVISACOOK

24"W x 27"D/24"D Invisacook Two-Burner Base - 1 Drawer: 23.88" x 6.13", 2 Doors: 11.88" x 23.5". Includes adjustable half depth shelf.

27" Depth SKU	24" Depth SKU
OBD2412-INVISACOOK	OBD2412-24-INVISACOOK

### Storage Base Cabinets - Full-Height Doors: OBFxx01, OBFxx02

\*Return to Table of Contents

OBF0901-24-LH

OBF0901-24-RH

OBF1201-24-LH

OBF1201-24-RH

OBF1501-24-LH

OBF1501-24-RH

OBF1801-24-LH

OBF1801-24-RH

OBF2101-24-LH

OBF2101-24-RH

OBF2401-24-LH

OBF2401-24-RH

OBF: Full-height door base, 1 door, 27" D cabinet includes adjustable half-depth shelf,

shelf.

OBF0901-LH

OBF0901-RH

OBF1201-LH

OBF1201-RH

OBF1501-LH

OBF1501-RH

OBF1801-LH

OBF1801-RH


OBF2101-LH

OBF2101-RH

OBF2401-LH

OBF2401-RH

24" D cabinet includes adjustable full-depth



NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.

		d d	29.75"
0			29.75
24.88" or 27	7.88"		

OBF: Full-height door base, 2 doors, 27" D cabinet includes adjustable half-depth shelf, 24" D cabinet includes adjustable full-depth

Silen.		
27" Depth SKU	24" Depth SKU	
OBF2402	OBF2402-24	
OBF2702	OBF2702-24	
OBF3002	OBF3002-24	
OBF3302	OBF3302-24	
OBF3602	OBF3602-24	
OBF3902	OBF3902-24	
OBF4202	OBF4202-24	
OBF4502	OBF4502-24	
OBF4802	OBF4802-24	

30"	0	В	<b>q</b>	4  	29.75"
4.5"	1.88" or 27	88"			

NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.

### Storage Base Cabinets - OBFxx01-15 & -18, OBFxx02-15 & -18

\*Return to Table of Contents

OBF2101-18-RH


or 18" depth.		
15" Depth SKU	18" Depth SKU	
OBF0901-15-LH	OBF0901-18-LH	
OBF0901-15-RH	OBF0901-18-RH	
OBF1201-15-LH	OBF1201-18-LH	
OBF1201-15-RH	OBF1201-18-RH	
OBF1501-15-LH	OBF1501-18-LH	
OBF1501-15-RH	OBF1501-18-RH	
OBF1801-15-LH	OBF1801-18-LH	
OBF1801-15-RH	OBF1801-18-RH	
OBF2101-15-LH	OBF2101-18-LH	

OBF2101-15-RH

OBFxx01-15 or -18: Full-height door base, 1

door, includes adjustable full-depth shelf. 15"

NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.




OBFxx02-15 or -18: Full-height door base, 2 doors, includes adjustable full-depth shelf. 15" or 18" depth.		
15" Depth SKU	18" Depth SKU	
OBF2402-15	OBF2402-18	
OBF2702-15	OBF2702-18	
OBF3002-15	OBF3002-18	
OBF3302-15	OBF3302-18	
OBF3602-15	OBF3602-18	
OBF3902-15	OBF3902-18	
OBF4202-15	OBF4202-18	
OBF4502-15	OBF4502-18	
OBF4802-15	OBF4802-18	

NOTE: Cabinet boxes are 30" high plus 4.5" leveling legs or 2" (ADA) leg heights.


### Storage Base Cabinets - OBFxx01 H23.75, OBFxx02 H23.75

\*Return to Table of Contents



NOTE: Includes standard 4.5" leveling legs, also available with 2" (ADA) leg heights.

OBFxx01 H23.75: Full-height door base, 1 door, 27"D cabinet includes adjustable half-depth shelf, 24"D cabinet includes adjustable full-depth shelf.		
27" Depth SKU	24" Depth SKU	
OBF0901-LH H23.75	OBF0901-24-LH H23.75	
OBF0901-RH H23.75	OBF0901-24-RH H23.75	
OBF1201-LH H23.75	OBF1201-24-LH H23.75	
OBF1201-RH H23.75	OBF1201-24-RH H23.75	
OBF1501-LH H23.75	OBF1501-24-LH H23.75	
OBF1501-RH H23.75	OBF1501-24-RH H23.75	
OBF1801-LH H23.75	OBF1801-24-LH H23.75	
OBF1801-RH H23.75	OBF1801-24-RH H23.75	
OBF2101-LH H23.75	OBF2101-24-LH H23.75	
OBF2101-RH H23.75	OBF2101-24-RH H23.75	
OBF2401-LH H23.75	OBF2401-24-LH H23.75	
OBF2401-RH H23.75	OBF2401-24-RH H23.75	



NOTE: Includes standard 4.5" leveling legs, also available with 2" (ADA) leg heights.

Prod	LICT	Doco	rin	tion

OBFxx02 H23.75: Full-height door base, 2 doors, 27"D cabinet includes adjustable half-depth shelf, 24"D cabinet includes adjustable full-depth shelf.

27" Depth SKU	24" Depth SKU
OBF2402 H23.75	OBF2402-24 H23.75
OBF2702 H23.75	OBF2702-24 H23.75
OBF3002 H23.75	OBF3002-24 H23.75
OBF3302 H23.75	OBF3302-24 H23.75
OBF3602 H23.75	OBF3602-24 H23.75
OBF3902 H23.75	OBF3902-24 H23.75
OBF4202 H23.75	OBF4202-24 H23.75
OBF4502 H23.75	OBF4502-24 H23.75
OBF4802 H23.75	OBF4802-24 H23.75

### Storage Base Cabinets - OBFxx01 H21, OBFxx02 H21

### \*Return to Table of Contents

OBF2401-24-RH H21

NOTE: Includes standard 4.5" leveling legs, also available with 2" (ADA) leg

NOTE: Includes standard 4.5" leveling legs, also available with 2" (ADA) leg heights.

### OBFxx01 H21: Full-height door base, 1 door, 27"D cabinet includes adjustable half-depth shelf, 24"D cabinet includes adjustable full-depth shelf. 27" Depth SKU 24" Depth SKU OBF0901-LH H21 OBF0901-24-LH H21 OBF0901-RH H21 OBF0901-24-RH H21 OBF1201-LH H21 OBF1201-24-LH H21 OBF1201-RH H21 OBF1201-24-RH H21 OBF1501-LH H21 OBF1501-24-LH H21 OBF1501-RH H21 OBF1501-24-RH H21 OBF1801-24-LH H21 OBF1801-LH H21 OBF1801-RH H21 OBF1801-24-RH H21 OBF2101-LH H21 OBF2101-24-LH H21 OBF2101-RH H21 OBF2101-24-RH H21 OBF2401-LH H21 OBF2401-24-LH H21


### Product Description OBFxx01 H21: Full-height door base, 2 doors, 27"D cabinet includes adjustable half-depth shelf, 24"D cabinet includes adjustable full-depth shelf.

OBF2401-RH H21


27" Depth SKU	24" Depth SKU	
OBF2402 H21	OBF2402-24 H21	
OBF2702 H21	OBF2702-24 H21	
OBF3002 H21	OBF3002-24 H21	
OBF3302 H21	OBF3302-24 H21	
OBF3602 H21	OBF3602-24 H21	
OBF3902 H21	OBF3902-24 H21	
OBF4202 H21	OBF4202-24 H21	
OBF4502 H21	OBF4502-24 H21	
OBF4802 H21	OBF4802-24 H21	

### Storage Base Cabinets - Full-Height Doors: OBFxx02 H18

### \*Return to Table of Contents



NOTE: Designed for grills that sit on cabinet top. (Example: Yoder, Blackstone)



NOTE: Designed for grills that sit on cabinet top. (Example: Yoder, Blackstone)

Product D	escription
30"-48"W x 18"H x 27 Height Doors: 23.88"\	"D Base - 2 Full N x 17.75"H. No shelf
27" Depth SKU	24" Depth SKU
OBF3002H18	OBF3002-24 H18
OBF3602H18	OBF3602-24 H18
OBF4202H18	OBF4202-24 H18
	OBFxx02H18: Full-he 30"-48"W x 18"H x 27 Height Doors: 23.88"N options for this cabina 27" Depth SKU OBF3002H18 OBF3602H18


|--|

### OBFxx03H18: Full-height door base. 48"-54"W x 18"H x 27"D Base - 3 Full Height Doors: 23.88"W x 17.75"H. No shelf options for this cabinet.


27" Depth SKU	24" Depth SKU
OBF4803H18	OBF4803-24 H18
OBF5403H18	OBF5403-24 H18

### Storage Base Cabinets - Wall Depth: OBFWDxx30, OBFWDxx36

\*Return to Table of Contents



NOTE: Cabinets may tip if not attached to 24" or 30" depth cabinets. Please observe all local building codes when installing. Cabinet boxes are 30" or 36" high plus 4.5" leveling legs or 2" (ADA) leg heights. Decorative side panels are available in every door style.



NOTE: Cabinets may tip if not attached to 24" or 30" depth cabinets. Please observe all local building codes when installing. Cabinet boxes are 30" or 36" high plus 4.5" leveling legs or 2" (ADA) leg heights. Decorative side panels are available in every door style.

Product Description		
OBFWD: Full-height door base, Wall Depth 13", 1 door, includes two adjustable full-depth shelves.		
30" Height SKU	36" Height SKU	
OBFWD1230-LH	OBFWD1236-LH	
OBFWD1230-RH	OBFWD1236-RH	
OBFWD1530-LH	OBFWD1536-LH	
OBFWD1530-RH	OBFWD1536-RH	
OBFWD1830-LH	OBFWD1836-LH	
OBFWD1830-RH	OBFWD1836-RH	
OBFWD2130-LH	OBFWD2136-LH	
OBFWD2130-RH	OBFWD2136-RH	

Product Description		
OBFWD: Full-height door base, Wall Depth 13", 2 doors, includes two adjustable full- depth shelves.		
30" Height SKU	36" Height SKU	
OBFWD2430	OBFWD2436	
OBFWD2730	OBFWD2736	
OBFWD3030	OBFWD3036	
OBFWD3330	OBFWD3336	
OBFWD3630	OBFWD3636	
OBFWD3930	OBFWD3936	
OBFWD4230	OBFWD4236	
OBFWD4830	OBFWD4836	
·	·	

### Wall Depth Base - Flush End Panels: OFE 13L/R

Product Description

OFE: Wall depth cabinet flush end panel, 13"D x 30"H. Sits flush to cabinet side, specify based on cabinet side and depth. No round

access hole cutout.

13" Depth x 30"H SKU

\*Return to Table of Contents

OFE 13L

OFE 13R

13" Depth x 36"H SK

OFE 13L 36H

OFE 13R 36H

### Product Description

OFE: Wall depth cabinet flush end panel, 13"D x 30"H. Sits flush to cabinet side, specify based on cabinet side and depth. Round access hole cutout.

13" Depth x 30"H SKU


OFE 13L APPLIANCE

OFE 13R APPLIANCE

13" Depth x 36" High SKI

OFE 36H 13L APPLIANCE

OFE 36H 13R APPLIANCE



### Product Description

OFEGF: Base wall height cabinet galvanized flush end panel, 30"H or 36"H. Sits flush in cabinet side, used to fill in cabinet side for adhering waterfall countertops and other materials. Specify based on cabinet depth and height.

13" Depth x 30" Height SKU

OFEGF13

13" Depth x 36" Height SKU

OFEGF13 36H

# 13,88


Product Description
OSP: ¾" Thick 13"D x 30/36"H side panels for wall depthbase cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels)
13" Depth x 30" High SKU

13" Depth x 30" High SKU		
OSP 13.88L		
OSP 13.88R		
OSP 14.63L	13"D Cabinet with back panel	
OSP 14.63R	13"D Cabinet with back panel	

13" Depth x 36" High SKU		
OSP 13.88L 36H		
OSP 13.88R 36H		
OSP 14.63L 36H	13"D x 36"H Cabinet with back panel	
OSP 14.63R 36H	13"D x 36"H Cabinet with back panel	


### Wall Depth Base - Back Panels: OBPxx H23.75 , OBPxx H21

\*Return to Table of Contents



Product Description
OBPxx H23.75: ¾" Thick 23.75" high back panel for OBFxx H21 cabinets. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels (ex. OBF4202 H23.75 uses two 21"W back panels).
13" Depth x 30"H SKU
OBP09 H23.75
OBP12 H23.75
OBP15 H23.75
OBP18 H23.75
OBP21 H23.75

OBP09 H23.75
OBP12 H23.75
OBP15 H23.75
OBP18 H23.75
OBP21 H23.75
OBP24 H23.75
OBP27 H23.75
OBP30 H23.75
OBP33 H23.75
OBP36 H23.75
OBP39 H23.75
OBP42 H23.75
OBP42 H23.75
OBP48 H23.75



### Product Description

OBPxx H21: ¾" Thick 21" high back panel for OBFxx H21 cabinets. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels (ex. OBF4202 H21 uses two 21"W back panels).

	,		
	13" Depth x	30"H SKU	
OBP09 H21			
OBP12 H21			
OBP15 H21			
OBP18 H21			
OBP21 H21			
OBP24 H21			
OBP27 H21			
OBP30 H21			
OBP33 H21			
OBP36 H21			
OBP39 H21			
OBP42 H21			
OBP45 H21			
OBP48 H21			

### OSP xx H23.75 OBFxxxx H23.75

OSP xx.xx H23.75: ¾" Thick 23.75" high side panels for OBFxx H23.75 cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels).	
13" Depth x 30"H SKU	
OSP 24.88L H23.75	
OSP 24.88R H23.75	
OSP 25.63L H23.75	
OSP 25.63R H23.75	
OSP 27.88L H23.75	
OSP 27.88R H23.75	
OSP 28.63L H23.75	
OSP 28.63R H23.75	

Product Description

### OSP xx H21 OBFxxxx H21


### **Product Description**

OBPxx H21: ¾" Thick 21" high back panel for OBFxx H21 cabinets. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels (ex. OBF4202 H21 uses two 21"W back panels).

13" Depth x 30"H SKU
OSP 24.88L H21
OSP 24.88R H21
OSP 25.63L H21
OSP 25.63R H21
OSP 27.88L H21
OSP 27.88R H21
OSP 28.63L H21
OSP 28.63R H21

### Storage Base Cabinets - Open Base Cabinet: OBFxx00

\*Return to Table of Contents



Note: OBFxx00 cabinet box depth is 24.88"D or 27.88"D to match total depth of standard cabinets with fronts. Flush end panels (OFE) are available to finish the exposed side seen when OBFxx00 bases are placed next to standard bases. The return flange on the OBFxx00 side is 7/8" longer to line up with adjacent sides.

The interior of OBFxx00 cabinets can be powdercoated but cannot have woodgrain powdercoat applied.

Product Description		
OBFxx00: Open base cabinet, #4 brushed finish, no drawers/doors, no holes on interior. Includes one full-depth shelf.		
27" Depth SKU	24" Depth SKU	


27" Depth SKU	24" Depth SKU
OBF0900	OBF0900-24
OBF1200	OBF1200-24
OBF1500	OBF1500-24
OBF1800	OBF1800-24
OBF2100	OBF2100-24
OBF2400	OBF2400-24
OBF2700	OBF2700-24
OBF3300	OBF3300-24
OBF3600	OBF3600-24
OBF3900	OBF3900-24
OBF4200	OBF4200-24
OBF4500	OBF4500-24
OBF4800	OBF4800-24


### Storage Base Cabinets - Insert Cabinets: OBIxx10 and OBI4200


\*Return to Table of Contents


### Product Description OBIXX10: XX"W x 27"D Base - 1 Upper Drawer, no doors. Made to accept Dry Pantry Storage box or other insert. \*\*\*this cabinet needs a trim kit (OBIK).

27" Depth SKU	24" Depth SKU
OBI3010	OBI3010-24
OBI3610	OBI3610-24











rear view



### Storage Base Cabinets - Drawer Specifications and Volume

\*Return to Table of Contents




Note: Subtract 3.82" from cabinet width to determine drawer wrap width. Drawer depth remains the same regardless of cabinet width.

## 274.00 OF 27.00

Product Descript	tion
------------------	------

OBFxx11 & OBFxx12: 1 Drawer and 1 Full-Height Door (12"-21" wide cabinets) / 1 Drawer and 2 Full-Height Doors (24"-30" wide cabinets). Nested drawer with 18" slides. All door styles available – no matching drawer fronts. Drawer front is Hampton Door Style (slab style) with no handle, pull to open. Will match power coat on cabinet door when applicable. Front: 15"H.


27" Depth SKU	24" Depth SKU
OBF1211N-LH	OBF1211N-24-LH
OBF1211N-RH	OBF1211N-24-RH
OBF1511N-LH	OBF1511N-24-LH
OBF1511N-RH	OBF1511N-24-RH
OBF1811N-LH	OBF1811N-24-LH
OBF1811N-RH	OBF1811N-24-RH
OBF2111N-LH	OBF2111N-24-LH
OBF2111N-RH	OBF2111N-24-RH
OBF2412N	OBF2412N-24
OBF2712N	OBF2712N-24
OBF3012N	OBF3012N-24




24"-30" width cabinets have two doors

Note: The Dynapro2.0 slide max load weight is 90 lbs.

12"-21" width cabinets have one door





### Product Description


OBFxx21 & OBFxx22: 2 Drawers and 1 Full-Height Door (12"-21" wide cabinets) / 2 Drawers and 2 Full-Height Doors (24"-30" wide cabinets). Nested drawer with 18" slides. All door styles available – no matching drawer fronts. Drawer front is Hampton Door Style (slab style) with no handle, pull to open. Will match power coat on cabinet door when applicable. Top front 5.63"H, bottom front 15"H.

27" Depth SKU	24" Depth SKU
OBF1221N-LH	OBF1221N-24-LH
OBF1221N-RH	OBF1221N-24-RH
OBF1521N-LH	OBF1521N-24-LH
OBF1521N-RH	OBF1521N-24-RH
OBF1821N-LH	OBF1821N-24-LH
OBF1821N-RH	OBF1821N-24-RH
OBF2121N-LH	OBF2121N-24-LH
OBF2121N-RH	OBF2121N-24-RH
OBF2422N	OBF2422N-24
OBF2722N	OBF2722N-24
OBF3022N	OBF3022N-24

12"-21" width cabinets have one door


24"-30" width cabinets have two doors


Note: The Dynapro2.0 slide max load weight is 90 lbs.



OBFxx31 & OBFxx32: 3 Drawers and		
1 Full-Height Door (12"-21" wide		
cabinets) / 3 Drawers and 2 Full-Height		
Doors (24"-30" wide cabinets).Nested		
drawer with 18" slides. All door styles		
available - no matching drawer fronts.		
Drawer front is Hampton Door Style		
(slab style) with no handle, pull to		
open. Will match power coat on cabinet		
door when applicable. Top fronts		
5 63"H bottom front 12"H		

27" Depth SKU	24" Depth SKU
OBF1231N-LH	OBF1231N-24-LH
OBF1231N-RH	OBF1231N-24-RH
OBF1531N-LH	OBF1531N-24-LH
OBF1531N-RH	OBF1531N-24-RH
OBF1831N-LH	OBF1831N-24-LH
OBF1831N-RH	OBF1831N-24-RH
OBF2131N-LH	OBF2131N-24-LH
OBF2131N-RH	OBF2131N-24-RH
OBF2432N	OBF2432N-24
OBF2732N	OBF2732N-24
OBF3032N	OBF3032N-24






### Product Description

OBFxx11NT & OBFxx12NT: 1 Drawer and 1 Full-Height Door (12"-21" wide cabinets) / 1 Drawer and 2 Full-Height Doors (24"-30" wide cabinets). Nested drawer with 18" slides. All door styles available – no matching drawer fronts. Drawer front is Hampton Door Style (slab style) with no handle, pull to open. Will match powder coat on cabinet door when applicable. Front: 5.63"H.

27" Depth SKU	24" Depth SKU
OBF1211NT-LH	OBF1211NT-24-LH
OBF1211NT-RH	OBF1211NT-24-RH
OBF1511NT-LH	OBF1511NT-24-LH
OBF1511NT-RH	OBF1511NT-24-RH
OBF1811NT-LH	OBF1811NT-24-LH
OBF1811NT-RH	OBF1811NT-24-RH
OBF2111NT-LH	OBF2111NT-24-LH
OBF2111NT-RH	OBF2111NT-24-RH
OBF2412NT	OBF2412NT-24
OBF2712NT	OBF2712NT-24
OBF3012NT	OBF3012NT-24



12"-21" width cabinets have one door

24"-30" width cabinets have two doors

Note: The Dynapro2.0 slide max load weight is 90 lbs.

12"-21" width cabinets have one door


24"-30" width cabinets have two doors

Note: The Dynapro2.0 slide max load weight is 90 lbs.

### Storage Base Cabinets - Multi-Drawer: OBMxx30 and OBMxx40


\*Return to Table of Contents

### \*Return to Table of Contents




Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

Product Description		
OBMxx20: Multi-Drawer Base, 2 Drawers		
27" Depth SKU	24" Depth SKU	
OBM0920	OBM0920-24	
OBM1220	OBM1220-24	
OBM1520	OBM1520-24	
OBM1820	OBM1820-24	
OBM2120	OBM2120-24	
OBM2420	OBM2420-24	
OBM2720	OBM2720-24	
OBM3020	OBM3020-24	
OBM3320	OBM3320-24	
OBM3620	OBM3620-24	



Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

Product Description		
OBMxx30: Multi-Drawer Base, 3 Drawers		
27" Depth SKU	24" Depth SKU	
OBM0930	OBM0930-24	
OBM1230	OBM1230-24	
OBM1530	OBM1530-24	
OBM1830	OBM1830-24	
OBM2130	OBM2130-24	
OBM2430	OBM2130-24	
OBM2730	OBM2730-24	
OBM3030	OBM3030-24	
OBM3330	OBM3330-24	
OBM3630	OBM3630-24	



Note: Drawer glides are subject to change between 18" and 21" depth without notice based on supplier availability. The Dynapro2.0 glide max load weight is 90 lbs.

Product Description		
OBMxx40: Multi-Drawer Base, 4 Drawers		
27" Depth SKU	24" Depth SKU	
OBM0940	OBM0940-24	
OBM1240	OBM1240-24	
OBM1540	OBM1540-24	
OBM1840	OBM1840-24	
OBM2140	OBM2140-24	
OBM2440	OBM2440-24	
OBM2740	OBM2740-24	
OBM3040	OBM3040-24	
OBM3340	OBM3340-24	
OBM3640	OBM3640-24	

### Storage Base Cabinets - Multi-Drawer Bench: OBMBHxx20 or 30


\*Return to Table of Contents

### 11,75


### Product Description

OBMBHxx20: Outdoor Base Multi-Drawer Bench Height, 2 Drawers. 12" box height, 16.5"H overall with legs set at 4.5". 4 extrusions on top for extra support. Can use Ceramic Egg on units.

27" Depth SKU	24" Depth SKU
OBMBH3020	OBMBH3020-24
OBMBH3620	OBMBH3620-24
OBMBH4220	OBMBH4220-24




Support bracing beneath top panel shown



### Product Description

OBMBHxx30: Outdoor Base Multi-Drawer Bench Height, 3 Drawers. 12" box height, 16.5"H overall with legs set at 4.5". 4 extrusions on top for extra support. Can use Ceramic Egg on units.


27" Depth SKU	24" Depth SKU				
OBMBH4830	OBMBH4830-24				



Support bracing beneath top panel shown

### Multi-Drawer Bench - Side Panels: OSP xxL/R 12H


\*Return to Table of Contents



1 Todaet Description							
OSP: ¾" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels). 12"H for Bench Height bases.							
24" Depth x 12" High SKU							
OSP 24.88L 12H							
OSP 24.88R 12H							
OSP 25.63L 12H	24"D Cabinet with back panel						
OSP 25.63R	24"D Cabinet with back panel						
27" Depth x	12" High SKU						
OSP 27.88L 12H							
OSP 27.88R 12H							
OSP 28.63L 12H 27"D Cabinet with back panel							
OSP 28.63R 12H	27"D Cabinet with back panel						

OFE 24R 12H

OFEGF24 12H



### Product Description OFE: Base bench cabinet flush end panel, 12"H Sits flush to cabinet side, specify based on cabinet side and depth. No round access hole cutout or attachment holes for ORS. 27" Depth SKU OFE 27L 12H OFE 24L 12H


OFE 27R 12H

OFEGF27 12H

Product D	escription
OFEGF: Base bench he flush end panel, 12"H. side, used to fill in cabi waterfall countertops a Specify based on cabin	inet side for adhering nd other materials.
27" Depth SKU	24" Depth SKU

### Multi-Drawer Bench - Connecting Panels: OFE xxL/R ADJACENT

\*Return to Table of Contents



Product D	escription							
on cabinet side and de standard height and sh Includes attachment he adjacent cabinetry. No cutout or attachment he 24"/27"D x 30"H Finish flush to cabinet side. U	inet side, specify based pth. Used between orter height cabinets. bles at bottom for round access hole oles for ORS.  ed end LEFT/RIGHT, ised between standard							
height and shorter height cabinets. Includes attachment holes at bottom for adjacent cabinetry.								
27" Depth SKU	24" Depth SKU							
OFE 27L ADJACENT	OFE 24L ADJACENT							
OFE 27R ADJACENT OFE 24R ADJACENT								

### Back panel: OBPxx 12H Width varies based on cabinet


### Product Description

OBP: ¾" Thick back panel 12" high, fits exact width of Bench Height cabinet up to 42"W, wider cabinets use two smaller back panels. (Example: OBMBH4203 uses two 21"W back panels).

SKU	Description
OBP21 12H	21" back panel, 12"H
OBP24 12H	24" back panel, 12"H
OBP30 12H	30" back panel, 12"H
OBP36 12H	36" back panel, 12"H

### Corner Base Cabinets -Angle End: AEBxx02

### \*Return to Table of Contents



Product D	Product Description								
Includes adjustable hal	AEBxx02: Angle End Corner Base, 2 Doors. Includes adjustable half-depth shelf. NOTE: 27" cabinets door width 16.81"								
24" cabinet dod	24" cabinet door width 14.69"								
27" Depth SKU	27" Depth SKU 24" Depth SKU								
AEB2702 AEB2402									

40  $\underline{\hspace{1cm}}$  41


### CABINET WIDTH) CABINET WIDTH) COMBINET WIDTH) COMBINET WIDTH) COMBINET WIDTH)

27" Depth SKU	24" Depth SKU
BCB3001-LH	BCB3001-24-LH
BCB3001-RH	BCB3001-24-RH
BCB3601-LH	BCB3601-24-LH
BCB3601-RH	BCB3601-24-RH
BCB4201-LH	BCB4201-24-LH
BCB4201-RH	BCB4201-24-RH
BCB4501-LH	BCB4501-24-LH
BCB4501-RH	BCB4501-24-RH
BCB4801-LH	BCB4801-24-LH
BCB4801-RH	BCB4801-24-RH

	Blind Corner Base Matrix: Panel Width in bold, Door Width in center												
		6	9	12	15	18	21	24	27	30	33	36	39
th	30	24	21	18	15	12	9						
Width	33		24	21	18	15	12	9					
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	36			24	21	18	15	12	9				
ine	39				24	21	18	15	12	9			
Cabinet	42					24	21	18	15	12	9		
	45						24	21	18	15	12	9	
	48							24	21	18	15	12	9

### Corner Base Cabinets - Blind Corner Base: BCBxx11

### \*Return to Table of Contents



BCBxx11: Blind Corner Base, 1 drawer, 1 door.
*MUST SPECIFY DOOR PLACEMENT, DOOR
WIDTH, & PANEL WIDTH IN PART NOTES, SEE
SIZING MATRIX!* Example on left shows a
BCB4811-LH with a 18" wide drawer/door and
30" wide panel.

NOTE: 27"cabinets come with adjustable halfdepth shelf, 24" cabinets come with adjustable full-depth shelf.

27" Depth SKU	24" Depth SKU
BCB3011-LH	BCB3011-24-LH
BCB3011-RH	BCB3011-24-RH
BCB3611-LH	BCB3611-24-LH
BCB3611-RH	BCB3611-24-RH
BCB4211-LH	BCB4211-24-LH
BCB4211-RH	BCB4211-24-RH
BCB4511-LH	BCB4511-24-LH
BCB4511-RH	BCB4511-24-RH
BCB4811-LH	BCB4811-24-LH
BCB4811-RH	BCB4811-24-RH

3	Blind Corner Base Matrix: Panel Width in bold, Door Width in center												
		6	9	12	15	18	21	24	27	30	33	36	39
th	30	24	21	18	15	12	9						
Width	33		24	21	18	15	12	9					
	36			24	21	18	15	12	9				
Cabinet	39				24	21	18	15	12	9			
Cab	42					24	21	18	15	12	9		
	45						24	21	18	15	12	9	
	48							24	21	18	15	12	9

42  $\underline{\hspace{1cm}}$  43

### Corner Base Cabinets - Diagonal Corner: DCBxx

### \*Return to Table of Contents

## 36" or 39" 29.75" 29.75"

### Product Description


DCBxx: Diagonal Corner Base, 1 Door. Includes full-depth shelf. DCB39 matches cabinets of 27" depth, DCB36 matches cabinets of 24" depth.

Note: 1" wide or greater front fillers are recommended on either side of cabinet for clearance.

27" Depth SKU	24" Depth SKU
DCB39-LH	DCB36-LH
DCB39-RH	DCB36-RH

### Corner Base Cabinets - Diagonal Corner Sink Base: DCBSxx

\*Return to Table of Contents





DCBSxx: Diagonal Corner Sink Base, 1
Door. DCBS39 matches cabinets of 27"
depth, DCBS36 matches cabinets of 24

Product Description

Note: 1" wide or greater front fillers are recommended on either side of cabinet for clearance.


27" Depth SKU	24" Depth SKU
DCBS39-LH	DCBS36-LH
DCBS39-RH	DCBS36-RH






### Corner Base Cabinets - DCBxxBPKIT & DCBxxOBPVGF


\*Return to Table of Contents



All OBS (Sink Base Cabinets) have pre-cut openings in the rear and bottom panels as well as standard side openings for plumbing and electrical conduit. Cabinet comes with two (2) opening covers. Gas appliance ventilation cutout dimensions are 2.88" x 5.75". Cutouts come with vented covers.




### Plan View



OBS Cabinet 24"/27" Depth Sink Spacing


### Sink Base Cabinets - False Front: OBSxx01, OBSxx02

\*Return to Table of Contents



OBSxx01: Outdoor Sink Base, false Drawer front, 1 Door.	
27" Depth SKU	24" Depth SKU
OBS1201-LH	OBS1201-24-LH
OBS1201-RH	OBS1201-24-RH
OBS1501-LH	OBS1501-24-LH
OBS1501-RH	OBS1501-24-RH
OBS1801-LH	OBS1801-24-LH
OBS1801-RH	OBS1801-24-RH
OBS2101-LH	OBS2101-24-LH
OBS2101-RH	OBS2101-24-RH
OBS2401-LH	OBS2401-24-LH
OBS2401-RH	OBS2401-24-RH

Product Description




DBSxx02: Outdoor Sink Base, false Drawer front, 2 Doors.	
27" Depth SKU	24" Depth SKU
DBS2402	OBS2402-24
DBS2702	OBS2702-24
DBS3002	OBS3002-24
DBS3302	OBS3302-24
DBS3602	OBS3602-24
DBS3902	OBS3902-24
DBS4202	OBS4202-24
DBS4502	OBS4502-24
DBS4802	OBS4802-24

### Sink Base Cabinets - Full-Height Door: OBSxxxx-FHD

### \*Return to Table of Contents

### 20.50 or 23.50


Product Description	
OBSxx01-FHD: Outdoor Sink Base, 1 Full-Height Door	
27" Depth SKU	24" Depth SKU
OBS1201-FHD-LH	OBS1201-24-FHD-LH
OBS1201-FHD-RH	OBS1201-24-FHD-RH
OBS1501-FHD-LH	OBS1501-24-FHD-LH
OBS1501-FHD-RH	OBS1501-24-FHD-RH
OBS1801-FHD-LH	OBS1801-24-FHD-LH
OBS1801-FHD-RH	OBS1801-24-FHD-RH
OBS2101-FHD-LH	OBS2101-24-FHD-LH
OBS2101-FHD-RH	OBS2101-24-FHD-RH
OBS2401-FHD-LH	OBS2401-24-FHD-LH
OBS2401-FHD-RH	OBS2401-24-FHD-RH



Product Description	
OBSxx02-FHD: Outdoor Sink Base, 2 Full-Height Doors	
27" Depth SKU	24" Depth SKU
OBS2402-FHD	OBS2402-24-FHD
OBS2702-FHD	OBS2702-24-FHD
OBS3002-FHD	OBS3002-24-FHD
OBS3302-FHD	OBS3302-24-FHD
OBS3602-FHD	OBS3602-24-FHD
OBS3902-FHD	OBS3902-24-FHD
OBS4202-FHD	OBS4202-24-FHD
OBS4502-FHD	OBS4502-24-FHD
OBS4802-FHD	OBS4802-24-FHD

### Sink Base Cabinets - Farm Sink Bases: OBSxxxxH11-FARM

\*Return to Table of Contents



	:
75"	
1	
29.75"	
     375"	L
,,,,	
,	

OBSxx02H11-FARM: Outdoor Sink Base for Farm/
Apron sinks, 2 Full height doors (1 door available for
24"W), specify sink for trim kit.


Product Description

NOTE: Trim Kit does not include sink support brackets

27" Depth SKU	24" Depth SKU
OBS2401H11-FARM-LH	OBS2401H11-24-FARM-LH
OBS2401H11-FARM-RH	OBS2401H11-24-FARM-RH
OBS2402H11-FARM	OBS2402H11-24-FARM
OBS2702H11-FARM	OBS2702H11-24-FARM
OBS3002H11-FARM	OBS3002H11-24-FARM
OBS3302H11-FARM	OBS3302H11-24-FARM
OBS3602H11-FARM	OBS3602H11-24-FARM
OBS3902H11-FARM	OBS3902H11-24-FARM
OBS4202H11-FARM	OBS4202H11-24-FARM
OBS4502H11-FARM	OBS4502H11-24-FARM
OBS4802H11-FARM	OBS4802H11-24-FARM

### Sink Base Cabinets - Galley Sink Bases: OBSxxxx GALLEY

### \*Return to Table of Contents




Note: 3 door configurations may be hinged in any combination.


### Product Description


OBSxx0y Galley: Outdoor Sink Base for Galley Sinks only. Consists of multiple smaller sink bases with cutouts to support Galley Sinks. Either made with False Front or Full Height Door (-FHD). \*See table below for cabinet and back panel configuration.\*

27" Depth SKU	24" Depth SKU
OBS3002 GALLEY	OBS3002-24 GALLEY
OBS3602 GALLEY	OBS3602-24 GALLEY
OBS4802 GALLEY	OBS4802-24 GALLEY
OBS6003 GALLEY	OBS6003-24 GALLEY
OBS3002-FHD GALLEY	OBS3002-24-FHD GALLEY
OBS3602-FHD GALLEY	OBS3602-24-FHD GALLEY
OBS4802-FHD GALLEY	OBS4802-24-FHD GALLEY
OBS6003-FHD GALLEY	OBS6003-24-FHD GALLEY
OBS7203-FHD GALLEY	OBS7203-24-FHD GALLEY
OBS8404-FHD GALLEY	OBS8404-24-FHD GALLEY

Galley OBP SKU	OBP Configuration
OBS3002 GALLEY	1-OBP30
OBS3602 GALLEY	1-OBP36
OBS4802 GALLEY	2-OBP24
OBS6003 GALLEY	2-OBP18, 1-OBP24
OBS60 GALLEY OBP KIT	2-OBP18, 1-OBP24
OBS72 GALLEY OBP KIT	3-OBP24
OBS84 GALLEY OBP KIT	4-OBP21
OBS60 GALLEY OBPVGF KIT	2-OBPVGF18, 1-OBPVGF24
OBS72 GALLEY OBPVGF KIT	3-OBPVGF24
OBS84 GALLEY OBPVGF KIT	4-OBPVGF21







### Sink Base Cabinets - OBSxx00 ADA


### Product Description

\*Return to Table of Contents


OBSxx00 ADA: Outdoor ADA Sink Base, no doors, removable modesty panel, 32.25" total height for ADA compliance.
Glides on bottom adjustable up to 1"H.

27" Depth SKU	24" Depth SKU
OBS3600 ADA	OBS3600-24 ADA
OBS3900 ADA	OBS3900-24 ADA
OBS4200 ADA	OBS4200-24 ADA
OBS4500 ADA	OBS4500-24 ADA
OBS4800 ADA	OBS4800-24 ADA

1.50




24.88 or 27.88



### Product Description OBSXX00 ADA SINK SPACE: ADA compliant Sink Base/Workstation, no doors. Consists of side papels, extrusions, and front/bask rails with modesty papel.

Consists of side panels, extrusions, and front/back rails with modesty panel. Attaches directly to adjacent cabinets, no leveling legs needed.


27" Depth SKU	24" Depth SKU
OBS3600 ADA SINK SPACE	OBS3600-24 ADA SINK SPACE
OBS3900 ADA SINK SPACE	OBS3900-24 ADA SINK SPACE
OBS4200 ADA SINK SPACE	OBS4200-24 ADA SINK SPACE
OBS4500 ADA SINK SPACE	OBS4500-24 ADA SINK SPACE
OBS4800 ADA SINK SPACE	OBS4800-24 ADA SINK SPACE





Isometric View (shown installed)


### Sink Base Cabinets - Sink Space: OBSxx00 ADA SINK SPACE

\*Return to Table of Contents









OBSxx00 ADA SINK SPACE configuration variations

OBXzz xxl ADA SINK SPACE

-ADA SINK SPACE

### \*Return to Table of Contents


### Product Description


OBXzz.zz x.xx(L or R) ADA SINK SPACE: Column for countertop support for the middle of a run with an ADA Sink Space. Comes in one standard width and four standard depths to match cabinets with or without back panels. Comes with two adjustable legs to match those on cabinetry.

7/8" - 25-5/8" Deep x 30" Tall x 3-7/8" Wide (includes 2 legs). CANNOT USE TAPERED SSLEG!

SKU
OBX24.88 3.88L ADA SINK SPACE
OBX24.88 3.88R ADA SINK SPACE
OBX25.63 3.88L ADA SINK SPACE
OBX25.63 3.88R ADA SINK SPACE
OBX27.88 3.88L ADA SINK SPACE
OBX27.88 3.88R ADA SINK SPACE
OBX28.63 3.88L ADA SINK SPACE
OBX28.63 3.88R ADA SINK SPACE

OBXzz.zz x.xx ADA SINK SPACE Column - 24-





### Sink Base Cabinets - OBXzz xxL/R ELEC ADA SINK SPACE

-ADA SINK SPACE

OBXzz xxL ELEC ADA SINK SPACE


\*Return to Table of Contents

### Product Description

OBXzz.zz x.xx(L or R) ELEC ADA SINK SPACE: Column for countertop support for the middle of a run with an ADA Sink Space. Includes a standard GFCI electrical cutout located 4" down from the top of the column and centered on front. Comes in one standard width and four standard depths to match cabinets with or without back panels. Comes with two adjustable legs to match those on cabinetry.

OBXzz.zz x.xx ELEC ADA SINK SPACE Column with cutout for standard GFCI outlet - 24-7/8" -25-5/8" Deep x 30" Tall x 3-7/8" Wide (includes 2 legs). GFCI cutout is located 4" down from the top and centered on the front of column. CANNOT USE TAPERED SSLEG!


Depth Sku	
OBX24.88 3.88L ELEC ADA SINK SPACE	
OBX24.88 3.88R ELEC ADA SINK SPACE	
OBX25.63 3.88L ELEC ADA SINK SPACE	
OBX25.63 3.88R ELEC ADA SINK SPACE	
OBX27.88 3.88L ELEC ADA SINK SPACE	
OBX27.88 3.88R ELEC ADA SINK SPACE	
OBX28.63 3.88L ELEC ADA SINK SPACE	
OBX28.63 3.88R ELEC ADA SINK SPACE	



### Sink Base Cabinets - ORPzz xxL/R ELEC ADA SINK SPACE

\*Return to Table of Contents

### \*Return to Table of Contents




### Product Description

ORPzz.zz x.xx(L or R) ADA SINK SPACE: Column for countertop support with one finished side for ending a run with an ADA Sink Space. Comes in one standard width and four standard depths to match cabinets with or without back panels. Can be upgraded to match door styles on finished side. Comes with two adjustable legs to match those on cabinetry.

ORPzz.zz x.xxADA SINK SPACE Column - 24-7/8" - 25-5/8" Deep x 30" Tall x 3-7/8" Wide (includes 2 legs). Used for FINISHING a run. CANNOT USE TAPERED SSLEG!

Depth SKU
ORP24.88 3.88L ADA SINK SPACE
ORP24.88 3.88R ADA SINK SPACE
ORP25.63 3.88L ADA SINK SPACE
ORP25.63 3.88R ADA SINK SPACE
ORP27.88 3.88L ADA SINK SPACE
ORP27.88 3.88R ADA SINK SPACE
ORP28.63 3.88L ADA SINK SPACE
ORP28.63 3.88R ADA SINK SPACE





### Product Description

ORPzz.zz x.xx(L or R) ELEC ADA SINK SPACE: Column for countertop support with one finished side for ending a run with an ADA Sink Space. Includes a standard GFCI electrical cutout located 4" down from the top of the column and centered on front. Comes in one standard width and four standard depths to match cabinets with or without back panels. Can be upgraded to match door styles on finished side. Comes with two adjustable legs to match those on cabinetry.

ORPzz.zz x.xx ELEC ADA SINK SPACE Column with cutout for standard GFCI outlet - 24-7/8" - 25-5/8" Deep x 30" Tall x 3-7/8" Wide (includes 2 legs). GFCI cutout is located 4" down from the top and centered on the front of column. Used for FINISHING a run. CANNOT USE TAPERED SSLEG!

Depth SKU
ORP24.88 3.88L ELEC ADA SINK SPACE
ORP24.88 3.88R ELEC ADA SINK SPACE
ORP25.63 3.88L ELEC ADA SINK SPACE
ORP25.63 3.88R ELEC ADA SINK SPACE
ORP27.88 3.88L ELEC ADA SINK SPACE
ORP27.88 3.88R ELEC ADA SINK SPACE
ORP28.63 3.88L ELEC ADA SINK SPACE
ORP28.63 3.88R ELEC ADA SINK SPACE





8 \_\_\_\_\_\_\_ 5

### Trash Base Cabinets - OBTxx00, OBTxx10

### \*Return to Table of Contents


## ADA SINK BASE OFE XXR ADA OCS OCS OCS

### Product Descriptior

OFE xx(L or R) ADA OCS: Flush side panel for ADA Sink Base. Notched for use with OCS countertop support span. Sits flush to cabinet side.


24.88"D x 30"H. Flush to cabinet side. \*\*notched for use with OCS countertop support span part only\*\*

27" Depth SKU
OFE 24.88L ADA OCS
OFE 24.88R ADA OCS
OFE 27.88L ADA OCS
OFE 27.88R ADA OCS




### \*Return to Table of Contents

OBTxx00: Outdoor Trash Base for 30 quart cans. 1 Full-Height Door. NOTE: 15" cabinets have 1 trash bin. Cabinets 18" and above have 2 trash bins.		
27" Depth SKU	24" Depth SKU	
OBT1500	OBT1500-24	
OBT1800	OBT1800-24	
OBT2100	OBT2100-24	
OBT2400	OBT2400-24	
OBT2700	OBT2700-24	



Product Description		
OBTxx10: Outdoor Trash Base for 30 quart cans. 1 Full-Height Door, 1 drawer above.  NOTE: 15" cabinets have 1 trash bin. Cabinets 18" and above have 2 trash bins.		
27" Depth SKU	24" Depth SKU	
OBT1510	OBT1510-24	
OBT1810	OBT1810-24	
OBT2110	OBT2110-24	
OBT2410	OBT2410-24	
OBT2710	OBT2710-24	
-		




### OBTxx10N: Outdoor Trash Base Nested Top Drawer for 30 quart cans. 1 Full-Height Door, 1 Hidden Drawer (Hampton front, no handle, pull underneath to open); Pull-out Trash attached

NOTE: 15" cabinets have 1 trash bin. Cabinets 18" and above have 2 trash bins.


27" Depth SKU	24" Depth SKU
OBT1510N	OBT1510N-24
OBT1810N	OBT1810N-24
OBT2110N	OBT2110N-24
OBT2410N	OBT2410N-24
OBT2710N	OBT2710N-24

### Trash Base Cabinets - Large 51 Quart Can: OBTxx00L

\*Return to Table of Contents



	OBTxx00L: Outdoor Trash Base for Large 51 quart cans. 1 Full-Height Door.		
27" Depth SKU 24" Depth SKU		24" Depth SKU	
	OBT2100L	OBT2100L-24	
OBT2400L OBT2400L-24		OBT2400L-24	




**OBT2100L Cross Section Dimensions** 

 $\frac{1}{2}$ 

- Side Burner bases available in widths from 12" to 36".
- Side Burner Base specified MUST be 3-6" larger than the Side Burner cutout (i.e. 13"W side burner cutout requires a 15-18"W side burner base).
- OBBxxxx LOW base specified MUST be 7.5" larger than the Power Burner cutout (i.e. 22.5"W power burner cutout requires a 30"W OBB3002 LOW power burner base).
- · Factory installed trim kits designed to accommodate all manufacturers.
- OBB appliance cabinetry accommodate all electrical, plumbing and gas necessities.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


\*NOTE: Extra depth cabinets are not available in all sizes. Please contact: Sales@danver.com for specific needs.



There are two side burner (OBB) cabinet styles - one placing the burner at countertop level and the recessed cabinet (LOW) placing the burner 7" below the countertop.

The recessed cabinet offers more convenience for stock pot cooking.

The LOW cabinets have a larger trim kit than normal. The appliance cutout MUST be 7.5" less than the cabinet width. Ex. for an OBB2702 LOW the appliance cutout must be 19.5"W or less.



### Side Burner Base - OBBxxxx: 1 Door, 2 Door, 2 Drawer

\*Return to Table of Contents

OBB1201-24-LH

OBB1201-24-RH

OBB1501-24-LH

OBB1501-24-RH

OBB1801-24-LH

OBB1801-24-RH

OBB2101-24-LH

OBB2101-24-RH

OBB2401-24-LH

OBB2401-24-RH

Product Description

OBBxx01:Outdoor Side Burner Base, 1 Door. 9.75"H burner shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come

OBB1201-LH

OBB1201-RH

OBB1501-LH

OBB1501-RH

OBB1801-LH

OBB1801-RH

OBB2101-LH


OBB2101-RH


OBB2401-LH


OBB2401-RH

standard with vented access covers at

back wall & floor of these cabinets.







		9.5"
	0	29.75"
<u></u>	88" or 27.88"	

### Product Description

OBBxx02:Outdoor Side Burner Base, 2 Doors. 9.75"H burner shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBB2402	OBB2402-24
OBB2702	OBB2702-24
OBB3002	OBB3002-24

### **Product Description**

OBBxx20:Outdoor Side Burner Base, 2 Drawers.

9.75"H burner shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBB1220	OBB1220-24
OBB1520	OBB1520-24
OBB1820	OBB1820-24
OBB2120	OBB2120-24
OBB2420	OBB2420-24
OBB2720	OBB2720-24
OBB3020	OBB3020-24


Product Description


OBBxx01H12.5: Outdoor Side Burner Base,


12.5"H burner shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come

standard with vented access covers at







### Product Description OBBxx01H11: Outdoor Side Burner Base, Deep,1 Door. 11"H burner shelf (10.75"H trim kit sides)

\*Return to Table of Contents

Note: All cooking appliance cabinets come standard

with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBB1201H11-LH	OBB1201H11-24-LH
OBB1201H11-RH	OBB1201H11-24-RH
OBB1501H11-LH	OBB1501H11-24-LH
OBB1501H11-RH	OBB1501H11-24-RH
OBB1801H11-LH	OBB1801H11-24-LH
OBB1801H11-RH	OBB1801H11-24-RH
OBB2401H11-LH	OBB2401H11-24-LH
OBB2401H11-RH	OBB2401H11-24-RH

OBBxx02H11:Outdoor Side Burner Base, Deep, 2 Doors.

11"H burner shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

	27" Depth SKU	24" Depth SKU
	OBB2402H11	OBB2402H11-24
	OBB2702H11	OBB2702H11-24
	OBB3002H11	OBB3002H11-24


### **Product Description**


OBBxx20H11:Outdoor Side Burner Base, Deep, 2 Drawers.


11"H burner shelf (10.75"H trim kit sides)


Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

24" Depth SKU
N/A









### OBBxx02H12.5:Outdoor Side Burner Base, 2

12.5"H burner shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBB2402H12.5	OBB2402H12.5-24
OBB2702H12.5	OBB2702H12.5-24
OBB3002H12.5	OBB3002H12.5-24

24" Depth SKU

OBB1801-24-RH LOW

OBB1801-24-LH LOW

OBB2101-24-RH LOW

OBB2101-24-LH LOW

OBB2401-24-RH LOW

OBB2401-24-LH LOW

Product Description

15.5" high burner shelf (16"H trim kit sides)

Note: All cooking appliance cabinets come

standard with vented access covers at

back wall & floor of these cabinets.

Product Description

OBBxx02 LOW: Outdoor Side Burner Base,

15.5" high burner shelf (16"H trim kit sides)

Note: All cooking appliance cabinets come

standard with vented access covers at back wall & floor of these cabinets.

OBB2402-24 LOW

OBB2702-24 LOW

OBB3002-24 LOW OBB3302-24 LOW

OBB3602-24 LOW

Low shelf design, 2 Doors.

27" Depth SKU

OBB2402 LOW

OBB2702 LOW

OBB3002 LOW

OBB3302 LOW OBB3602 LOW

OBBxx01 vv: Outdoor Side Burner Base,

Low shelf design, 1 Door.

27" Depth SKU

OBB1801-RH LOW

OBB1801-LH LOW

OBB2101-RH LOW

OBB2101-LH LOW

OBB2401-RH LOW

OBB2401-LH LOW

Note: Inner trim dimensions of OBBxx01 LOW adjust based on the power burner selected. Power burner cutout must be at least 7.5" LESS than cabinet size selected due to trim kit requirements.


Note: Inner trim dimensions of OBBxx02 LOW adjust based on the power burner selected. Power burner cutout must be at least 7.5" LESS than cabinet size selected due to trim kit requirements.

### Side Burner Base -15.5"H Shelf: OBBxx10 LOW

\*Return to Table of Contents

OBB3610-24 LOW

Product Description



	OBBxx01 LOW: Outdoor Side Burner Base, Low shelf design, 1 Drawer. 15.5" high burner shelf (16"H trim kit sides) Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.	
	27" Depth SKU	24" Depth SKU
	OBB1810 LOW	OBB1810-24 LOW
	OBB2110 LOW	OBB2110-24 LOW
	OBB2410 LOW	OBB2410-24 LOW
	OBB2710 LOW	OBB2710-24 LOW
	OBB3010 LOW	OBB3010-24 LOW
	OBB3310 LOW	OBB3310-24 LOW


**OBB3610 LOW** 


Note: Inner trim dimensions of OBBxx10 LOW adjust based on the power than cabinet size selected due to trim kit requirements.

burner selected. Power burner cutout must be at least 7.5" LESS

- Available in widths from 15" 39" in 3" increments.
- Factory installed trim kits individually designed to accommodate all Bartending and Refreshment/Prep Center manufacturers.
- Bartending Center Base specified MUST be 3-6" larger than the specified cutout width (i.e. 30"W cutout, 33-36" Bartending Center Base).
- Some Bartending/Prep Stations require a deeper cutout and shelf height (11"H). This is denoted with a "D" suffix. Example: OBC3602D.

\*NOTE: Extra depth cabinets are not available in all sizes. Please contact: Sales@danver.com for specific needs.






1 Door. 9.75"H appliance shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC1501-LH	OBC1501-24-LH
OBC1501-RH	OBC1501-24-RH
OBC1801-LH	OBC1801-24-LH
OBC1801-RH	OBC1801-24-RH
OBC2101-LH	OBC2101-24-LH
OBC2101-RH	OBC2101-24-RH
OBC2401-LH	OBC2401-24-LH
OBC2401-RH	OBC2401-24-RH

Product Description

OBCxx01:Outdoor Bartending Center Base,



eep, 2 Doors. .75"H appliance shelf (9.5"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC2402	OBC2402-24
OBC2702	OBC2702-24
OBC3002	OBC3002-24
OBC3302	OBC3302-24
OBC3602	OBC3602-24
OBC3902	OBC3902-24

OBCxx02:Outdoor Bartending Center Base,

#### Bartending Center Base - OBCxx01H11, OBCxx02H11

#### \*Return to Table of Contents


#### OBCxx01H11:Outdoor Bartending Center Base, Deep, 1 Door. 11"H appliance shelf (10.75"H trim kit sides) OBC1501H11-LH OBC1501H11-24-LH OBC1501H11-RH OBC1501H11-24-RH OBC1801H11-LH OBC1801H11-24-LH OBC1801H11-RH OBC1801H11-24-RH OBC2101H11-LH OBC2101H11-24-LH OBC2101H11-RH OBC2101H11-24-RH OBC2401H11-LH OBC2401H11-24-LH OBC2401H11-RH OBC2401H11-24-RH

# 30" 29.75" 18.875" 24.88" or 27.88"


Product D	escription
OBCxx02H11:Outdoor Bartending Center Base, Deep, 2 Doors. 11"H appliance shelf (10.75"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC2402H11	OBC2402H11-24
OBC2702H11	OBC2702H11-24
OBC3002H11	OBC3002H11-24
OBC3302H11	OBC3302H11-24
OBC3602H11	OBC3602H11-24
OBC3902H11	OBC3902H11-24

#### Bartending Center Base -OBCxx01H12.5, OBBxx02H12.5

\*Return to Table of Contents



Proc	duct Description
Base, Deep, 1 Doo	utdoor Bartending Center or. shelf (12.25"H trim kit sides)
27" Depth SKI	U 24" Depth SKU
OBC1801H12.5-L	H N/A
OBC1801H12.5-R	RH N/A
OBC2101H12.5-L	.H N/A
OBC2101H12.5-R	RH N/A
OBC2401H12.5-L	_H N/A
OBC2401H12.5-R	RH N/A



DBCxx02H12.5:Outdoor Bartending Center	
Base, Deep, 2 Doors.	
12.5"H appliance shelf (12.25"H trim kit sides)	
27" Depth SKU	24" Depth SKU
OBC2402H12.5	N/A
OBC3002H12.5	N/A
OBC3602H12.5	N/A


Product Description

OBWxx02: Outdoor Warming Drawer/ Microwave Base, 2 Doors. Shelf 12" from top.

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 10.25". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBW3002 H12	OBW3002-24 H12
OBW3302 H12	OBW3302-24 H12
OBW3602 H12	OBW3602-24 H12



#### roduct Description

OBWxx10: Outdoor Warming Drawer/ Microwave Base, 1 Drawer. Shelf 12" from top.


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 10.25". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBW3010 H12	OBW3010-24 H12
OBW3310 H12	OBW3310-24 H12
OBW3610 H12	OBW3610-24 H12

#### Warming Drawer Bases -OBWxx10 H21: 1 Drawer

#### \*Return to Table of Contents




#### Product Description


OBW3010 H21: Outdoor Warming Drawer/ Microwave Base, 1 Drawer. Shelf 21" from top.

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 19.25". Verify overall appliance dimensions to ensure proper fit.

27" Depth SKU	24" Depth SKU
OBW3010 H21	N/A
OBW3310 H21	N/A



#### \*Return to Table of Contents




#### Product Description

OBWxx10: Outdoor Warming Drawer/ Microwave Base, extra deep 17.63" cutout for DCS or similar. 1 Drawer. Shelf 17.38"H from top.

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 15.53". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBW3010 H17.38	N/A
OBW3310 H17.38	N/A
OBW3610 H17.38	N/A




#### Product Description

OBWxx02 H14.13: Outdoor Warming Drawer/ Microwave Base, Deep, 2 Doors. Shelf 14.13" from top.

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 12.375". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBW3002 H14.13	OBW3002-24 H14.13
OBW3302 H14.13	OBW3302-24 H14.13
OBW3602 H14.13	OBW3602-24 H14.13



#### Product Description

OBWxx10 H14.13: Outdoor Warming Drawer/ Microwave Base, Deep, 1 Drawer. Shelf 14.13" from top.

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 12.375". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OBW3010 H14.13	OBW3010-24 H14.13
OBW3310 H14.13	OBW3310-24 H14.13
OBW3610 H14.13	OBW3610-24 H14.13

 $\sim$ 

#### Egg Base Cabinets - OEBxx02 H16.5, OEBxx02 H12.5

#### \*Return to Table of Contents

OEB2702-24 H16.5

OEB3302-24 H16.5

OEBxx02 H16.5: Outdoor Egg Smoker Base,

from top of cabinet\*

OEB2702 H16.5

OEB3302 H16.5


eggs (over 200lbs.).

2 Doors. Side trim pieces: 1.75". \*Shelf is 16.5'

Note: Shelf and inside cavity are #4 brushed

stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill

#### \*Return to Table of Contents



ODWxx00 H14: Outdoor Double Warming Drawer/Microwave Base, Deep, 2 Doors. Shelf 14" from top.


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket.


Upper max cutout height is 12.38" Lower max cutout height is 12.25"

Verify overall appliance dimensions to ensure proper

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
ODW3000 H14	ODW3000-24 H14
ODW3300 H14	ODW3300-24 H14
ODW3600 H14	ODW3600-24 H14





Product D	escription
OEBxx02 H12.5: Outdoo 2 Doors. Side trim piece from top of cabinet*	
07" Danth CKU	24" Depth SKU
27" Depth SKU	ET Boptii onto
OEB2702 H12.5	OEB2702-24 H12.5
·	
OEB2702 H12.5	OEB2702-24 H12.5


stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).



**EXAMPLE:** OEB2702 and OEB3302 side elevation measurements.

#### Egg Base Cabinets -OEBxx02-35 H16.5 or 12.5 (Extra Large)


\*Return to Table of Contents



Product Description
OEB3302-35 H16.5 or H12.5: Outdoor Egg Smoker Base, 2 Doors. *35"D TO FIT BIG GREEN EGG XL, 2XL WILL NOT FIT!* Shelf is 12.5" or 16.5" from top of cabinet* This base comes with OFE APPLIANCE finished sides due to the cabinet most likely sitting forward from the rest of the run.
27" Depth SKU 24" Depth SKU


27" Depth SKU	24" Depth SKU
OEB3302-35 H16.5	N/A
OEB3302-35 H12.5	N/A


Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).





#### Egg Base Cabinets - Diagonal Corner: DCBExx H16.5 or H12.5

\*Return to Table of Contents









DCBExx H16.5: Diagonal Corner Egg Smoker Base, 1 Door. *Shelf is 16.5" from top of cabinet* Note: 1" wide or greater front fillers
are recommended on either side of cabinet for
clearance.

Product Description


27" Depth SKU	24" Depth SKU
DCBE39 H16.5-LH	DCBE36 H16.5-LH
DCBE39 H16.5-RH	DCBE36 H16.5-RH

Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).

Product Description
DCBExx H12.5: Diagonal Corner Egg Smoker Base, 1 Door. *Shelf is 12.5" from top of
cabinet*. Note: 1" wide or greater front fillers
are recommended on either side of cabinet for clearance.


27" Depth SKU	24" Depth SKU
DCBE39 H12.5-LH	DCBE36 H12.5-LH
DCBE39 H12.5-RH	DCBE36 H12.5-RH

Note: Shelf and inside cavity are #4 brushed stainless steel and CANNOT be powder coated. OEB Cabinets have additional support for the weight of the smoker grill eggs (over 200lbs.).



- Available in widths from 30" 62".
- · Factory installed trim kits individually designed to accommodate all grill manufacturers.
- Cabinets available for additional cooking appliances such as range cooktops and Evo Grills.
- Grill Base or Grill/Warming Drawer Base specified MUST be 3-6" larger than the cutout width (i.e. 30"W grill cutout, 33-36" grill base).
- Some grill manufacturers (Wolf, Twin Eagles, Fire Magic) require a deeper cutout (11"H). This is denoted with a "H11" suffix. Example: OGB4802H11. Danver also offers an even deeper cutout and shelf (12.5"H). This is denoted with a "H12.5" suffix. Example: OGB4802H12.5. This shelf height is also needed when using a .75" countertop with a deep grill cutout.
- Pellet and charcoal smokers typically require a very large cutout and shelf (18.5"H).
- Gas appliance ventilation cutout dimensions are 2.88" x 5.75". Cutouts come with vented covers.
- All grill cabinets come standard with vented access cover at back walls and floors of cabinets.
- \*NOTE: While our cabinetry can house most grill models on the market, they are not approved for use with Argentine or Santa Maria style grills, and/or odd shaped pellet grill models and grills that have their own cart attachment, (e.g., Recteq). If you are unsure if a particular grill can be housed in our cabinetry, please contact Sales@danver.com for clarification.

<sup>\*</sup>NOTE: Extra depth cabinets are not available in all sizes, please contact: Sales@danver.com for specific needs.



#### Grill Cabinets - Shelf Height & Cutout calculation


\*Return to Table of Contents

Appliance Cabinet cutout height requirement is calculated as: Shelf Height PLUS Counter Top Height MINUS Manufacturer Cutout Height. If this calculation is a negative number, a cabinet with a deeper Shelf Height must be used. See example below for sizing.

- OBC/OBB/OGB/OGWxxxx standard appliance base shelf height is 9.75"
- OBC/OBB/OGB/OGWxxxxH11 appliance base shelf height is 11"
- OBC/OBB/OGBxxxxH12.5 appliance base shelf height is 12.5"
- OGBxxxxH15.5 grill base shelf height is 15.5"
- OGBxxxxH18.5 grill base shelf height is 18.5"

Appliance Base shelf height should be as close to the required Appliance cutout height as possible. Using a lower shelf height than required reduces the amount of usable cabinet storage space below the Appliance.

Example: Alfresco ALXE-42 40.5"W x 10.25"H x 23"D. The ALXE-42 installed with a 1.25" thick countertop will fit in a standard 9.75"H shelf depth Appliance cabinet. An 11"H shelf depth or greater should only be used in situations with multiple Appliances where required shelf heights differ.




82 \_\_\_\_\_\_ 8

#### Grill Cabinets - Drawers/Doors: OGBxx21, OGBxx22, OGBxx41

#### \*Return to Table of Contents


#### \*Return to Table of Contents



OGBxx02: Outdoor Grill	
9.75"H grill shelf (9.5"I	H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB3002	OGB3002-24
OGB3302	OGB3302-24
OGB3602	OGB3602-24
OGB3902	OGB3902-24
OGB4202	OGB4202-24
OGB4502	OGB4502-24
OGB4802	OGB4802-24





#### OGBxx03: Outdoor Grill Base, 3 Doors. 9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5403	OGB5403-24
OGB5803	OGB5803-24
OGB6203	OGB6203-24







#### Product Description

OGBxx21: Outdoor Grill Base, 2 Drawers, 1 Door. 9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3021	OGB3021-24
OGB3321	OGB3321-24
OGB3621	OGB3621-24
OGB3921	OGB3921-24
OGB4221	OGB4221-24
OGB4521	OGB4521-24
OGB4821	OGB4821-24

#### Product Description

OGBxx22: Outdoor Grill Base

2 Drawers, 2 Doors.

9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5422	OGB5422-24
OGB5822	OGB5822-24
OGB6222	OGB6222-24

#### Product Description

OGBxx41: Outdoor Grill Base,

4 Drawers, 1 Door.

9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB5441	OGB5441-24
OGB5841	OGB5841-24
OGB6241	OGB6241-24

4 \_\_\_\_\_\_\_ 8

#### Grill Cabinets - Drawers: OGBxx40, OGBxx60

#### \*Return to Table of Contents


#### \*Return to Table of Contents



r reddet Beschiption
OGBxx20: Outdoor Grill Base,
2 Full-Height Drawers.
9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB3020	OGB3020-24
OGB3320	OGB3320-24
OGB3620	OGB3620-24
OGB3920	OGB3920-24
OGB4220	OGB4220-24
OGB4520	OGB4520-24
OGB4820	OGB4820-24



### Product Description OGBxx40: Outdoor Grill Base, 4 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3640	OGB3640-24
OGB3940	OGB3940-24
OGB4240	OGB4240-24
OGB4540	OGB4540-24
OGB4840	OGB4840-24




#### Product Description

OGBxx30: Outdoor Grill Base, 3 Full-Height Drawers. 9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5430	OGB5430-24
OGB5830	OGB5830-24
OGB6230	OGB6230-24



#### Product Description

OGBxx60: Outdoor Grill Base, 6 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB5460	OGB5460-24
OGB5860	OGB5860-24
OGB6260	OGB6260-24


36 \_\_\_\_\_\_\_ 8/

0 


#### Grill Cabinets - EVO: OGB33xx-EVO details/top view

\*Return to Table of Contents





in OGB3302. There is no overhang on the cabinet sides but it does overhang by 1" on



Note: Top view of 30" EVO installed in OGB3302. The grill overhangs 1.77" on the side as well as 2.9" on the cabinet back.

#### N/A N/A N/A

\*Return to Table of Contents

OGBxx02-EVO: Outdoor Grill Base, 2 Doors. 9.75"H grill shelf (9.5"H trim kit

of 1.25" or thicker.

OGB3302-EVO

OGB3602-EVO

OGB3902-EVO

OGB4202-EVO

OGB4802-EVO

sides),\*countertop thickness must be 1.25"H\*

Note: EVO 25G Grill with a countertop thickness less

then 1.25" will require a grill size of OGB33xx-EVO or larger. EVO 30G Grill must use a countertop thickness

Note: All cooking appliance cabinets come standard

N/A

N/A


with vented access covers at back wall & floor of

OGBxx21-EVO:Outdoor Grill Base, 2 Drawers, 1 Door. 9.75"H grill shelf (9.5"H trim kit sides),\*countertop thickness must be 1.25"H\*

Note: EVO 25G Grill with a countertop thickness less then 1.25" will require a grill size of OGB33xx-EVO or larger. EVO 30G Grill must use a countertop thickness of 1.25" or thicker.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of

27" Depth SKU	24" Depth SKU
OGB3321-EVO	N/A
OGB3621-EVO	N/A
OGB3921-EVO	N/A
OGB4221-EVO	N/A



#### Note: If PPS PANELS are powder coated, the PPS SUPPORT MID and END parts will be


powder coated as well.

OGBxx40-EVO:Outdoor Grill Base, 4 Drawers. 9.75"H grill shelf (9.5"H trim kit sides),\*countertop thickness must be 1.25"H\*

Note: EVO 25G Grill with a countertop thickness less then 1.25" will require a grill size of OGB33xx-EVO or larger. EVO 30G Grill must use a countertop thickness of 1.25" or thicker.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of

27" Depth SKU	24" Depth SKU
OGB3340-EVO	N/A
OGB3640-EVO	N/A
OGB3940-EVO	N/A
OGB4240-EVO	N/A



Note: 25" and 30" EVO grills installed in 33" wide base will overhang the cabinet sides and back slightly. Please see following page for top view and additional specifications.

8

0

8


8

#### Grill Cabinets - EVO: OGBxx30 & xx36-EVO details/top view

#### \*Return to Table of Contents

# 7.067


Note: Top view of 25" EVO installed in OGB30xx. There is a 1.08" overhang on the cabinet sides.



Note: Top view of 30" EVO installed in OGB36xx. The grill overhangs .27" on the sides as well as 2" in the back.

#### Grill Cabinets - OGBxx02H11, OGBxx03H11


#### \*Return to Table of Contents



#### OGBxx02H11: Outdoor Grill Base, 2 Doors, Deep. 11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3002H11	OGB3002H11-24
OGB3302H11	OGB3302H11-24
OGB3602H11	OGB3602H11-24
OGB3902H11	OGB3902H11-24
OGB4202H11	OGB4202H11-24
OGB4502H11	OGB4502H11-24
OGB4802H11	OGB4802H11-24



#### Product Description

OGBxx03H11: Outdoor Grill Base, 3 Doors, Deep. 11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5403H11	OGB5403H11-24
OGB5803H11	OGB5803H11-24
OGB6203H11	OGB6203H11-24

90

#### Grill Cabinets - OGBxx21H11, xx22H11, xx41H11

18.875"

#### \*Return to Table of Contents

### 9.375" 29.75" 8 8 9.375" 8

#### Product Description OGBxx40H11: Outdoor Grill Base, 4 Drawers, Deep. 11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3640H11	OGB3640H11-24
OGB3940H11	OGB3940H11-24
OGB4240H11	OGB4240H11-24
OGB4540H11	OGB4540H11-24
OGB4840H11	OGB4840H11-24

# 8 9.375" 2

#### OGBxx60H11: Outdoor Grill Base, Deep, 6 Drawers.

standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5460H11	OGB5460H11-24
OGB5860H11	OGB5860H11-24
OGB6260H11	OGB6260H11-24

#### Product Description

\*Return to Table of Contents

OGBxx21H11: Outdoor Grill Base, 2 Drawers, 1 Door, Deep.

11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3021H11	OGB3021H11-24
OGB3321H11	OGB3321H11-24
OGB3621H11	OGB3621H11-24
OGB3921H11	OGB3921H11-24
OGB4221H11	OGB4221H11-24
OGB4521H11	OGB4521H11-24
OGB4821H11	OGB4821H11-24

#### OGBxx22H11: Outdoor Grill Base, Deep,

2 Drawers, 2 Doors. 11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB5422H11	OGB5422H11-24
OGB5822H11	OGB5822H11-24
OGB6222H11	OGB6222H11-24


#### Product Description

OGBxx41H11: Outdoor Grill Base, Deep, 4 Drawers, 1 Door.

11"H grill shelf (10.75"H trim kit sides)

27" Depth SKU	24" Depth SKU
OGB5441H11	OGB5441H11-24
OGB5841H11	OGB5841H11-24
OGB6241H11	OGB6241H11-24






#### Grill Cabinets - OGBxx02H12.5, OGBxx03H12.5

#### \*Return to Table of Contents


#### \*Return to Table of Contents



'
OGBxx20H11: Outdoor Grill Base, Deep,
2 Full-Height Drawers.
11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3020H11	OGB3020H11-24
OGB3320H11	OGB3320H11-24
OGB3620H11	OGB3620H11-24
OGB3920H11	OGB3920H11-24
OGB4220H11	OGB4220H11-24
OGB4520H11	OGB4520H11-24
OGB4820H11	OGB4820H11-24




#### OGBxx02H12.5: Outdoor Grill Base,

2 Doors 12.5"H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3302H12.5	OGB3302H12.5-24
OGB3602H12.5	OGB3602H12.5-24
OGB3902H12.5	OGB3902H12.5-24
OGB4202H12.5	OGB4202H12.5-24
OGB4502H12.5	OGB4502H12.5-24
OGB4802H12.5	OGB4802H12.5-24




#### **Product Description**

OGBxx30H11: Outdoor Grill Base, Deep, 3 Full-Height Drawers. 11"H grill shelf (10.75"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5430H11	OGB5430H11-24
OGB5830H11	OGB5830H11-24
OGB6230H11	OGB6230H11-24




#### Product Description

OGBxx03H12.5: Outdoor Grill Base,

12.5"H grill shelf (12.25"H trim kit sides)

27" Depth SKU	24" Depth SKU
OGB5403H12.5	OGB5403H12.5-24
OGB5803H12.5	OGB5803H12.5-24
OGB6203H12.5	OGB6203H12.5-24


#### \*Return to Table of Contents



#### OGBxx20H12.5: Outdoor Grill Base, 2 Drawers 12.5"H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3020H12.5	OGB3020H12.5-24
OGB3320H12.5	OGB3320H12.5-24
OGB3620H12.5	OGB3620H12.5-24
OGB3920H12.5	OGB3920H12.5-24
OGB4220H12.5	OGB4220H12.5-24
OGB4520H12.5	OGB4520H12.5-24
OGB4820H12.5	OGB4820H12.5-24




'
xx40H12.5: Outdoor Grill Base,
awers
awers 'H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

Product Description

27" Depth SKU	24" Depth SKU
OGB3640H12.5	OGB3640H12.5-24
OGB3940H12.5	OGB3940H12.5-24
OGB4240H12.5	OGB4240H12.5-24
OGB4540H12.5	OGB4540H12.5-24
OGB4840H12.5	OGB4840H12.5-24




### OGBxx30H12.5: Outdoor Grill Base, 3 Drawers.

12.5"H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5430H12.5	OGB5430H12.5-24
OGB5830H12.5	OGB5830H12.5-24
OGB6230H12.5	OGB6230H12.5-24



#### Product Description

OGBxx60H12.5: Outdoor Grill Base, 6 Drawers

12.5"H grill shelf (12.25"H trim kit sides)

27" Depth SKU	24" Depth SKU
OGB5460H12.5	OGB5460H12.5-24
OGB5860H12.5	OGB5860H12.5-24
OGB6260H12.5	OGB6260H12.5-24

17.38"

17.38

#### \*Return to Table of Contents

OGBxx02H15.5: Outdoor Grill Base, 2 Doors, Deep. 15.5"H grill shelf (15.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3002H15.5	OGB3002H15.5-24
OGB3302H15.5	OGB3302H15.5-24
OGB3602H15.5	OGB3602H15.5-24
OGB3902H15.5	OGB3902H15.5-24
OGB4202H15.5	OGB4202H15.5-24
OGB4502H15.5	OGB4502H15.5-24
OGB4802H15.5	OGB4802H15.5-24

Product Description		
OGBxx03H15.5: Outdoor Grill Base, 3 Doors, Deep. 15.5"H grill shelf (15.25"H trim kit sides)		

Note: All cooking appliance cabinets come back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5403H15.5	OGB5403H15.5-24
OGB5803H15.5	OGB5803H15.5-24
OGB6203H15.5	OGB6203H15.5-24

#### \*Return to Table of Contents

#### Product Description OGBxx21H12.5: Outdoor Grill Base,

2 Drawers, 1 Door 12.5"H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at

back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3621H12.5	OGB3621H12.5-24
OGB3921H12.5	OGB3921H12.5-24
OGB4221H12.5	OGB4221H12.5-24
OGB4521H12.5	OGB4521H12.5-24
OGB4821H12.5	OGB4821H12.5-24

OGBxx22H12.5: Outdoor Grill Base, 2 Drawers, 2 Doors. 12.5"H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB5422H12.5	OGB5422H12.5-24
OGB5822H12.5	OGB5822H12.5-24
OGB6222H12.5	OGB6222H12.5-24

#### Product Description

OGBxx41H12.5: Outdoor Grill Base, 4 Drawers, 1 Door. 12.5"H grill shelf (12.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5441H12.5	OGB5441H12.5-24
OGB5841H12.5	OGB5841H12.5-24
OGB6241H12.5	OGB6241H12.5-24



30"

0


standard with vented access covers at

27" Depth SKU	24" Depth SKU
OGB5403H15.5	OGB5403H15.5-24
OGB5803H15.5	OGB5803H15.5-24
OGB6203H15.5	OGB6203H15.5-24

#### Grill Cabinets - OGBxx20-CALIBER ROCKWELL

#### \*Return to Table of Contents


#### \*Return to Table of Contents



## OGBxx20H18.5: Outdoor Grill Base 2 Drawers, extra deep shelf, for Hasty Bake grills and other extra deep cooking appliances. 18.50"H grill shelf (18.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB3020H18.5	N/A
OGB3320H18.5	N/A
OGB3620H18.5	N/A
OGB3920H18.5	N/A
OGB4220H18.5	N/A
OGB4520H18.5	N/A
OGB4820H18.5	N/A




#### Product Description

OGBxx30H18.5: Outdoor Grill Base, 3 Drawers, for Hasty Bake grills and other extra deep cooking appliances.

18.50"H grill shelf (18.25"H trim kit sides)

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGB5430H18.5	N/A
OGB5830H18.5	N/A



#### Product Description

OGBxx20-CALIBER ROCKWELL:

Outdoor Grill Base, 2 Drawers, 9.75"H grill shelf. Used ONLY for Caliber Rockwell grills of the same size, \*NO TRIM KIT NEEDED! \*this cabinet cannot be used on the end of a run, please call sales rep to discuss\*

27" Depth SKU	24" Depth SKU
OGB4220-CALIBER ROCKWELL	N/A
OGB4820-CALIBER ROCKWELL	N/A

Gas Timer

Gas Timer Cover Plate

Front Panel: Available with or

without locks


(replaces doors & drawers)

#### Grill Cabinets - Tecno Style: OGBxx00, OGBxx00H11

\*Return to Table of Contents

Tecno-style Panel


Product Description



24" Depth SKU
OGB3300-24 GS
OGB3600-24 GS
OGB3900-24 GS
OGB4200-24 GS
OGB4500-24 GS
OGB4800-24 GS
OGB5400-24 GS
OGB5800-24 GS

\*Return to Table of Contents

Note: Gas Stop Timer bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.



Note: Gas Stop Timer bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.

OGB4800H11-24 GS


OGB5400H11-24 GS

OGB5800H11-24 GS

OGB4800H11 GS

OGB5400H11 GS

OGB5800H11 GS



OGBxx00: Outdoor Grill Base, No Doors/Drawers, Full-Face Tecno-style Painstalled on magnets with no hinges. 9.75"H grill shelf (9.5"H trim kit sides)  Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.	
27" Depth SKU	24" Depth SKU
OGB3300	OGB3300-24
OGB3600	OGB3600-24
OGB3900	OGB3900-24
OGB4200	OGB4200-24
OGB4500	OGB4500-24
OGB4800	OGB4800-24
OGB5400	OGB5400-24

OGB5800

Note: Tecno-style grill bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.

OGB5800-24

# 18.875"

#### OGBxx00H11: Outdoor Grill Base, Deep, No Doors/Drawers, Full-Face Tecno-style Panel, installed on magnets with no hinges. 11"H grill shelf (10.75"H trim kit sides)

Product Description

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.


27" Depth SKU	24" Depth SKU
OGB3300H11	OGB3300H11-24
OGB3600H11	OGB3600H11-24
OGB3900H11	OGB3900H11-24
OGB4200H11	OGB4200H11-24
OGB4500H11	OGB4500H11-24
OGB4800H11	OGB4800H11-24
OGB5400H11	OGB5400H11-24
OGB5800H11	OGB5800H11-24

Note: Tecno-style grill bases 45"+ come with two identical cover plates split in the middle. The timer will remain on the left side when facing the base from the front.

#### Grill/Warming Drawer Cabinets -OGWxx00, OGWxx10

#### \*Return to Table of Contents

#### \*Return to Table of Contents




#### Product Description

OGFxx00: Outdoor Grill Base for grill and large insert such as refrigerator or dry pantry. 9.75"H grill shelf (9.5"H trim kit sides).

Max cutout height 20.625". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGF3600	OGF3600-24
OGF4200	OGF4200-24
OGF4800	OGF4800-24
OGF5400	OGF5400-24
OGF6200	OGF6200-24




#### Product Description

OGWxx00: Outdoor Grill Base for Warming Drawer Insert, No Doors or Drawers. 9.75"H grill shelf (9.5"H trim kit sides)


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 17.75". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW3600	N/A
OGW4200	N/A
OGW4800	N/A




NOTE: OGF bases have a taller cabinet box than standard cabinets, adjustable leveling feet.



Standard Base Cabinet

**OGF** Cabinet

1.625



#### Product Description

OGWxx10: Outdoor Grill Base for Warming Drawer Insert, 1 Drawer. 9.75"H grill shelf (9.5"H trim kit sides)


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 10.375". Verify overall appliance dimensions to ensure proper fit.

27" Depth SKU	24" Depth SKU
OGW3310	N/A
OGW3610	N/A

#### Grill/Warming Drawer Cabinets - OGWxx01, xx11, xx21

#### \*Return to Table of Contents

#### \*Return to Table of Contents




#### Product Description

OGWxx20: Outdoor Grill Base for Warming Drawer Insert, 2 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 10.375". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW4220	OGW4220-24
OGW4520	OGW4520-24
OGW4820	OGW4820-24
OGW5420	OGW5420-24




#### Product Description


OGWxx30: Outdoor Grill Base for Warming Drawer Insert, 3 Drawers. 9.75"H grill shelf (9.5"H trim kit sides)


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 10.375". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW5430	N/A
OGW5830	N/A
OGW6230	N/A







#### Product Description

OGWxx01: Outdoor Grill Base for Warming Drawer Insert, 1 Door..

9.75"H grill shelf (9.5"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height is 17.75". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW5401	N/A
OGW5801	N/A
OGW6201	N/A

#### Product Description

OGWxx11: Outdoor Grill Base for Warming Drawer Insert, 1 Door, 1 Drawer. 9.75"H grill shelf (9.5"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW5411	N/A

#### Product Description

OGWxx21: Outdoor Grill Base, for Warming Drawer Insert, 1 Door, 2 Dawers. 9.75"H grill shelf (9.5"H trim kit sides)


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Verify overall appliance dimensions to ensure proper fit.


27" Depth SKU	24" Depth SKU
OGW5421	N/A
OGW5821	N/A
OGW6221	N/A


#### Grill/Warming Drawer Cabinets - OGWxx01H11, xx11H11, xx21H11

\*Return to Table of Contents

#### \*Return to Table of Contents







#### Product Description

OGWxx00D: Outdoor Grill Base, Deep, for Warming Drawer Insert, No Doors or Drawers. 11"H grill shelf (10.75"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height for warming drawer is 16.5". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW3600H11	N/A
OGW3900H11	N/A
OGW4200H11	N/A
OGW4500H11	N/A
OGW4800H11	N/A

#### Product Description

OGWxx10H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Drawer. 11"H grill shelf (10.75"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height for warming drawer is 9.625". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW3310H11	N/A
OGW3610H11	N/A


#### Product Description


OGWxx20H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 2 Drawers. 11"H grill shelf (10.75"H trim kit sides)


\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height for warming drawer is 9.625". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW4220H11	N/A
OGW4820H11	N/A
OGW5420H11	N/A







# Product Description OGWxx01H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Door. 11"H grill shelf (10.75"H trim kit sides) \*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout heigh for warming drawer is 16.5". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW5401H11	N/A
OGW5801H11	N/A
OGW6201H11	N/A

#### **Product Description**

OGWxx11H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Door, 1 Drawer. 11"H grill shelf (10.75"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW5411H11	N/A


#### **Product Description**

OGWxx21H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 1 Door, 2 Dawers. 11"H grill shelf (10.75"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Verify overall appliance dimensions to ensure proper fit.

27" Depth SKU	24" Depth SKU
OGW5421H11	N/A
OGW5821H11	N/A
OGW6221H11	N/A

#### \*Return to Table of Contents




#### Product Descriptio

OGWxx30H11: Outdoor Grill Base, Deep, for Warming Drawer Insert, 3 Drawers. 11"H grill shelf (10.75"H trim kit sides)

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket. Max cutout height for warming drawer is 9.625". Verify overall appliance dimensions to ensure proper fit.

Note: All cooking appliance cabinets come standard with vented access covers at back wall & floor of these cabinets.

27" Depth SKU	24" Depth SKU
OGW5430H11	N/A
OGW5830H11	N/A
OGW6230H11	N/A




#### Product Descriptio

OOCxx00: 30"W x 27"D Base Oven Cabinet, full height oven front. Must specify built-in oven.

\*Includes spacers on bottom of cabinet to support appliance. Includes anti-tip bracket.

27" Depth SKU	24" Depth SKU
OOC3000	OOC3000-24
OOC3600	OOC3600-24







#### **Product Description**

PPS – Post and Panel System: Using a combination of supports, spacers, and panels you can create countertop space without the additional cost of doors or drawers. These parts assemble to be stand-alone units or connect with base cabinets. Ideal for multi-family spaces, the supports can also be brought down to ADA compliant height with our available ADA legs.

36"H versions of all PPS parts are available as well, with an extra option of 18"D. 36"H PPS parts are designated with a -TALL at the end of the SKU.






PPS Support End

Note: If PPS PANELS are powder coated, the PPS SUPPORT MID and END parts will be powder coated as well.

18" Depth SKU	Description
PPS SUPPORT MID 18	3"W x 18"D x 30"H Middle supports (unfinished, hidden from view)
PPS SUPPORT MID 18-TALL	3"W x 18"D x 36"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 18-TALL	3"W x 18"D x 36"H End supports (one finished side for ending a run)
24" Depth SKU	Description
PPS SUPPORT MID 24	3"W x 24"D x 30"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 24	3"W x 24"D x 30"H End supports (one finished side for ending a run)
PPS SUPPORT MID 24-TALL	3"W x 24"D x 36"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 24-TALL	3"W x 24"D x 36"H End supports (one finished side for ending a run)
27" Depth SKU	Description
PPS SUPPORT MID 27	3"W x 27"D x 30"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 27	3"W x 27"D x 30"H End supports (one finished side for ending a run)
PPS SUPPORT MID 27-TALL	3"W x 27"D x 36"H Middle supports (unfinished, hidden from view)
PPS SUPPORT END 27-TALL	3"W x 27"D x 36"H End supports (one finished side for ending a run)

112 \_\_\_\_\_\_\_\_ 113





Spacers consist of 3 panels that connect supports to each other, support to cabinet, or cabinets together.

\*NOTE: If PPS PANELS are powder coated, the PPS SPACER parts will be powder coated as well.

Width	Spacer SKU
6"W	PPS SPACER 6
	PPS SPACER 6-TALL
9"W	PPS SPACER 9
	PPS SPACER 9-TALL
12"W	PPS SPACER 12
	PPS SPACER 12-TALL
15"W	PPS SPACER 15
	PPS SPACER 15-TALL
18"W	PPS SPACER 18
	PPS SPACER 18-TALL
21"W	PPS SPACER 21
	PPS SPACER 21-TALL
24"W	PPS SPACER 24
	PPS SPACER 24-TALL
27"W	PPS SPACER 27
	PPS SPACER 27-TALL
30"W	PPS SPACER 30
	PPS SPACER 30-TALL
33"W	PPS SPACER 33
	PPS SPACER 33-TALL
36"W	PPS SPACER 36
	PPS SPACER 36-TALL
39"W	PPS SPACER 39
	PPS SPACER 39-TALL
42"W	PPS SPACER 42
	PPS SPACER 42-TALL

#### Post and Panel System - PPS PANELS





#### (PPS PANELS Cont.)

Width	Panel SKU	Tall Panel SKU
30"W	PPS PANEL 30	PPS PANEL 30-TALL
	PPS PANEL 30 ELEC	PPS PANEL 30-TALL ELEC
	PPS PANEL 30 KW	PPS PANEL 30 KW-TALL
	PPS PANEL 30 VN	
33"W	PPS PANEL 33	PPS PANEL 33-TALL
	PPS PANEL 33 ELEC	PPS PANEL 33-TALL ELEC
	PPS PANEL 33 KW	PPS PANEL 33 KW-TALL
	PPS PANEL 33 VN	
36"W	PPS PANEL 36	PPS PANEL 36-TALL
	PPS PANEL 36 ELEC	PPS PANEL 36-TALL ELEC
	PPS PANEL 36 KW	PPS PANEL 36 KW-TALL
	PPS PANEL 36 VN	
39"W	PPS PANEL 39	PPS PANEL 39-TALL
	PPS PANEL 39 ELEC	PPS PANEL 39-TALL ELEC
42"W	PPS PANEL 42	PPS PANEL 42-TALL
	PPS PANEL 42 ELEC	PPS PANEL 42-TALL ELEC
45"W	PPS PANEL 45	PPS PANEL 45-TALL
	PPS PANEL 45 ELEC	PPS PANEL 45-TALL ELEC
48"W	PPS PANEL 48	PPS PANEL 48-TALL
	PPS PANEL 48 ELEC	PPS PANEL 48-TALL ELEC


Finished panels hang over the spacers and supports for an even look, so specify panels based on total width of span. The finished panels are ¾" thick and sit flush with door/ drawer fronts on cabinets as well as back panels if used.

Width	Panel SKU	Tall Panel SKU
9"W	PPS PANEL 9	PPS PANEL 9-TALL
	PPS PANEL 9 ELEC	PPS PANEL 9-TALL ELEC
	PPS PANEL 9 KW	PPS PANEL 9 KW-TALL
	PPS PANEL 9 VN	
12"W	PPS PANEL 12	PPS PANEL 12 TALL
	PPS PANEL 12 ELEC	PPS PANEL 12-TALL ELEC
	PPS PANEL 12 KW	PPS PANEL 12 KW-TALL
	PPS PANEL 12 VN	
15"W	PPS PANEL 15	PPS PANEL 15-TALL
	PPS PANEL 15 ELEC	PPS PANEL 15-TALL ELEC
	PPS PANEL 15 KW	PPS PANEL 15 KW-TALL
	PPS PANEL 15 VN	
18"W	PPS PANEL 18	PPS PANEL 18-TALL
	PPS PANEL 18 ELEC	PPS PANEL 18-TALL ELEC
	PPS PANEL 18 KW	PPS PANEL 18 KW-TALL
	PPS PANEL 18 VN	
21"W	PPS PANEL 21	PPS PANEL 21-TALL
	PPS PANEL 21 ELEC	PPS PANEL 21-TALL ELEC
	PPS PANEL 21 KW	PPS PANEL 21 KW-TALL
	PPS PANEL 21 VN	
24"W	PPS PANEL 24	PPS PANEL 24-TALL
	PPS PANEL 24 ELEC	PPS PANEL 24-TALL ELEC
	PPS PANEL 24 KW	PPS PANEL 24 KW-TALL
	PPS PANEL 24 VN	
27"W	PPS PANEL 27	PPS PANEL 27-TALL
	PPS PANEL 27 ELEC	PPS PANEL 27-TALL ELEC
	PPS PANEL 27 KW	PPS PANEL 27 KW-TALL
	PPS PANEL 27 VN	

(PPS PANELS Cont. on Next Page)

#### Post and Panel System - PPS CABINET CONNECTOR

\*Return to Table of Contents




#### Product Description


PPS CABINET CONNECTOR: Required when a PPS Spacer is attaching to a cabinet. One connector needed PER side when installed between two base cabinets.

Note: This part is not needed for connecting to ADA Sink Bases. Those cabinets have pre-drilled holes in the sides for accepting PPS Spacers.

#### Tall Storage Cabinets - TBxxzz


- Available in heights of 84", 90", and 96". The height includes the cabinet box and 4.5"H adjustable leg.
- 24"D and 27"D cabinet boxes only, 24.88"D and 27.88" with door fronts
- 84"H tall bases 18" or 21"W are available with a single Full-Height Door. 84"H tall bases 24"W and wider are available with 2 Full-Height Doors.
- 18"W and 21"W tall bases have 2 Doors (1 upper and 1 lower) at 90"H and 96"H, and there is an option for 2 doors at 84"H as well. 24"W and wider have 4 doors.
- · Cabinets come standard with 4.50" adjustable legs.
- Black anodized toe kick may be ordered and cut on-site.
- Comes with 5 adjustable shelves (full height door) or 4 adjustable shelves (door at top).
- Flush and 3/4"thick finished side panels available.
- Tall base cabinets need to be secured to a back wall in the field.
- · Note that default handle placement for lower doors is at the mid-point of the door's height.






Door removed to show shelving







Product Description				
TBxx84-FHD: Tall base, 24" or 27" depth, 1 Full-Height Door. Hampton slab door only.				
24" Depth SKU 27" Depth SKU				
TB1884-24-FHD-LH	TB1884-FHD-LH			
TB1884-24-FHD-RH	TB1884-FHD-RH			
TB2184-24-FHD-LH TB2184-FHD-LH				
TB2184-24-FHD-RH TB2184-FHD-RH				

84-FHD-LH			- ∥.	•	∥ 9	ı
84-FHD-RH				•		
.84-FHD-LH			┈╟	;		
.84-FHD-RH						
	'		ľ			
				•		
		79.50	) [			
			┈╟			
	24	00			∥ ۹	
	841		╟	:		J
				•		
			•	•		
				•		
		/	/ <u>`</u>		/	]_
		4.50			<u></u>	
					י	
	1					
otion						
or 27" depth, 2				// 🔌		
slab doors only.				24.88		
	i	1	11	200	<i>22</i> 2	




24" Depth SKU				
	TB1884-24-LH	TB1884-24-RH		
	TB1890-24-LH	TB1890-24-RH		
	TB1896-24-LH	TB1896-24-RH		
	TB2184-24-LH	TB2184-24-RH		
	TB2190-24-LH	TB2190-24-RH		
	TB2196-24-LH	TB2196-24-RH		






l	Product Description
	TBxx84-FHD: Tall base, 24" or 27" depth, 2 Full-Height Doors. Hampton slab doors only.

24" Depth SKU	27" Depth SKU
TB2484-24-FHD	TB2484-FHD
TB2784-24-FHD	TB2784-FHD
TB3084-24-FHD	TB3084-FHD
TB3384-24-FHD	TB3384-FHD
TB3684-24-FHD	TB3684-FHD



#### Tall Oven Cabinets - TTxxzz-24: 2 Doors, 2 Drawers


#### \*Return to Table of Contents



84" Tall	90" Tall	96" Tall
TB2484-24	TB2490-24	TB2496-24
TB2784-24	TB2790-24	TB2796-24
TB3084-24	TB3090-24	TB3096-24
TB3384-24	TB3390-24	TB3396-24
TB3684-24	TB3690-24	TB3696-24


TBxxyy: Tall base, 27" depth, 4 Doors, 2 Upper Doors, 2 Lower Doors. Hampton slab or Key West doors only.			
84" Tall	90" Tall	96" Tall	
TB2484	TB2490	TB2496	
TB2784	TB2790	TB2796	
TB3084	TB3090	TB3096	
TB3384	TB3390	TB3396	
TB3684	TB3690	TB3696	


24.88 Or 27.88	31,38
91.50	
4,50	



TTxxyy: Tall Oven Cabinet, 24" depth 2 Upper Doors, 2 Lower Drawers. Specify ovens being used.		
84" Tall	90" Tall	96" Tall
TT2784-24	TT2790-24	TT2796-24
TT3084-24	TT3090-24	TT3096-24
TT3384-24	TT3390-24	TT3396-24
TT3684-24	TT3690-24	TT3696-24

TTxxyy: Tall Oven Cabinet, 27" depth 2 Upper Doors, 2 Lower Drawers. Specify ovens being used.			" depth ers.	
	84" Tall 90" Tall 96" Tall			
	TT3384	TT3390	TT3396	
	TT3684 TT3690 TT3696			





#### Tall Cabinet Accessories -Side Panels: OSPT xxzzL/R

#### \*Return to Table of Contents

#### \*Return to Table of Contents

#### Product Description


TFLF: Tall base cabinet front filler for use with tall storage bases and tall oven bases. Sits flush with door/drawer faces. 1"W minimum, available in 1/8" increments as needed. Specify width and tall base height.


Example SKUs:

TFLF 2.88 84

TFLF 4.50 96

11 E1 4.50 50		
27" Depth SKU	Description	
TFLF03XX	3"W Tall Front Filler. Specify 84", 90", or 96" height.	
TFLF04XX	4"W Tall Front Filler. Specify 84", 90", or 96" height.	
TFLFXXXX	Custom width Tall Front Filler. Engineering charges may apply. Contact Sales for more information. XX" Wide x XX" High	





### storage bases and tall oven bases, 24"W x XX"H, sits flush to cabinet side, specify tall base height and side. OFET: Tall base flush side panel for tall

storage bases and tall oven bases, 27"W x XX"H, sits flush to cabinet side, specify tall base height and side.

	SKU	
84"H Cabinet	90"H Cabinet	96"H Cabinet
OFET 2784L	OFET 2790L	OFET 2796L
OFET 2784R	OFET 2790R	OFET 2796R

OFFT 79.5", 85.5", or 91.5"

1 79.5" or 85 5" or 91.5"

Product Description

OSPT: ¾" Thick tall base side panel for tall storage bases and tall oven bases, 24.88"W x XX"H, sits flush with door/drawer faces, specify tall base height and side.

SKU			
84"H Cabinet	90"H Cabinet	96"H Cabinet	
OSPT 2484L	OSPT 2490L	OSPT 2496L	
OSPT 2484R	OSPT 2490R	OSPT 2496R	

#### Product Description

OSPT: ¾" Thick tall base side panel for tall storage bases and tall oven bases, 27.88"W x XX"H, sits flush with door/drawer faces, specify tall base height and side.


SKU			
84"H Cabinet	90"H Cabinet	96"H Cabinet	
OSPT 2784L	OSPT 2790L	OSPT 2796L	
OSPT 2784R	OSPT 2790R	OSPT 2796R	

OFET: Tall base flush side panel for tall

JKU			
84"H Cabinet	90"H Cabinet	96"H Cabinet	
OFET 2484L	OFET 2490L	OFET 2496L	
OFET 2484R	OFET 2490R	OFET 2496R	

retain to table of content


#### All Danver Accessories use nomenclature designed to help you find the desired part.



Part Name	Description	Part Usage Summary
FSxxB	Floating Shelf	Wall mounted shelf with floating appearance to match cabinet fronts
OAF90 xx	Angled Front Filler 90 degrees	Front corner filler to attach two sides of L-shaped run
OAR90 xx	Angled Rear Filler 90 degrees	Rear corner filler with post, fills void and provides countertop support
OBPVGFxx	Back Panel Vented Galvanized	Applied to cabinet back as attachment point for Equal Back Panels
OBPVxx	Back Panel Vented	Finishes back of appliance cabinet, .75" depth
ОВРхх	Back Panel (Non-vented)	Finishes back of non-appliance cabinet, .75" depth
ОВХ	Box Column	Used between two undercounter appliances as countertop support
OBXF	Box Column Filler	Skin that connects over front and back of OBX to increase width
OCPS	Countertop Pier Support	Used to create a bar area behind cabinets
ocs	Countertop Support	Support between cabinet and refrigerator box column
OFE xxL/R OCS	Flush End Left/Right for OCS	Notched for use on cabinet with OCS countertop span applied
OFExxL	Flush End Left	Applied to cabinet next to undercounter appliance or to end run
OFF	Full-Height Door Filler	4" deep cabinet with no back wall for easy access to area behind
OFL	Filler Rear	Used between two cabinets to fill rear space, .75" minimum
OFLA	Front Filler Adjustable	Filler that can be adjusted as needed, seam in middle
OFLF	Filler Front	Used between two cabinets to fill front space, .75" minimum
OFLFxx END	Filler Front End	Used to end run: one side attaches to cabinet, other to wall
OFTS	Fridge Top Spacer	Fills void between countertop and top of undercounter appliance
OPP	Propane Pullout Shelf	Used in opening under door appliance base to hold propane tank
ORP	Refrigerator Box Column	Ends run and supports countertop next to undercounter appliance
ORPS	Refrigerator Panel Skin	Connects over an ORP to increase depth
ORS	Refrigerator Spacer	Spacer for undercounter appliance, pick size .25" larger than cutout
OSHxx	Half-Depth Shelf	Additional shelf for standard bases, 15" deep
OSHxxP	Pullout Shelf	Used under door side of appliance base for easy access storage
OSHxxxx	Full-Depth Shelf	Additional shelf for standard bases, 24" or 27" deep
OSP KW	Side Panel Key West Door	Decorative panels to match any door front style (Venice, Louver, etc.)
OSP xxL Extend	Side Panel Left Extended	Extends past cabinet back to cover gap between wall and cabinet
OSPxxL	Side Panel Left	Applied to end of run to finish cabinet side
откх	Toe Kick	zBlack composite material to cover legs: 2", 4.38", and 6" heights
ОТРхх	Trash Pullout	Used to convert standard door to trash pullout for base cabinets

#### Miscellaneous - Floating Shelves: FSxxB

#### \*Return to Table of Contents




Product Description		
Floating Shelf: xx"W x 2.5"H x 10"D		
SKU	Bracket/Arm Configuration	
FS18B	17.7" bracket, no arms	
FS24B	17.7" bracket, 2 arms	
FS30B	27.2" bracket, no arms	
FS36B	27.2" bracket, 2 arms	
FS42B	2x 17.7" brackets, 2 arms	
FS48B	2x 17.7" brackets, 4 arms	
FS60B	2x 27.2" brackets, no arms	
FS72B	2x 27.2" brackets, 4 arms	

Note: 3" Floating shelf arms pictured in red are automatically installed on brackets based on width (see table above).

Floating shelf bracket mounting

hole locations shown in left diagram.

Cannot be Wood Grain powder coated.



72.00 Shelf Length

#### Miscellaneous - Floating Shelves: Puck Lights

Ø2.125 ¬


#### \*Return to Table of Contents


#### Product Description

Add Floating Shelf Puck light holes (specify number and location with drawing), lot charge per shelf.

**Note:** Puck light holes cannot be placed in the same location as internal mounting bracket(s). Engineering must verify hole placement is possible based on internal brackets shown in the diagrams to the left.


PUCK






#### Cabinet Accessories - Back Panels: OBPxx

#### \*Return to Table of Contents





#### Product Descripti

OBP: ¾" Thick back panel for base cabinets. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels (ex. OBF4202 uses two 21"W back panels).


Note: Use standard OBP for ADA SINK SPACE.

Note: Use standard OBP for ADA SINK SPACE.			
SKU	Description		
OBP09	9" back panel		
OBP12	12" back panel		
OBP15	15" back panel		
OBP18	18" back panel. Order 1 for an 18" or 2 for a 36" non- appliance cabinet.		
OBP19.5	19 1/2" back panel. Order 2 for a 39" non-appliance cabinet.		
OBP21	21" back panel. Order 1 for a 21" cabinet or 2 for a 42" cabinet.		
OBP22	22" back panel. Order 3 for Galley sink - OBS6603.		
OBP22.5	22 1/2" back panel. Order 2 for a 45" non-appliance cabinet.		
OBP24	24" back panel. Order 1 for a 24" cabinet or 2 for a 48" cabinet.		
OBP26	26" back panel. Order 2 for a 52" non-appliance cabinet.		
OBP27	27" back panel		
OBP30	30" back panel		
OBP33	33" back panel		
OBP36	36" back panel		
OBP39	39" back panel		

#### Cabinet Accessories - Vented Back Panels: OBPV

#### \*Return to Table of Contents

#### \*Return to Table of Contents





OBP: ¾" Thick back panel for base cabinets. Fits
exact width of cabinet up to 39"W, wider cabinets
use two smaller back panels (ex. OBF4202 uses two
21" W back panels).

Note: Use OBPXX ADA SINK SPACE for ADA SINK SPACE applications.

Note: OBPxx ADA EXTEND 6/8 panels are available for use on the bases next to Equal BPs.

SKU	Description
OBP36 ADA	36" back panel for OBS3600 ADA
OBP39 ADA	39" back panel for OBS3900 ADA
OBP42 ADA	42" back panel for OBS4200 ADA
OBP48 ADA	48" back panel for OBS4800 ADA






# OBPV: ¾" Thick vented back panel for base cabinets. Use with cooking appliance cabinets (OGB, OBB, etc.), fits exact width of cabinet up to 36"W, wider cabinets use two smaller back panels (ex. OGB5841 uses two 29"W back panels).

SKU	Description
OBPV15	15" vented back panel
OBPV18	18" vented back panel. Order 1 for a side burner or 2 for a 36" grill cabinet.
OBPV21	21" vented back panel. Order 2 for a 42" grill cabinet.
OBPV24	24" vented back panel. Order 2 for a 48" grill cabinet.
OBPV24 OGF	24" vented back panel. Order 2 for a 48" OGF cabinet.
OBPV27	27" vented back panel. Order 2 for a 54" grill cabinet.
OBPV29	29" vented back panel. Order 2 for a 58" grill cabinet.
OBPV30	30" vented back panel
OBPV31	31" vented back panel. Order 2 for a 62" grill cabinet.
OBPV31 OGF	36" vented back panel. Order 2 for 62" OGF cabinet.
OBPV33	33" vented back panel
OBPV36	36" vented back panel
OBPV39	39" vented back panel.

#### **Exploded View**





Product Description

OBPVGF: Base cabinet galvanized flush back panel. Sits flush in cabinet back, used


to fill in cabinet back for adhering waterfall


countertops and other materials. Used in





conjunction with Equal Back Panels and Extended Back Panels. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels.		
SKU	Description	
OBPVGF09	Galvanized 9" filler back panel	
OBPVGF12	Galvanized 12" filler back panel	
OBPVGF15	Galvanized 15" filler back panel	
OBPVGF18	Galvanized 18" filler back panel. Order 1 for an 18" side burner or 2 for a 36" grill cabinet.	
OBPVGF21	Galvanized 21" filler back panel. Order 1 for an 21" side burner or 2 for a 42" grill cabinet.	
OBPVGF22.5	Galvanized 22.5" filler back panel. Order 2 for a 45" cabinet.	
OBPVGF24	Galvanized 24" filler back panel. Order 2 for a 48" grill cabinet.	
OBPVGF27	Galvanized 27" back panel. Order 2 for a 54" grill cabinet.	
OBPVGF29	Galvanized 29" filler back panel. Order 2 for a 58" grill cabinet.	
OBPVGF30	Galvanized 30" filler back panel.	
OBPVGF31	Galvanzied 31" filler back panel. Order 2 for 62" OGF cabinet.	
OBPVGF33	Galvanized 33" filler back panel	
OBPVGF36	Galvanized 36" filler back panel	
OBPVGF39	Galvanized 39" filler back panel	





#### OBPVGF: Base cabinet galvanized flush back panel, 36"H for OBFWDxx36 cabinets. Sits flush in cabinet back, used to fill in cabinet back for adhering waterfall countertops and

other materials. Used in conjunction with Equal Back Panels and Extended Back Panels. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller back panels.

SKU	Description
OBPVGF09 36H	Galvanized 9" filler back panel
OBPVGF12 36H	Galvanized 12" filler back panel
OBPVGF15 36H	Galvanized 15" filler back panel
OBPVGF18 36H	Galvanized 18" filler back panel. Order 1 for an 18" side burner or 2 for a 36" grill cabinet.
OBPVGF21 36H	Galvanized 21" filler back panel. Order 1 for an 21" side burner or 2 for a 42" grill cabinet.
OBPVGF24 36H	Galvanized 24" filler back panel. Order 2 for a 48" grill cabinet.
OBPVGF27 36H	Galvanized 27" back panel. Order 2 for a 54" grill cabinet.
OBPVGF30 36H	Galvanized 30" filler back panel.
OBPVGF33 36H	Galvanized 33" filler back panel
OBPVGF36 36H	Galvanized 36" filler back panel

#### Cabinet Accessories - Extended Equal Back Panels

#### \*Return to Table of Contents

#### \*Return to Table of Contents

# OBPYGE21 OBPYGE21 NN PAMEL CQUAL BP VENTED


#### Product Description


Equal Back Panels: ¾" Thick back panels for base cabinets made to match any door style. Widths 9"W – 36"W, custom made to equally span across a run. Must be ordered with OBPVGF galvanized filler back panels on corresponding cabinets for proper installation. Vented or nonvented depending on what cabinets they are being installed on.

Notes: When used with OSP finished side panels, choose the depth of the cabinet with back panels (ex: OSP 28.63 for 27.88"D cabinets).

When using Equal Back Panels with an OAR corner setup, one side will overhang by .75" to meet up with the equal panels on the other side.

SKU			
Door Style	Non-vented	Vented	
Hampton	EQUAL BP HM PANEL	EQUAL BP HM PANEL VENTS	
Key West	EQUAL BP KW PANEL	EQUAL BP KW PANEL VENTS	
Key West Beadboard Center	EQUAL BP KW BB CENTER	EQUAL BP KW BB CENTER VENTS	
Key West Louvered Center	EQUAL BP KW LV CENTER	EQUAL BP KW LV CENTER VENTS	
Venice	EQUAL BP VN	EQUAL BP VN VENTS	
Palm Beach	EQUAL BP PB PANEL	EQUAL BP PB PANEL VENTS	








EQUAL BP HM PANEL EXTEND VENTS or NO VENTS: 3/4" thick back panels for base cabinets that extend above cabinet tops. Height does not scale with countertop height, panels end 6" or 8" above the cabinet tops without any countertop. Widths 9"W - 36"W, custom made to span equally across a run. Must be ordered with OBPVGF galvanized filler back panels on corresponding cabinets to install. Vented or non-vented depending on cabinets installed on.

Notes: When used with OSP finished side panels, choose the depth of the cabinet <u>without</u> back panels. (Ex: OSP 27.88L or R for 27.88"D cabinets). When using Extended Back Panels with an OAR corner setup, one side will overhang by .75" to meet with equal panels on other side

SKU	Description
EQUAL BP HM PANEL EXTEND 6	Finished equal back panels that extend 6" above cabinet tops.
EQUAL BP HM PANEL EXTEND 6 VENTS	Finished vented equal back panels that extend 6" above cabinet tops.
EQUAL BP HM PANEL EXTEND 8	Finished equal back panels WITHOUT VENTS that extend 8" above cabinet tops (ADA height). This back panel can ONLY be used with the OCPS41 countertop support pier.
EQUAL BP HM PANEL EXTEND 8 VENTS	Finished equal back panels that extend 8" above cabinet tops (ADA height). This back panel can ONLY be used with the OCPS41 countertop support pier.






#### Cabinet Accessories - ADA Extended Equal Back Panels

#### \*Return to Table of Contents

#### Product Description

OBPXX ADA EXTEND VENTS or NO VENTS: 3/4" thick back panels for ADA base cabinets that extend above cabinet tops. Height does not scale with countertop height, panels end 6" or 8" above the cabinet tops without any countertop. Fits exact width of cabinet up to 39"W, wider cabinets use two smaller equal back panels.

Non-Vented SKU	Vented SKU
OBP36 ADA EXTEND 6	OBPV36 ADA EXTEND 6
OBP39 ADA EXTEND 6	OBPV39 ADA EXTEND 6
OBP42 ADA EXTEND 6	OBPV42 ADA EXTEND 6
OBP45 ADA EXTEND 6	OBPV45 ADA EXTEND 6
OBP48 ADA EXTEND 6	OBPV48 ADA EXTEND 6
OBP60 ADA EXTEND 6	OBPV60 ADA EXTEND 6
Non-Vented SKU	Vented SKU
OBP36 ADA EXTEND 8	OBPV36 ADA EXTEND 8
OBP39 ADA EXTEND 8	OBPV39 ADA EXTEND 8
OBP42 ADA EXTEND 8	OBPV42 ADA EXTEND 8
OBP45 ADA EXTEND 8	OBPV45 ADA EXTEND 8
OBP48 ADA EXTEND 8	OBPV48 ADA EXTEND 8




OBP36 ADA EXTEND 6

extended height equal back panels being used in a run, in conjunction with an ADA Sink Base.


Galvanized back panels are not needed for application.

The EXTEND 8" panels are for an ADA application that uses OCPS41, 41E, 41-12 and 41-12E piers for use with barstools. If not using barstools, the EXTEND 6" on it's own, or paired with OCPS41 will work.



#### Cabinet Accessories - Flush End Panels: OFE xxL/R, OFEGFxx

\*Return to Table of Contents



OFE: Base cabinet flush side panel. Sits flush to cabinet side, specify based on cabinet side and depth. No round access hole cutout or attachment holes for ORS.		
24" Depth SKU		
OFE 24L		
OFE 24R		
escription		
֡		

OFE APPLIANCE: Base cabinet flush side panel. Sits flush to cabinet side, has round knockout access hole for plumbing/electrical in rear of panel, used to finish a cabinet side adjacent to an undercounter appliance. Specify


Product Description


## based on cabinet side and depth. 27" Depth SKU OFE 27L APPLIANCE OFE 24L APPLIANCE OFE 24R APPLIANCE

ı	Product Description
	OFEGF: Base cabinet galvanized flush side panel. Sits flush in cabinet side, used to fill in cabinet side for adhering waterfall countertops

and other materials. Specify based on cabinet

27" Depth SKU	24" Depth SKU
OFEGF27	OFEGF24







depth.

#### Cabinet Accessories - Flush End Panels GFCI: OFE xxL/R ELEC

#### \*Return to Table of Contents



OFE xxL/R ELEC FRONT or REAR: Base cabinet flush side panel. Sits flush to cabinet side, specify based on cabinet side and depth. Choose Front or Rear GFCI cutout in standard location.			
27" Depth SKU	24" Depth SKU		
OFE 27L ELEC FRONT	OFE 24L ELEC FRONT		
OFE 27R ELEC FRONT	OFE 24R ELEC FRONT		
OFE 27L ELEC REAR			
OFE 27R ELEC REAR			




#### Cabinet Accessories - Side Panels: OSP xxL/R


## OSP: ¾" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and

OSP: ¾" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels).

24" Depth SKU			
OSP 24.88L			
OSP 24.88R			
OSP 25.63L	24"D Cabinet with back panel		
OSP 25.63R	24"D Cabinet with back panel		
	27" Depth SKU		
27" De	oth SKU		
27" Dep OSP 27.88L	oth SKU		
	oth SKU		
OSP 27.88L	27"D Cabinet with back panel		


OSP panels can be made to match any door style.		
SKU Prefix	Door Style	
OSP KW	Key West Panel	
OSP KW BB	Key West Bead Board Center	
OSP KW LV	Key West Louvered Center	
OSP KW SG	Key West Seaglass Center (Sky Blue, Seafoam Green, or Cloud White)	
OSP PB	Palm Beach Panel	
OSP VN	Venice Panel	





OSP: ¾" Thick side panels for base cabinets. Panels sit flush with door/drawer faces and back panels if used. Specify based on cabinet side and depth (select .75" deeper for use with back panels). Choose Front or Rear GFCI cutout in standard location.

24" Depth SKU
OSP 24.88L ELEC FRONT
OSP 24.88R ELEC FRONT
OSP 25.63L ELEC FRONT
OSP 25.63R ELEC FRONT
OSP 27.88L ELEC FRONT
OSP 27.88R ELEC FRONT
OSP 27.88L ELEC REAR
OSP 27.88R ELEC REAR
OSP 28.63L ELEC FRONT
OSP 28.63R ELEC FRONT
OSP 28.63L ELEC REAR
OSP 28.63R ELEC REAR




#### Cabinet Accessories - Extended Side Panels: OSP EXTEND

\*Return to Table of Contents

XX"=Cabinet depth (24.88" or

27.88") x XX" extended depth



	Product D	escription	
	OSP EXTEND: ¾" Thick side panels for base cabinetry, extends past the back of cabinet to cover gaps in back when cabinets are pulled forward from walls. Panels sit flush with door/drawer faces in front. 3" and 4" extended panels standard. Custom sizes also available, use "XX" SKU. Specify based on cabinet size and depth.		
	27" Depth SKU	24" Depth SKU	
	OSP 27.88L EXTEND 3.0	OSP 24.88L EXTEND 3.0	
OSP 27.88R EXTEND 4.0		OSP 24.88R EXTEND 4.0	
	Custom SKU	Note	

OSP XXL/R EXTEND XX

needed

#### Cabinet Accessories - Access Door Fillers: OFFxx

no backwall allows for

acces to area behind

attaches like a filler between

two base cabinets

#### \*Return to Table of Contents


OFF: Full-Height door filler cabinet, 4"D with no back wall for easy access to area behind. 1 Door at 24"W and smaller, 2 doors at 27-36"W. Attaches between two base cabinets.

\*legs/toe kick/frame remain in place when door is

1 Door SKU	2 Door SKU
OFF09-LH / RH	OFF27
OFF12-LH / RH	OFF30
OFF15-LH / RH	OFF33
OFF18-LH / RH	OFF36
OFF21-LH / RH	
OFF24-LH / RH	

OFF CORNER: Full-Height door filler cabinet, 4"D with no back wall for easy access to area behind. Installs in between two cabinets at a corner. 1 Door, specify hinge direction.


OFF15.5 CORNER



#### Cabinet Accessories - Front Fillers: OFLFxx, OFLF ENDxx

\*Return to Table of Contents






#### Product Description

OFLF: Front base cabinet filler, sits flush with door/drawer faces, joggle bends on both sides to attach between two base cabinets. 1"W minimum, available in 1/8" increments as needed.

Example: OFLF 1.25

OFLFXX

#### OFLF END



#### Product Description


OFLF END: Front base cabinet end filler, sits flush with door/drawer faces, attaches between a base cabinet and a wall. 0.5"W minimum, available in 1/8" increments as needed. Joggle bend on one side to attach to cabinet, flat bend on other side for easy installation to wall, specify side.

Example: OFLF END 2.00

OFLF END XX

#### Cabinet Accessories - Front Fillers: OFLF 24-27L/R, OFLA x-x

#### \*Return to Table of Contents




#### Product Description

OFLF: Front Filler with joggle bends, 29.75"H angled at 45 degrees to connect a 24"D cabinet to a 27"D cabinet or vice versa. Filler width is 4.25"W but it creates a 3"W gap between the cabinets where it connects.

SKU

OFLF 24-27L

OFLF 24-27R



#### Product Description

OFLA: Adjustable front base cabinet filler, 29.75"H, sits flush with door/drawer faces, joggle bends on both sides to attach between two base cabinets.


OFLA 1.0-1.50

OFLA 1.5-2.38

OFLA 2.0-3.5

#### Cabinet Accessories - Rear Filler: OFLxx

#### \*Return to Table of Contents



#### Product Description

OFL: Rear base cabinet filler with two flat bends. Installs flush with cabinet back or back panels if present, attaches between two base cabinets. 1"W minimum, available in 1/8" increments as needed.

Example: OFL 1.25

SKU

OFL XX

### Cabinet Accessories - Front/Rear Fillers with GFCI cutout

\*Return to Table of Contents

# 4.000

### Product Description

OFLF ELEC: Front base cabinet filler, 29.75"H to sit flush with door/drawer faces, joggle bends on both sides to attach between two base cabinets. 1"W minimum, available in 1/8" increments as needed.

Standard GFCI electrical cutout located 4" down from the top of the filler and centered.

\*GFCI Outlet Box not provided.

SKI

OFLF 4.00 ELEC


### Product Description

OFL ELEC: Rear base cabinet filler, installs flush with cabinet back or back panels if present, attaches between two base cabinets. 1"W minimum, available in 1/8" increments as needed.

Standard GFCI electrical cutout located 4" down from the top of the filler and centered.


SKII


OFL 4.00 ELEC




### Cabinet Accessories - Undercounter Appliance Filler: OFTS xx xx

\*Return to Table of Contents








14


We offer a variety of different shelving options including half-depth, full-depth, pullout, and heavy duty pullout shelves for ice chests. NOTE: Appliance shelves are installed in FIXED position and cannot be adjusted.




Product Description
OSHxx: Half-Depth Shelves, 15" deep.
27" Depth SKU
OSH12
OSH15
OSH16.5 (for 33"W grill bases)
OSH18
OSH19.3 (for 58"W grill bases)
OSH20.7 (for 62"W grill bases)
OSH21
OSH24
OSH27
OSH30
OSH33
OSH36
OSH39
OSH42
OSH45
OSH48


Product Description	
OSHxxyy: Full-Depth shelves (15" or 18" deep)	
18" Depth SKU	15" Depth SKU
OSH0918	OSH0915
OSH1218	OSH1215
OSH1518	OSH1515
OSH1818	OSH1815
OSH2118	OSH2115
OSH2418	OSH2415
OSH2718	OSH2715
OSH3018	OSH3015
OSH3318	OSH3315
OSH3618	OSH3615
OSH3918	OSH3915
OSH4218	OSH4215
OSH4518	OSH4515
OSH4818	OSH4815

Product	
	shelves (24" or 27" deep)
27" Depth SKU	24" Depth SKU
OSH0927	OSH0924
OSH1227	OSH1224
OSH1527	OSH1524
OSH16.5-27	OSH16.5-24
OSH1827	OSH1824
OSH2127	OSH2124
OSH22.5-27	OSH22.5-24
OSH2427	OSH2424
OSH2727	OSH2724
OSH3027	OSH3024
OSH3327	OSH3324
OSH3627	OSH3624
OSH3927	OSH3924
OSH4227	OSH4224
OSH4527	OSH4524
OSH4827	OSH4824








Cabinet Accessories - Pullout Shelving




to determine drawer external width.
Subtract 4.22" from cabinet width
to determine drawer internal width.
Drawer depth remains the same
regardless of cabinet width.











Product Description

OSHxxPCHEST: Pullout Shelf with heavy duty




Note: Subtract 3.572" from cabinet width to determine drawer external width. Subtract 4.572" from cabinet width to determine drawer internal width. Drawer depth remains the same regardless of cabinet width.







OPPxx: Propane pullout accessory Designed to fit 18 - 30" wide OBB Side Burner cabinets and 33"-62"W OGB Grill Cabinets. **CANNOT BE USED FOR LC AND DEEP CABINETS!**	

SKU	Description
OPP16.5	Propane Pullout for 1 side of 33" Grill Base
OPP18	Propane Pullout for 18" OBB or 36"/54" Grill Base
OPP19.33	Propane Pullout for 58" Grill cabinet
OPP20.67	Propane Pullout for 62" Grill cabinet
OPP21	Propane Pullout for 21" OBB or 1 side of 42" Grill Base
OPP22.5	Propane Pullout for 1 side of 45" Grill Base
OPP24	Propane Pullout for 24" OBB or 1 side of 48" Grill Base
OPP27	Propane Pullout for 27" OBB Side Burner Base
OPP30	Propane Pullout for 30" OBB Side Burner base







Note: optional lock shown at top on trash pullout image.

OTPxx and OTPxxH11: 28 quart Trash pullout
accessory. Designed to fit 15 - 24" wide OBF,
OBD, OBB Side Burner cabinets and 33"W, 36"W,
42"W and 48"W Grill Cabinets. Can hold up to 111

Product Description

DIPXX and OTPXXHII: 28 quart frash pullout accessory. Designed to fit 15 - 24" wide OBF, DBD, OBB Side Burner cabinets and 33"W, 36"W, 12"W and 48"W Grill Cabinets. Can hold up to 111 bs.		
SKU	Description	
SKU DTP15	Description Single Trash for 15" cabinet or 1 side of 30" Grill cabinet	


	or so Grill Cabinet
OTP15H11	Single Trash for 15" cabinet or 1 side of 30" Grill cabinet, for 11"H shelf
OTP16.5	Single Trash for 1 side of 33" Grill cabinet
OTP16.5H11	Single Trash for 1 side of 33" Grill cabinet, for 11"H shelf
OTP18	Double Trash for 18" cabinet or 36" Grill - side burner
OTP18H11	Double Trash for 18" cabinet or 36" Grill - side burner, for 11"H shelf
OTP19.33	Double Trash for 58" Grill cabinet
OTP19.33H11	Double Trash for 58" Grill cabinet, for 11"H shelf
OTP 19.5	Single Trash for 1 side of 39" Grill cabinet
OTP 19.5H11	Single Trash for 1 side of 39" Grill cabinet, for 11"H shelf
OTP20.67	Double Trash for 62" Grill cabinet
OTP20.67H11	Double Trash for 62" Grill cabinet, for 11"H shelf
OTP21	Double Trash for 21" cabinet or 1 side of 42" Grill cabinet
OTP21H11	Double Trash for 21" cabinet or 1 side of 42" Grill cabinet, for 11"H shelf
OTP 22.5	Single Trash for 1 side of 45" Grill cabinet
OTP 22.5H11	Single Trash for 1 side of 45" Grill cabinet, for 11"H shelf
OTP24	Double Trash
OTP24H11	Double Trash, for 11"H shelf
OTP27	Double Trash
OTP27H11	Double Trash, for 11"H shelf
OTP30	Double Trash
OTP30H11	Double Trash, for 11"H shelf
OTP33	Double Trash
OTP33H11	Double Trash, for 11"H shelf

### Cabinet Accessories - Undercounter Appliance Parts


\*Return to Table of Contents

We offer a variety of different options for designing corners, void spaces, and undercounter appliance areas.

See example below for how to fill a corner void to place refrigerator at end of run.




Example of how to place refrigerator next to corner.





### Cabinet Accessories - Front Corner Fillers: OAF90/45xx

\*Return to Table of Contents



# OAF90: 90 degree front base corner filler, sits flush with door/drawer faces, attaches to two base cabinets, OBX columns, or a combination of the two depending on your design. Note: If an OBX is used at corner for creating an undercounter appliance space, the OAF90 will attach over the OBX (see Sample Layouts sheet at the beginning of this section). Example: OAF90 8.00, 4" x 4" Example: OAF90 9.50, 3.5" x 6" SKU OAF90XX





### Product Description

OAF45: 45 degree front base corner filler, sits flush with door/drawer faces, attaches to two base cabinets, OBX columns, or a combination of the two depending on your design.


Note: If an OBX is used at corner for creating an undercounter appliance space, the OAF45 will attach over the OBX (see Sample Layouts sheet at the beginning of this section).

Example: OAF45 4.00, 2" x 2"

Example: OAF45 7.25, 4.125" x 3.125"

SKU

OAF45XX



152 \_\_\_\_\_\_\_\_ 153

### Cabinet Accessories - Corner Void Support System: OAR90xx

\*Return to Table of Contents

# Size of corner post is constant, width of panels varies depending on cabinet depth, size of front corner filler (OAF90), and whether back panels are used or not. This example is for 27"D cabinets with back panels and a 4" x 4" OAF90 (OAF90 8.00).

Prod	uct	D€	escri	ptio	Ï

OAR90: Rear corner support column with two back panels to attach in void where OAF90 front base corner filler is used. Post size is constant, panel sizes are based on front base corner filler size (OAF90). Single adjustable leg on column to match those on cabinetry, can be upgraded to SSLEG.


1 1 3	
27" Depth SKU	Description
OAR90XX NO VENT	Solid Panels
OAR90XX VENT	Vented Panels
OAR90XX EQUAL BP VENT	galvanized and vented panels, for use with Equal Back Panels and Extened Back Panels

## Size of corner post is constant, width of panels varies depending on cabinet depth, size of front corner filler (OAF45), and whether back panels are used or not. This example is for 27°D cabinets with back panels and a 2° x 2° OAF90 (OAF45 4.00).

### Product Description


OAR45: Rear corner support column with two back panels to attach in void where OAF45 front base corner filler is used. Post size is constant, panel sizes are based on front base corner filler size (OAF45). Single adjustable leg on column to match those on cabinetry, can be upgraded to SSLEG.

27" Depth SKU	Description
OAR45XX NO VENT	Solid Panels
OAR45XX VENT	Vented Panels
OAR45XX EQUAL BP VENT	Galvanized and vented panels, for use with Equal Back Panels and Extened Back Panels



### Cabinet Accessories - OADzz .50 Outdoor Appliance Divider

\*Return to Table of Contents




### Product Description

OADzz .50: Appliance divider with notched toe. Height adjustability between 34.5-35.5" H. To be used in conjunction with ORS (refrigerator spacer). Limit two dividers between cabinets. Not compatible with an ORP at the end of a run. Requires ¾" minimum countertop thickness. Countertop supplier to determined if additional countertop support is needed.

Does not function as countertop support. Limit of two dividers between cabinets.


27" Depth SKU	Description
OAD24.88 .50	.5"W Appliance divider, 24.88"D to fill between undercounter appliances.
OAD25.63 .50	.5"W Appliance divider, 25.63"D to fill between undercounter appliances.
OAD27.88 .50	.5"W Appliance divider, 27.88"D to fill between undercounter appliances.
OAD28.63 .50	.5"W Appliance divider, 28.63"D to fill between undercounter appliances.



### Cabinet Accessories - OADzz .50 ADA Outdoor Appliance Divider

\*Return to Table of Contents

-.50





### Product Description

OADzz .50 ADA: ADA-compliant appliance divider with notched toe. Height adjustability between 32.5-33.5" H. To be used in conjunction with ORS (refrigerator spacer). Limit two dividers between cabinets. Not compatible with an ORP at the end of a run. Requires ¾" minimum countertop thickness. Countertop supplier to determined if additional countertop support is needed.

Does not function as countertop support. Limit of two dividers between cabinets.

27" Depth SKU	Description
OAD24.88 .50 ADA	.5"W Appliance divider, 24.88"D to fill between undercounter appliances.
OAD25.63 .50 ADA	.5"W Appliance divider, 25.63"D to fill between undercounter appliances.
OAD27.88 .50 ADA	.5"W Appliance divider, 27.88"D to fill between undercounter appliances.
OAD28.63 .50 ADA	.5"W Appliance divider, 28.63"D to fill between undercounter appliances.





### Cabinet Accessories - OAR90XX Insert No Vent/Vent Access


\*Return to Table of Contents


### Product Description

OAR90xx Insert No Vent (or Vent) Access:

Rear corner support column with 2 non-vented back panels to attach in void where OAF front corner filler is used. One of the back panels (specify which side in notes and on drawing) comes with an insert (IDR2721-2, 27"W x 21"H Frame, Two Flush Access Doors) installed into it for access into corner. \*NOTE: Insert ALWAYS comes with a slab style door. If panel size is too small for that insert, the next largest insert will be used.\*


27" Depth SKU	Description
OAR90XX INSERT NO VENT ACCESS	Solid Panels, IDR2721-2 in one panel
OAR90XX INSERT VENT ACCESS	Vented Panels, IDR2721-2 in one panel





### Cabinet Accessories - ORP with electrical cutout

### \*Return to Table of Contents



Note: OBX has rectangular cutouts on one side, finished on front and back only.


### Product Description


OBXzz.zz x.xx: Column for countertop support for the middle of a run with an undercounter appliance. Attaches to a cabinet or another column via an ORS panel. Comes in two standard widths and four standard depths to match cabinets with or without back panels. Comes with two adjustable legs to match those on cabinetry.

Example SKU: OBX27.88 2.88

A tapered SSLEG can only be used with 3.88" widths.

SKU			
Prefix	Depth	Width	
OBX	24.88	2.88	
OBX	24.88	3.00	
OBX	24.88	3.88	
OBX	24.88	6.00	
OBX	25.63	2.88	
OBX	25.63	3.00	
OBX	25.63	3.88	
OBX	25.63	6.00	
OBX	27.88	2.88	
OBX	27.88	3.00	
OBX	27.88	3.88	
OBX	28.63	2.88	
OBX	28.63	3.00	
OBX	28.63	3.88	
OBX	29.88	2.88	
OBX	29.88	3.88	
OBX	29.88	6.00	
OBX	30.63	2.88	
OBX	30.63	3.88	
OBX	30.63	6.00	
OBX	30.93	2.88	





### Product Descriptio

\*Return to Table of Contents

### ORPzz.zz x.xx(L or R) ELEC:

Same as standard ORP, but with a standard GFCI electrical cutout located 4" down from the top of the column and centered on front. Left and Right SKUs as cutout negates reversibility.

\*GFCI Outlet Box not provided.

Example SKU: ORP27.88 3.88 ELEC

Example SKU: ORP27.88 3.88 ELEC					
SKU					
Prefix	Depth	Width/Side			
ORP	24.88	3.88L ELEC			
ORP	24.88	3.88R ELEC			
ORP	24.88	6.00L ELEC			
ORP	24.88	6.00R ELEC			
ORP	25.63	3.88L ELEC			
ORP	25.63	3.88R ELEC			
ORP	25.63	6.00L ELEC			
ORP	25.63	6.00R ELEC			
ORP	27.88	3.88L ELEC			
ORP	27.88	3.88R ELEC			
ORP	27.88	6.00L ELEC			
ORP	27.88	6.00R ELEC			
ORP	28.63	3.88L ELEC			
ORP	28.63	3.88R ELEC			
ORP	28.63	6.00L ELEC			
ORP	28.63	6.00R ELEC			
ORP	29.88	3.88L ELEC			
ORP	29.88	3.88R ELEC			
ORP	30.63	3.88L ELEC			
ORP	30.63	3.88R ELEC			
ORP	35.88	3.88L ELEC			
ORP	35.88	3.88R ELEC			
ORP	35.88	6.00L ELEC			
ORP	35.88	6.00R ELEC			
ORP	36.63	3.88L ELEC			
ORP	36.63	3.88R ELEC			
ORP	36.63	6.00L ELEC			
ORP	36.63	6.00R ELEC			


### OBXzz.zz x.xx ELEC:

Same as standard OBX, but with a standard GFCI electrical cutout located 4" down from the top of the column and centered on front.


\*GFCI Outlet Box not provided.

Example SKU: OBX27.88 3.88 ELEC

SKU					
Prefix	Depth	Width			
OBX	24.88	3.88 ELEC			
OBX	24.88	6.00 ELEC			
OBX	25.63	3.88 ELEC			
OBX	25.63	6.00 ELEC			
OBX	27.88	3.88 ELEC			
OBX	27.88	6.00 ELEC			
OBX	28.63	3.88 ELEC			
OBX	28.63	6.00 ELEC			
OBX	29.88	3.88 ELEC			
OBX	30.63	3.88 ELEC			




4.00"



### Cabinet Accessories - End Support Columns: ORPzz.zz x.xx

\*Return to Table of Contents



Note: ORP has rectangular cutouts on one side and is finished on front, back, and one side. Reversible for application on either end of a run.

ORPzz.zz x.xx: Column for countertop support with one finished side for ending a run with an undercounter appliance. Attaches to a cabinet or another column via an ORS panel. Comes in two standard widths and four standard depths to match cabinets with or without back panels. Can be upgraded to match door styles on finished side. Comes with two adjustable legs to match those on cabinetry.

Example SKU: ORP27.88 2.88

A tapered SSLEG can only be used with 3.88" widths.  SKU			
Prefix	Depth	Width	
ORP	24.88	2.88	
ORP	24.88	3.00	
ORP	24.88	3.88	
ORP	24.88	6.00	
ORP	25.63	2.88	
ORP	25.63	3.00	
ORP	25.63	3.88	
ORP	25.63	6.00	
ORP	27.88	2.88	
ORP	27.88	3.00	
ORP	27.88	3.88	
ORP	28.63	2.88	
ORP	28.63	3.00	
ORP	28.63	3.88	
ORP	29.88	2.88	
ORP	29.88	3.88	
ORP	29.88	6.00	
ORP	30.63	2.88	
ORP	30.63	3.88	
ORP	30.63	6.00	
ORP	30.93	2.88	
ORP	35.88	2.88	
ORP	35.88	3.88	
ORP	35.88	6.00	
ORP	36.63	2.88	
ORP	36.63	3.88	
ORP	36.63	6.00	


### Cabinet Accessories - ORP Cabinet Connector xx


### \*Return to Table of Contents

28.63

**ORP Cabinet Connector** 


### Product Description ORP Cabinet Connector: Bracket to connect an ORP or OBX countertop support column to adjacent cabinet at end of a run. SKU Prefix Depth ORP Cabinet Connector 24.88 ORP Cabinet Connector 25.63 ORP Cabinet Connector 27.88






### Cabinet Accessories - ORP Decorative Side Panels: OSP xx yy

\*Return to Table of Contents



ORP with Key West Panel side panel



Product Description

OSP: Decorative side panels to match door styles are available for installation on ORP columns. These are also able to installed on the side of cabinets to finish them.

KW: Key West Panel

KW SG: Key West Seaglass Center

KW BB: Key West Beadboard


KW LV: Key West Louvered

VN: Venice

PB: Palm Beach Panel

Example SKU: OSP KW BB 27.88

		SKU
refix	Style	Widths
OSP	KW	24.88, 25.63, 27.88, 28.63
)SP	KW SG	24.88, 25.63, 27.88, 28.63
)SP	KW BB	24.88, 25.63, 27.88, 28.63
)SP	KW LV	24.88, 25.63, 27.88, 28.63
)SP	VN	24.88, 25.63, 27.88, 28.63
)SP	РВ	24.88, 25.63, 27.88, 28.63




	Ρı	rod	uc	ct [	Descriptior


ORPS: Left/Right skin that connects over an ORP to increase depth.

NOTE: Custom sizes created as needed. List width of ORP that the skin is attaching to followed by the depth increase.

Example: ORPS27.88 2.88 (=ORP width) 3.00 (=depth increase)

27" Depth SKU	Description
ORPSXX XX XXL	Custom Left skin to connect to increase depth of ORP (first two dimensions are ORP depth and width).
ORPSXX XX XXR	CUSTOM Right skin to connect to increase depth of ORP (first two dimensions are ORP depth and width).







### Product Description


OBXF: Skins that connect over the front and back of an OBX to increase width. Order 2 if a filler is needed for both the front and back of the OBX.

NOTE: Available in any width in 1/8" increments. Some SKUs already programmed, see table below. Use OBXF XX for custom sizes as needed.

27" Depth SKU	Description
OBXF 3.00	3.00"W Skin
OBXF 3.50	3.50"W Skin
OBXF 3.88	3.88"W Skin
OBXF 4.75	4.75"W Skin
OBXF 5.25	5.25"W Skin
OBXF 5.38	5.38"W Skin
OBXF 5.63	5.63"W Skin
OBXF 5.88	5.88"W Skin
OBXF 6.00	6.00"W Skin
OBXF 6.25	6.25"W Skin
OBXF 7.25	7.25"W Skin
OBXF 8.00	8.00"W Skin
OBXF XX	Custom Width Skin







EXAMPLE: ORS24.25 used as a spacer, creating an opening for an appliance, attached between a cabinet and an ORP column.

ORS Brace ships with the ORS. OFE Appliance panel(s) must be ordered to install the brace.

Product Description
ORSxx: Rear vented spacer panel used to "lock-in" exact size opening for undercounter appliances. Used as a back panel for undercounter appliance space when needed.
Available in 1/8" increments, custom widths available, contact Sales for information. Brace is 8" deep and matches width of spacer.
Non-Vented versions of all sizes are available
Attaches between two cabinets, two ORP or

OBX columns, or a cabinet and ORP or OBX.

Obx columns, or a capinet and old of obx.		
Vented SKU	Non-Vented SKU	
ORS15	ORS15 NV	
ORS15.25	ORS15.25 NV	
ORS15.50	ORS15.50 NV	
ORS18	ORS18 NV	
ORS18.25	ORS18.25 NV	
ORS20.25	ORS20.25 NV	
ORS20.50	ORS20.50 NV	
ORS20.75	ORS20.75 NV	
ORS21	ORS21 NV	
ORS21.25	ORS21.25 NV	
ORS21.75	ORS21.75 NV	
ORS22	ORS22 NV	
ORS22.25	ORS22.25 NV	
ORS23	ORS23 NV	
ORS23.75	ORS23.75 NV	
ORS24	ORS24 NV	
ORS24.25	ORS24.25 NV	
ORS24.50	ORS24.50 NV	
ORS24.75	ORS24.75 NV	
ORS26.25	ORS26.25 NV	
ORS27.25	ORS27.25 NV	
ORS28.25	ORS28.25 NV	
ORS28.50	ORS28.50 NV	
ORS29	ORS29 NV	
ORS30	ORS30 NV	
ORS30.25	ORS30.25 NV	
ORS30.75	ORS30.75 NV	
ORS31.50	ORS31.50 NV	
ORS33	ORS33 NV	
ORS36	ORS36 NV	
ORS36.38	ORS36.38 NV	
ORS38	ORS38 NV	
ORS39	ORS39 NV	
ORS39.38	ORS39.38 NV	
ORS48	ORS48 NV	

### Cabinet Accessories - Countertop Support Piers: OCPSxx

\*Return to Table of Contents

### OCPS41E (electrical cutout)


### Product Description

OCPS: Raised countertop support piers for creating a bar behind cabinets, 5"W x 5"D, 34.5", and 41" heights available. Comes with standard height adjustable feet and sliding bracket to cover them. Uses arm to support countertop. Does not require OCP SPAN.


### \*GFCI Outlet Box not provided.

OCPS41E

Standard SKU		
OCPS34.5		
OCPS34.5-12		
OCPS41		
OCPS41-12		
With Electrical Cutout SKU		
OCPS41E-12		



OCPS41-12 (NO electrical cutout)



### Cabinet Accessories - Countertop Span Support: OCSxx

\*Return to Table of Contents

Note: OCS countertop support spacers are cut 1.5" longer than size listed. They are designed to fit inside OFE XXL/R OCS by .75".

Ex: OCS30 supports are cut to 31.5" long.

### Product Description

The OCS Brace Kit is used to support countertop material. The three 1.58" x 1.58" square aluminum extrusions insert .75" into each adjacent cabinet using an OFE XXL/R OCS (flush finished side panel ready to receive the OCS kit see). The kit can only be used in between two cabinets, the minimum allowable width of the cabinets is 12" wide for proper structure and support.


\*While the extrusions are durable, our company does not warranty that the Brace Kit will prevent countertop from cracking. Please refer to your countertop fabricator to verify usage with particular countertop material.\*

If using an OCS to end a run, choose a small 12" wide cabinet like OBF1201 or OBD1211 then finish the side using an OFE OCS part. (See OFE XXL/R OCS)

	SKU
	OCS30
	OCS33
	OCS36
	OCS39
MINIMUM 3.31	OCS42
3.31	OCS45
	OCS48
OFE xxR OCS	OCS 12.00 MINIMUM

### Cabinet Accessories - Countertop Flush Ends: OFE xxL/R OCS


\*Return to Table of Contents



Product Description		
OFE: Base cabinet flust to cabinet side, specify side and depth. *Notch countertop support spa	based on cabinet ned for use with OCS	
27" Depth SKU	24" Depth SKU	


27" Depth SKU	24" Depth SKU
OFE 27L OCS	OFE 24L OCS
OFE 27R OCS	OFE 24R OCS

### OFE xxL OCS notch detail:



### Miscellaneous - Handles

### Standard Handle




### Product Description

\*Return to Table of Contents

All Danver, Brown Jordan, and Trex Outdoor Kitchens cabinets come drilled and assembled with our standard stainless steel handle unless otherwise noted on the order. **6" center to center.** 

NOTE: Pulls can be powder coated any finish except wood grain finishes using the PC HANDLES part.

### Overlay Panel Handle



NOTE: For use on appliance overlay panels only

### Product Description

All Danver, Brown Jordan, and Trex Outdoor Kitchens overlay panels come drilled for our standard stainless steel overlay handle unless otherwise noted on the order. 12" center to center.

NOTE: Handles can be powder coated any finish except wood grain finishes using the PC HANDLES part.

168


### Miscellaneous - Hampton, Key West Handle Placement

\*Return to Table of Contents

### Hampton (slab), Key West, Venice handle placement

Hampton Drawer handle placement will match door placement. Smaller slab drawers under 7"H will be centered.

Note: Louver, Beadboard, Palm Beach, and Rio style doors have the same handle placement as Key West.




**Note:** Vertical wall cabinet handle placement is the same as base cabinets but handles are placed at the bottom of each door.


### Miscellaneous - Ashley Norton Knob Placement

\*Return to Table of Contents

### **Ashley Norton knob placement**

Note: Louver, Beadboard, Palm Beach, and Rio style doors have the same knob placement as Key West.





Note: Vertical wall cabinet knob placement is the same as base cabinets but handles are placed at the bottom of each door.

170 \_\_\_\_\_\_\_ 1

### Handles - Ashley Norton 'L' Pull

### \*Return to Table of Contents

### Product Description


PULL TAB: Stainless steel tab pull, can be powder coated. Top Center install on drawers. Top Edge install on doors.

\*\*\* MADE IN HOUSE - cannot be installed Vertically or on Inserts or overlay panels.\*\*\*


### Notes

Door pulls: 3" wide, 1 5/8"deep, 3/8" tab


Drawer pulls: 6" wide, 1 5/8"deep, 3/8" tab









Pull tab placement on slab door.








Pull tab placement on slab drawer.



\*Return to Table of Contents



### Product Description

L PULL: Solid Bronze L pull, available in five patinas (Dark Bronze, Black, Medium-White Bronze, Natural Bronze, and White Bronze). Top install on doors, center install on drawers.

- \*\*\*Can only be installed as shown per specification\*\*\*
- \*\*\*Only available on Hampton Door Style\*\*\*
- \*\*\*Not available on cabinet drawers that include locks\*\*\*

### Notes

Door pulls: 4-1/2" wide, 7/8" projection, 1-1/8" height


Drawer pulls: 6-3/4" wide, 7/8" projection, 1-1/8" height

Appliance panel pulls: 10-3/4" wide, 7/8" projection, 1-1/8" height


Refer to the following page for placement specs

172 \_\_\_\_\_\_\_ 17







### Handles - Ashley Norton 'L' Pull - Drawer Application



Note: Ashley Norton 'L' Pulls cannot be installed on cabinet drawers that include





\*Return to Table of Contents

Panels made to match any door/drawer style for most outdoor rated panel ready appliances such as refrigerators, ice makers, beverage centers, etc. Glass door frames in the Key West or Rio style are also possible. Please submit manufacturer specifications for panel(s) when requesting a kitchen quote.

### Example SKU:

True 15 URB-LH. This panel is used for a True 15" refrigerator, Hampton (slab) door style, left-hinged.

\*\*\*Overlay panels are made at 29.75"H to match our cabinet fronts. Because every appliance is different, Overlay panels may mount higher or lower on the appliance door to stay aligned with the adjacent cabinet doors. Overlay panels are manufactured without mounting holes and will need to be drilled on-site.\*\*\*

NOTE: No Locks Available for Overlay Panels

SAMPLE SKUs			
Manufacturer	Width	Door Style	Hinge
TRUE	24	KW	-LH
PERLICK	15	VN	-RH
PERLICK	24	GLASS RIO	-LH
SUMMIT	24	НМ	-LH
SUB-ZERO	24	KW SG	-RH

	SAMPLE	SKU ADA	
Manufacturer	Width	Door Style	Hinge
TRUE ADA	24	KW	-LH

SAMPLE SKU DRAWER			
Manufacturer	Width	Drawers	Door Style
PERLICK	24	2	НМ

DOOR STYLE NOMENCLATURE		
Abbreviation	Door Style	
НМ	Hampton	
VN	Venice	
KW	Key West	
KW BB	Key West Beadboard	
KW LV	Key West Louver	
KW OFG	Key West Open For Glass	
PB	Palm Beach	
TECNO	Tecno	
GLASS RIO	Rio	


### Miscellaneous - Horizon Wood Grain Usage

\*Return to Table of Contents

### \*Return to Table of Contents

### Product Description

LOCK: Add keyed lock to Hampton, Key West, Palm Beach, or Pull Tab doors. Can be applied to Key West doors but NOT drawers or trash pullouts.



### **Lock placement: Drawers**

- 1. Hampton, Venice, and Rio style doors all have centered lock placement above the handle.
- 2. Locks are unavailable on <u>all Key West drawer variations</u> due to the handle conflicting with the lock.


### HORIZON WOOD GRAIN CORRECT USAGE

### ONLY USE IN HORIZONTAL GRAIN PATTERN





### NO VERTICAL GRAIN DIRECTION




### NO OTHER DOOR STYLES



76 \_\_\_\_\_\_\_ 1

### Wood grain direction: Hampton Slab & Rio Door styles




Note: All panels finished in #4 Brushed Stainless Steel will have vertical grain.

Miscellaneous - Powder Coat Wood Grain Direction: Key West


\*Return to Table of Contents


### Wood grain direction: Key West Door Style




Note: All panels finished in #4 Brushed Stainless Steel will have vertical grain.


### Wood grain direction: Key West Beadboard Door Style









### Wood grain direction: Key West Louver Door Style










### Miscellaneous - Powder Coat Wood Grain Direction: Venice

\*Return to Table of Contents

### Wood grain direction: Venice Door Style








Note: Venice doors can ONLY have the center panel wood grain powder coated and the frame left as stainless steel or powder coated a standard color. Wood grain centers are coated with standard vertical orientation shown above.

Note: All panels finished in #4 Brushed Stainless Steel will have vertical grain.

Product Description SC: Stainless 304 sink covers with handles to match cabinets. Can be powder coated


\*Return to Table of Contents




Option 1: Stainless Steel Frame and Center Panel Center & Frame: Stainless Steel

Option 2: Powder Coated Frame and Center -Single Color

Center & Frame: Primary Color



Option 3: Stainless Frame with Powder Coated Center Panel




Option 4: Powder Coated Center Panel with Complementary Frame

Center: Primary Color, Frame: Stainless Steel Center: Primary Color, Frame: Secondary Color


Note: Powder coat finishes are available for the center panel and will be used on the accessories - trim kits, fillers, side/back panels, etc. All panels finished in #4 Brushed Stainless Steel will have vertical grain.


Note: All powder coat finishes can be used on frame except for wood grain finishes.



	to match cabinets. Custom sizes available, please contact sales. *Size listed is inside dimension* Ex: 21"W x 16"H
	SKU
	SC2116
	SC2121
№	SC2422
	SC3222
	SC3422
	SC3822
*	SC4322

Typical cabinet leg location.





Side View

Our standard cabinet leg is adjustable from 3.75" to 5.75"


Standard legs that have been cut to ADA height are adjustable from 2" to 3.25".

### **Modification of Standard Legs**


**Bottom View** 

Standard legs can be modified if the cabinet needs to sit below our standard minimum leg height (i.e. ADA application). This modification will allow the legs to be at a reduced height but still afford the ability for adjustment, ensuring correct leveling of cabinets.

Refer to the Cabinet Installation Instructions for complete information.



### Miscellaneous - Stainless Legs: SSLEG




Product Descriptio	4

SSLEG options: A wide range of Stainless Steel leg covers are available. ADA compliant leg and wall cabinet leg modifier kits are also available. Stainless legs can be powder coated to match cabinetry. Tapered legs should only be used on level surfaces.


\*Return to Table of Contents

SKU	Descriptoin
SSLEG	Exposed 4.5"-5.25" high stainless steel tapered leg. Number required based on cabinet sizes, either 4, 6, or 8 (54" and above). REPLACES LEGS.
	NOTE: Cannot be used for ORP/OBX units smaller than 3.88"W. Should only be used on a level deck.
ADA SSLEG	Exposed 2"-2.75" high stainless steel tapered leg for ADA compliant cabinet. Number required based on cabinet sizes, either 4, 6, or 8 (54" and above). REPLACES STANDARD LEGS.
	NOTE: Cannot be used for ORP or OBX units smaller than 3.88"W Should only be used on a level deck.




### Miscellaneous - Stainless Legs: SSLEG-ADJUSTABLE


### \*Return to Table of Contents




Product Description		
Exposed 4.5" high 304 Stainless Steel telescoping leg for cabinets. Replaces Standard Black Plastic Legs.		
Note: Cannot be used for O	RP/OBX units smaller than 3.88"W	
Note: Not Available for ADA		
Note: Cannot be powder co	ated	
Note: Not recommended for coastal applications/corrosive environments		
SKU	Descriptoin	
SSLEG-ADJUSTABLE SINGLE	Decorative 304 stainless steel 4.5"H adjustable leg. Single leg with foot bracket. Add SSLEG TOOL for installation.	
SSLEG-ADJUSTABLE DOUBLE	Decorative 304 stainless steel 4.5"H adjustable leg. Double leg with foot bracket for cabinet to cabinet attachment. Replaces (2) SSLEG-ADJUSTABLE SINGLE. Use only where installation is easily accessible. Add SSLEG TOOL for installation.	
SSLEG Tool	304 stainless steel wrench for leveling SSLEG-ADJUSTABLE. Add to order of SSLEG-ADJUSTABLE for installation.	


SSLEG SINGLE 4" TO 5 3/4" HEIGHT





SSLEG DOUBLE 4" TO 5 3/4" HEIGHT







### Miscellaneous - Stainless Legs: SSLEG-ADJUSTABLE - USAGE


\*Return to Table of Contents

### **SSLEG-ADJUSTABLE USAGE & EXAMPLES**


Please be considerate of leg count and leg accessibility when using SSLEG-ADJUSTABLE. It is recommended that SSLEG-ADJUSTABLE DOUBLE is only used where it is accessible for installation and adjustment. See examples below.












Powder Coated Aluminum Toe Kick


Broduct Doscriptio


Toe Kick: .125" thick aluminum black toe kick cover with PVC core.

Upgrade to .090" thick anodized aluminum toe kick cover with matching powder coat finish or .036" thick 316 Marine Grade Stainless steel toe kick cover without powder coat.

Finish	84" Length of Toe Kick	Splice for Connecting Straight Run	45 Degree Corner Splice	90 Degree Corner Splice
2" H Black Finish	OTK2	OTK2 SPLICE	OTK2 CORNER 45	OTK2 CORNER 90
2" H 316 Stainless Steel	OTK2-SS 316	OTK2-SS 316 SPLICE	OTK2-SS 316 CORNER 45	OTK2-SS 316 CORNER 90
2" H Aluminum with Powder Coat Finish	OTK2-AL PAINTED	OTK2-AL SPLICE PAINTED	OTK2-AL CORNER 45 PAINTED	OTK2-AL CORNER 90 PAINTED
4.38" H Black Finish	OTK4	OTK4 SPLICE	OTK4 CORNER 45	OTK4 CORNER 90
4.38" H 316 Stainless Steel	OTK4-SS 316	OTK4-SS 316 SPLICE	OTK4-SS 316 CORNER 45	OTK4-SS 316 CORNER 90
4.38" H Aluminum with Powder Coat Finish	OTK4-AL PAINTED	OTK4-AL SPLICE PAINTED	OTK4-AL CORNER 45 PAINTED	OTK4-AL CORNER 90 PAINTED
6" H Black Finish	ОТК6	OTK6 SPLICE	OTK6 CORNER 45	OTK6 CORNER 90
6" H 316 Stainless Steel	OTK6-SS 316	OTK6-SS 316 SPLICE	OTK6-SS 316 CORNER 45	OTK6-SS 316 CORNER 90
6" H Aluminum with Powder Coat Finish	OTK6-AL PAINTED	OTK6-AL SPLICE PAINTED	OTK6-AL CORNER 45 PAINTED	OTK6-AL CORNER 90 PAINTED









188 \_\_\_\_\_\_\_ 189

- · Available in 3" increments from 12" to 48" wide.
- Standard heights range from 12" to 42".
- Cabinet depth is 13" (13.88" including door).
- Two doors are furnished with cabinets from 24" to 48" in width.
- Includes 0-3 shelves depending on the height of the cabinets: 15"H=no shelf, 18-24"H=1 shelf, 30-36"H=2 shelves, 39-42"H=3 shelves.
- · Wall units require PVC CLEAT material on top and bottom notches to be hung.
- Every wall cabinet comes with:
  - top and bottom finished panels
  - standard stainless bar pulls
- The wall cabinet line includes diagonal corner and blind corner wall cabinet options.
- Finished side panels are optional and are available in two configurations:
  - Flush to the cabinet side (WFE) or .75" thick panel flush to the face of the door (WSP). Doors may be ordered in different styles or open for glass (OFG).
  - Wall cabinetry may also be fitted with standard or stainless legs and used as shallow depth base cabinets (accessory part name: WALL LEG KIT).







### Wall Cabinets & Accessories: Nomenclature

\*Return to Table of Contents


- All Danver Wall cabinets use specific nomenclature designed to help you find the specific type needed.
- Wall cabinets and Wall accessories begin with "W".
- Standard wall cabinet depth is 13".
- Specify "-24" after the part number for 24" depth cabinets. Example: WS2421-24.





Wall Part Name	Description	Wall Part Usage Summary	
PVC CLEAT	Cleat material	60"L x 3"H, used as anchor point to mount wall cabinets.	
WBxxxx	Wall Blind Corner	Blind wall cabinet used in a corner void.	
WDCxx	Wall Diagonal Corner	Wall cabinet used to fill a corner.	
WFC xx yy	Wall Filler Corner	Corner filler with top and bottom pieces included to fill corner void.	
WFExxL/R	Wall Flush End Left or Right	Applied to wall cabinet to end run, does not add any width.	
WFL yy xx	Wall Filler Front	Filler Front Used between two wall cabinets to fill space, .75" minimum.	
WFL END yy xx	Wall Filler Front End	Used between a wall cabinet and a wall, .5" minimum.	
WMCxxxx	Wall Microwave Cabinet	Wall cabinet used to house microwave.	
WSP DECORATIVE	Wall Decorate Side Panel	Decorative panels to match any door front style (Venice, Louver, etc.)	
WSPxxL/R	Wall Side Panel Left or Right	Applied to end of Wall run to finish cabinet side, adds .75" width.	





27" Height SKU	30" Height SKU
WS2427	WS2430
WS2727	WS2730
WS3027	WS3030
WS3327	WS3330
WS3627	WS3630
WS3927	WS3930
WS4227	WS4230
33" Height SKU	36" Height SKU
WS2433	WS2436
WS2733	WS2736
WS3033	WS3036
WS3333	WS3336
WS3633	WS3636
WS3933	WS3936
WS4233	WS4236
WS4536	WS4536
39" Height SKU	42" Height SKU
WS2439	WS2442
WS2739	WS2742
WS3039	WS3042
WS3339	WS3342
WS3639	WS3642
WS3939	WS3942
WS4239	WS4242
WS4539	WS4542
WS4839	WS4842

*Return to	Table of	Contents
------------	----------	----------

Product Description		
WS: Single Door Wall Cabinets		
15" Height SKU	18" Height SKU	
WS1215-LH	WS1218-LH	
WS1215-RH	WS1218-RH	
WS1515-LH	WS1518-LH	
WS1515-RH	WS1518-RH	
WS1815-LH	WS1818-LH	
WS1815-RH	WS1818-RH	
WS2115-LH	WS2118-LH	
WS2115-RH	WS2118-RH	
21" Height SKU	24" Height SKU	
WS1221-LH	WS1224-LH	
WS1221-RH	WS1224-RH	
WS1521-LH	WS1524-LH	
WS1521-RH	WS1524-RH	
WS1821-LH	WS1824-LH	
WS1821-RH	WS1824-RH	
WS2121-LH	WS2124-LH	
WS2121-RH	WS2124-RH	
27" Height SKU	30" Height SKU	
WS1227-LH	WS1230-LH	
WS1227-RH	WS1230-RH	
WS1527-LH	WS1530-LH	
WS1527-RH	WS1530-RH	
WS1827-LH	WS1830-LH	
WS1827-RH	WS1830-RH	
WS2127-LH	WS2130-LH	
WS2127-RH	WS2130-RH	
33" Height SKU	36" Height SKU	
WS1233-LH	WS1236-LH	
WS1233-RH	WS1236-RH	
WS1533-LH	WS1536-LH	
WS1533-RH	WS1536-RH	
WS1833-LH	WS1836-LH	
WS1833-RH	WS1836-RH	
WS2133-LH	WS2136-LH	
WS2133-RH	WS2136-RH	
39" Height SKU	42" Height SKU	
WS1239-LH	WS1242-LH	
WS1239-RH	WS1242-RH	
WS1539-LH	WS1542-LH	
WS1539-RH	WS1542-RH	
WS1839-LH	WS1842-LH	
WS1839-RH	WS1842-RH	
WS2139-LH	WS2142-LH	
WS2139-RH	WS2142-RH	


00
36.00
55"

Rear View


### Wall Cabinets - Diagonal Corner: WDCxx, Blind Corner: WBxxzz

\*Return to Table of Contents






Product Description		
WS: 24" DEEP Double or Single Door Wall Cabinets		
12" Height SKU		
WS2412-24		
WS3012-24		
WS3612-24		
15" Height SKU	18" Height SKU	
WS1515-24 (single)	WS1518-24 (single)	
WS3315-24	WS3018-24	
WS3615-24	WS3318-24	
21" Height SKU	24" Height SKU	
WS2421-24	WS1224-24	
WS3321-24	WS3324-24	
WS3621-24	WS3624-24	
30" Height SKU	36" Height SKU	
WS2430-24	WS2436-24	
39" Height SKU	42" Height SKU	
WS3039-24	WS3042-24	



	nal Corner Wall Cabinets 13" deep h other Wall Cabinets, XX"H. 1
	SKU
WDC15-LH	
WDC15-RH	
WDC18-LH	
WDC18-RH	
WDC21-LH	
WDC21-RH	
WDC24-LH	
WDC24-RH	
WDC27-LH	
WDC27-RH	
WDC30-LH	
WDC30-RH	
WDC36-LH	
WDC36-RH	
WDC42-LH	
WDC42-RH	




Product Description		
WB: Blind Corner Wall Cabinets, 13"D, 1 door.		
24" Height SKU 30" Height SKU		
WB2724-LH	WB2730-LH	
WB2724-RH	WB2730-RH	
WB3024-LH	WB3030-LH	
WB3024-RH WB3030-RH		
36" Height SKU 42" Height SKU		
WB2736-LH	WB2742-LH	
WB2736-RH	WB2742-RH	
WB3036-LH WB3042-LH		
WB3036-RH WB3042-RH		


## Product Description WMC: Wall Microwave Cabinets with 18"D shelf, #4 finish in 13.5" microwave area, 2 doors 30" Height SKU 33" Height SKU WMC2730 WMC2733 WMC3030 36" Height SKU 42" Height SKU WMC2436 WMC2742 WMC2736 WMC3042 WMC3036

### Wall Accessories - Side Panels: WSP, Flush End Panels: WFE

\*Return to Table of Contents



**Note:** Decorative side panels to match door fronts can be applied using Part: **WSP DECORATIVE L/R** and filling in the height (randging from 15"-42" in 3" increments), depth (13.88" or 24.88"), side (left or right), and door style.



### Product Description

WSP: ¾" Thick side panels for wall cabinets. XX"H, panels sit flush with door/drawer faces. Specify based on cabinet side and height.

Example SKUs: WSP15L, WSP24R, WSP36L, WSP42R

Wall Cabinet Side Panel Nomenclature			
Example: WSP15L			
WSP XX X			
Prefix Height Side			

### Product Description

Decorative Wall Side Panel. **SPECIFY** which Wall Cabinet this is being installed on and Door style. Pricing TBD by sales--match decorative OSP cost based on door style.

### Wall Cabinet Side Panel SKUs

### WSP DECORATIVE L

### **WSP DECORATIVE R**

### Product Description

WFE: Flush side panels for wall cabinets. 13"W, panels sit flush with cabinet box. Specify based on cabinet side and height.

Example SKUs: WFE18L, WFE21R, WFE33L, WFE39R

# joggle bends to attach to other wall cabinets 12"-42", 3" increments

### Product Description


WFL: Wall cabinet front filler, sits flush with door faces, attaches between two wall cabinets. 1"W minimum, available in 1/8" increments as needed.

### Example: WFL 30 3.75 WFL XX XX Prefix Height Width

Example SKUs: WFE18L, WFE21R, WFE33L, WFE39R

### Wall Accessories - Corner Fillers: WFC, WFL END

\*Return to Table of Contents




### WFC: Wall cabinet front 90-degree corner filler, sits flush with door faces, attaches

filler, sits flush with door faces, attaches between two wall cabinets. 2"W overall, 1"W minimum on each side of bend, available in 1/8" increments as needed.

### Wall Cabinet Front Filler Nomenclature Example: WFC 24 3.63 2.00 WFC XX XX XX Prefix Height Left Dim. Dim.

Example SKUs: WFC 18 4.00 4.00, WFC 36 3.50 3.00



### Product Description

WFL END: Front wall cabinet end filler, sits flush with door faces, attaches between a wall cabinet and a wall. 0.5"W minimum, available in 1/8" increments as needed. Joggle bend on one side to attach to cabinet, flat bend on other side for easy installation to wall, specify side.

### Wall Cabinet Front End Filler Nomenclature Example: WFL END 30 3.75 WFL XX XX Prefix Height Width

Example SKUs: WFL END 30 2.88, WFL END 42 2.13

198

### Wall Accessories - Light Rail: WLR xx yy zz, PVC Cleat

### \*Return to Table of Contents

# 1.500

Light Rail – Stainless light rail for wall cabinets. Comes in 84" lengths, cut onsite as needed. Can be powder coated to match cabinets.		
	SKU	
Light Rail	1.5"H	3.0"H
Straight Length	WLR STRAIGHT 1.5	WLR STRAIGHT 3.0
90-degree inside corner	WLR 90 IN 1.5	WLR 90 in 3.0
90-degree outside corner	WLR 90 OUT 1.5	WLR 90 OUT 3.0
135-degree inside corner	WLR 135 IN 1.5	WLR 135 IN 3.0
135-degree outside corner	WLR 135 OUT 1.5	WLR 135 OUT IN 3.0
Straight Splice	WLR SPLICE 1.5	WLR SPLICE 3.0


Product Description

### Product Description

PVC Cleat: Required cleat for hanging wall cabinets. Comes in 60" x 3"H lengths, cut onsite as needed.


### **Rolling Carts**

### \*Return to Table of Contents



### Back Panels (any door style) required for stability. SKU ROLLING CART 48" ROLLING CART 54" ROLLING CART 60" ROLLING CART 66" ROLLING CART 72"

Rolling Cart w/ locking glides. Add individual 27" depth cabinets and choose applicable options including Rolling Cart Skid. Equal



6' Rolling Cart W/Cabinets




Designers and builders of masonry island kitchens are now offered a complete line of door, drawer/door, drawer combinations and pullout cabinetry to construct a totally functional kitchen. The line features the optional Clean-Stor® box that attaches to door fronts to create useful storage and organization. The Clean-Stor box eliminates the infamous "masonry black hole" that lurks behind access doors. The steel construction is superior to presently used insert materials that are subject to warping, rotting and mildew. The Clean-Stor box comes with a shelf and provides clean dry storage.


Doors exhibit the same stainless quality, "heft & weight" and solid close as the modular cabinetry line allowing additional design flexibility by using both lines to create the ideal kitchen while retaining a consistent "look". Door and drawer faces can be upgraded to any door style and be powder coated to compliment your outdoor kitchen.

### The insert line includes:

- One and Two Drawer Units
- Door and Drawer Combination Units
- One and Two Door (and frame) Units
- · Paper Towel Dispenser
- Trash and Propane Pullouts

Access Door Inserts may be purchased with just the frame and doors or combined with the "Clean-Stor" box as a complete unit.






Product Description		
IDR: Access Door		
	SKU	
SKU	Description	Cut Out Size
IDR1621-1	16"W x 21"H Frame, One Flush Access Door	13₅⁄₃"W x 19₁∕₂"H
IDR1725-1	17"W x 25"H Frame, One Flush Access Door	145/8"W x 231/2"H
IDR2121-1	21"W x 21"H Frame, One Flush Access Door	185⁄8"W x 191⁄2"H
IDR2721-2	27"W x 21"H Frame, Two Flush Access Doors	245/8"W x 191/2"H
IDR3021-2	30"W x 21"H Frame, Two Flush Access Doors	27₅⁄8"W x 19₁∕₂"H
IDR3025-2	30"W x 25"H Frame, Two Flush Access Doors	275⁄8"W x 231⁄2"H
IDR3621-2	36"W x 21"H Frame, Two Flush Access Doors	33₅∕8"W x 19₁∕₂"H
IDR4221-2	42"W x 21"H Frame, Two Flush Access Doors	39₅⁄8"W x 19₁∕2"H

### Island Insert Cabinets - Clean-Stor® Box Drawer Sets: IDWxxzz


\*Return to Table of Contents





\*Return to Table of Contents




24" Depth SKU Description	
IDR1621-B	Clean-Stor® storage box for IDR1621
IDR1725-B	Clean-Stor® storage box for IDR1725
IDR2121-B	Clean-Stor® storage box for IDR2121
IDR2721-B	Clean-Stor® storage box for IDR2721
IDR3021-B	Clean-Stor® storage box for IDR3021
IDR3025-B	Clean-Stor® storage box for IDR3025
IDR3621-B	Clean-Stor® storage box for IDR3621
IDR4221-B	Clean-Stor® storage box for IDR4221








Product Description		
IC: Door and Drawer Sets		
SKU		
SKU	Description	Cut Out Size
IC3021-21	30"W x 21"H Frame, Two Drawers, One door, 2 Separate boxes. Specifiy drawers on left or right of door.	27₅∕₃"W x 19₁∕₂"H




Product Description		
Insert: Accessories		
SKU		
SKU	Description	Cut Out Size
ITR1725	17"W x 25"H Frame with Trash Pull Out	14₅⁄₃"W x 23₁∕₂"H
IPR1725	17"W x 25"H Frame with Propane Pull Out	145/8"W x 231/2"H
IPT1711	17"W x 11"H Paper Towel Dispenser	15½"W x 85⁄8"H



### Outdoor Kitchen Accessories - Spice Rack Inserts

\*Return to Table of Contents




	Spice 21" D matc
[2.39]	5
23"	DOL-
	DOL-
	DOI -

Spice Rack Insert 15W Top Drawer Spice Rack Insert, 21" Drawer Depth, Drop-In Install, Powder coat color matches drawer interior		
SKU	Description	
DOL-SRI-15	Spice Rack Insert 15"	
DOL-SRI-18	Spice Rack Insert 18"	
DOL-SRI-21	Spice Rack Insert 21"	
DOL-SRI-24	Spice Rack Insert 24"	

### Outdoor Kitchen Accessories - Drawer Dividers

### \*Return to Table of Contents



### Product Description

Top Drawer Divider 15W-24W (3" Increments) Top Drawer Divider, Adjustable Depth up to 21", Drop-In Install, Powder coat color matches drawer interior, Neoprene Anti-slip/Anti-scratch Bottom

SKU	Description
DOL-DD-15	Drawer Divider 15"
DOL-DD-18	Drawer Divider 18"
DOL-DD-21	Drawer Divider 21"
DOL-DD-24	Drawer Divider 24"



Danver 1 Grand Street Wallingford, CT 06492 203.269.2300